

Plus, Capital and Magnolia

2026 Formulary

List of Covered Drugs or “Drug List”

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on 05/21/2026. For more recent information or other questions, please contact **Blue Advantage® (PPO) Member Services** at **1-888-950-0705** or, for TTY users, **711**, Monday - Friday, 8 a.m. - 8 p.m. CST. From October 1 to March 31, the hours of operation are Monday - Sunday, 8 a.m. - 8 p.m. CST. You may be required to leave a message for calls made after hours, weekends and holidays. Calls will be returned the next business day, or visit [PatriusHealth.com](https://www.PatriusHealth.com).

Important Message About What You Pay for Vaccines - Our plan covers most Part D vaccines at no cost to you, even if you haven't paid your deductible. Call Member Services for more information.

Important Message About What You Pay for Insulin - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on, even if you haven't paid your deductible.

Notice of Nondiscrimination

Discrimination is Against the Law

Patrius Health, an independent licensee of the Blue Cross and Blue Shield Association, complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex (consistent with the scope of sex discrimination described in 45 CFR § 92.101(a)(2)). We do not exclude people or treat them less favorably because of race, color, national origin, age, disability, or sex.

Patrius Health:

- Provides reasonable modifications and free appropriate auxiliary aids and services to people with disabilities to communicate effectively with us, such as qualified sign language interpreters and written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language assistance services to people whose primary language is not English, such as qualified interpreters and information written in other languages

If you need reasonable modifications, appropriate auxiliary aids and services, or language assistance services, contact our 1557 Compliance Coordinator. If you believe that we have failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance in person or by mail, fax, or email at: Patrius Health, Compliance Office, 450 Riverchase Parkway East, Birmingham, Alabama 35244, Attn: 1557 Compliance Coordinator, 1-855-216-3144, 711 (TTY), 1-205-220-2984 (fax), 1557Grievance@patriushealth.com (email). If you need help filing a grievance, our 1557 Compliance Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, D.C. 20201, 1-800-368-1019, 1-800-537-7697 (TDD). Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Visit PatriusHealth.com/NoticeofNondiscrimination to view an electronic version of this notice.

Notice of Availability of Language Assistance Services and Auxiliary Aids and Services

English: ATTENTION: Free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 1-855-216-3144 (TTY: 711) or call Customer Service.

Arabic: انتباه: إذا كنت تتحدث العربية، تتوفر لك خدمات المساعدة اللغوية المجانية. كما تتوفر أيضًا المساعدات والخدمات الإضافية المناسبة لتوفير المعلومات بتنسيقات يسهل الوصول إليها مجانًا. اتصل بالرقم 1-855-216-3144 (الهاتف النصي: 711) أو الاتصال بخدمة العملاء.

Chinese: 请注意：如果您说普通话，我们可免费为您提供语言协助服务。我们还免费提供适当的辅助工具和服，以易读格式向您提供信息。请拨打 1-855-216-3144 (TTY: 711) 或致电客户服务部。

French: À NOTER : Si vous parlez français, des services d'assistance linguistique gratuits sont à votre disposition. Des aides et des services auxiliaires appropriés pour fournir des informations dans des formats accessibles sont également disponibles gratuitement. Appelez le 1-855-216-3144 (TTY: 711) ou contactez le service client.

German: ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlose Sprachassistentendienste zur Verfügung. Geeignete Hilfsmittel und Dienstleistungen zur Bereitstellung von Informationen in zugänglichen Formaten sind ebenfalls kostenlos erhältlich. Rufen Sie 1-855-216-3144 (TTY: 711) oder den Kundendienst an.

Gujarati: ધ્યાન આપો: જો તમે ગુજરાતી બોલો છો, તો તમારા માટે નિ:શુલ્ક કંભાષા સહાય સેવાઓ ઉપલબ્ધ છે. સુલભ ફોર્મેટમાં માહિતી પ્રદાન કરવા માટેની યોગ્ય સહાય અને સેવાઓ પણ વિના મૂલ્યે ઉપલબ્ધ છે. 1-855-216-3144 (TTY: 711) પર અથવા ગ્રાહક સેવા પર કોલ કરો.

Hindi: ध्यान दें: अगर आप हिन्दी बोलते हैं, तो आपके लिए नि:शुल्क भाषा सहायता सेवाएँ उपलब्ध हैं। आसान प्रारूप में सूचना उपलब्ध कराने के लिए उपयुक्त सहायक साधन और सेवाएँ भी नि:शुल्क उपलब्ध हैं। 1-855-216-3144 (TTY: 711) पर कॉल करें या ग्राहक सेवा को कॉल करें।

Japanese: ご案内：日本語を話される方には、無料の言語アシスタントサービスをご用意しております。アクセシブルな形式で情報を提供するため、補助器具や支援サービスも無料で提供しております。1-855-216-3144 (TTY: 711) もしくは、カスタマーサービスにお電話でお問合せください。

Korean: 주의: 한국어(를) 하시면 무료 언어 지원 서비스를 이용하실 수 있습니다. 접근 가능한 형식으로 정보를 제공하기 위한 적절한 보조 도구와 서비스도 무료로 제공됩니다. 1-855-216-3144 (TTY: 711)로 전화하거나 고객 서비스에 문의하세요.

Lao: ໃຈໃຈໃສ່: ຖ້າເຈົ້າເວົ້າລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາຝຣັ່ງແມ່ນມີໂທ້ທ່ານ. ການຊ່ວຍເຫຼືອ ແລະ ການບໍລິການທີ່ ແນະນຳໃນການສະໜອງຂໍ້ມູນໃນຮູບແບບທີ່ສາມາດເຂົ້າເຖິງໄດ້ແມ່ນຍັງສາມາດໄດ້ໂດຍບໍ່ເສຍຄ່າ. ໂທ 1-855-216-3144 (TTY: 711) ຫາຜ່ານບໍລິການລູກຄ້າ.

Portuguese: ATENÇÃO: Se você falar português, serviços gratuitos de assistência linguística estão disponíveis para você. Também estão disponíveis gratuitamente ajudas e serviços auxiliares adequados para fornecer informações em formatos acessíveis. Ligue para 1-855-216-3144 (TTY: 711) ou ligue para o Atendimento ao Cliente.

Russian: ВНИМАНИЕ: Если ваш язык русский язык, к вашим услугам бесплатная языковая помощь. Соответствующие вспомогательные средства и услуги по предоставлению информации в доступных форматах также предоставляются бесплатно. Позвоните по телефону 1-855-216-3144 (TTY: 711) или обратитесь в службу поддержки клиентов.

Spanish: ATENCIÓN: Si usted habla español, hay disponibles servicios gratuitos de asistencia lingüística. También hay disponibles, de forma gratuita, ayudas y servicios auxiliares adecuados para dar información en formatos accesibles. Llame al 1-855-216-3144 (TTY: 711) o llame a Servicio al cliente.

Tagalog: Paunawa: Kung nagsasalita ka ng Tagalog, available sa iyo ang mga libreng serbisyo sa tulong sa wika. Available rin ang naaangkop na mga pantulong na tulong at serbisyo nang walang bayad para magbigay ng impormasyon sa mga naa-access na format. Tumawag sa 1-855-216-3144 (TTY: 711) o tumawag sa Serbisyo sa Customer.

Turkish: DİKKAT: Konuşmanız durumunda Türkçe, ücretsiz dil yardımı hizmetlerinden yararlanabilirsiniz. Erişilebilir formatlarda bilgi sağlamak için uygun yardımcı araçlar ve hizmetler de ücretsiz olarak sunulmaktadır. 1-855-216-3144 (TTY: 711) nolu telefonu veya Müşteri Hizmetlerini arayın.

Vietnamese: CHÚ : Nếu qu ị nói tiếng việt thì dịch vụ hỗ trợ ngôn ngữ miễn phí có sẵn cho qu ị. Chúng tôi cũng có các hỗ trợ và dịch vụ phụ trợ miễn phí phù hợp để cung cấp thông tin ở định dạng dễ tiếp cận. Vui lòng gọi số 1-855-216-3144 (TTY: 711) hoặc gọi Dịch Vụ Khách Hàng.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (formulary) refers to “we,” “us”, or “our,” it means **Patrius Health**. When it refers to “plan” or “our plan,” it means **Blue Advantage (PPO)**.

This document includes a Drug List (formulary) for our plan which is current as of May 21, 2026. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2027, and from time to time during the year.

What is the Blue Advantage formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by **Blue Advantage** in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program.

Blue Advantage will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a **Blue Advantage** network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here:

[PatriusHealth.com/Documents](https://www.patriushealth.com/Documents).

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the **Blue Advantage’s** formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the **Blue Advantage’s** formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2026 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2026 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of May 21, 2026. To get updated information about the drugs covered by **Blue Advantage** please contact us. Our contact information appears on the front and back cover pages. Formulary publications are updated and posted on a monthly basis with applicable changes, including negative changes.

How do I use the formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 72. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Blue Advantage covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** **Blue Advantage** requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from **Blue Advantage** before you fill your prescriptions. If you don't get approval, **Blue Advantage** may not cover the drug.
- **Quantity Limits:** For certain drugs, **Blue Advantage** limits the amount of the drug that **Blue Advantage** will cover. For example, **Blue Advantage** provides 60 tablets/30 days per prescription for *losartan 25 mg*. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, **Blue Advantage** requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, **Blue Advantage** may not cover Drug B unless you try Drug A first. If Drug A does not work for you, **Blue Advantage** will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions.

You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask us to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the **Blue Advantage’s** formulary?” on page iv for information about how to request an exception.

What if my drug is not on the formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that **Blue Advantage** does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by **Blue Advantage**. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by **Blue Advantage**.
- You can ask **Blue Advantage** to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Blue Advantage’s formulary?

You can ask **Blue Advantage** to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, **Blue Advantage** limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You cannot ask us to change the cost-sharing tier for any drug in Cost-Sharing Tier 1 - Preferred Generic, Cost-Sharing Tier 3 - Preferred Brand and Cost-Sharing Tier 5 - Specialty.

Generally, **Blue Advantage** will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or, formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber’s supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

In addition to circumstances impacting new members who may enter a plan with a medication list that contains non-formulary Part D drugs, other circumstances exist in which unplanned transitions for current members could arise and in which prescribed drug regimens may not be on the Plan Sponsor's formulary. These circumstances usually involve level of care changes in which a member is changing from one treatment setting to another.

For these unplanned transitions, members and prescribers must avail themselves of the Plan Sponsor's exceptions and appeals processes. Coverage determinations are processed and redeterminations are made as expeditiously as the member's health condition requires.

In order to prevent a temporary gap in care when a member is discharged to home, members are permitted to have a full outpatient supply available to continue therapy once their limited supply provided at discharge is exhausted. This outpatient supply is available in advance of discharge from a Part A stay.

When a member is admitted to or discharged from a long-term care facility, and does not have access to the remainder of the previously dispensed prescription, a one-time override of the "refill too soon" edits is processed for each medication which would be impacted due to a member being admitted to or discharged from a long-term care facility. Early refill edits are not used to limit appropriate and necessary access to a member's Part D benefit, and such members are allowed to access a refill upon admission or discharge.

For more information

For more detailed information about your **Blue Advantage** prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about **Blue Advantage**, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or visit <http://www.medicare.gov>.

Blue Advantage formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by **Blue Advantage**. If you have trouble finding your drug in the list, turn to the Index that begins on page 72.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., LANTUS) and generic drugs are listed in lower-case italics (e.g., *metformin*).

The information in the Requirements/Limits column tells you if **Blue Advantage** has any special requirements for coverage of your drug.

Contact your plan for details.

| Drug Name | Drug Tier | Requirements/Limits |
|-----------|-----------|---------------------|
|-----------|-----------|---------------------|

Column 1, the *Drug Name* column, provides information such as drug name and if the drug is BRAND or generic.

Column 2, the *Drug Tier* column, provides information on which of the 5 tiers the drug has been assigned. Member cost-sharing is based on drug tier assignment, day supply, and pharmacy selected.

Tier 1 = Preferred Generic

Tier 2 = Generic

Tier 3 = Preferred Brand

Tier 4 = Non-Preferred Drug

Tier 5 = Specialty

Column 3, the *Requirements/Limits* columns, indicates if a drug has any additional requirements or limits under Utilization Management including *Prior Authorization*, *Quantity Limits*, and *Step Therapy*.

BD = Drugs that may be covered under Medicare Part B or Part D depending on the circumstance. These drugs require prior authorization to determine coverage under Part B or Part D. Information may need to be provided that describes the use or the place where the drug is received to determine coverage.

PA = Prior Authorization

QL = Quantity Limits

ST = Step Therapy

* = Limited Distribution Drug. This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call **Member Services** at **1-888-950-0705** (TTY users **711**), Monday - Friday, 8 a.m. - 8 p.m. CST. From October 1 to March 31, the hours of operation are Monday - Sunday, 8 a.m. - 8 p.m. CST. You may be required to leave a message for calls made after hours, weekends and holidays. Calls will be returned the next business day.

= High Risk Medication (HRM). Medicine that may be unsafe in patients greater than 65 years of age. Our formulary does include coverage for some of these drugs, but alternatives may be found in lower co-pay tiers. Please discuss with your doctor if there are alternatives to these medications that would be appropriate for you to use.

† = Split fill indicated drug. This high-cost medication is indicated with a cross (†) for you to request a 2-week supply (partial fill) of medication versus a full month. This partial fill may allow for copay savings if the medicine causes severe side effects, and you stop taking it or have a dosage change. If there are no

side effects, you may only pay the rest of your monthly copay when you pick up the remaining 2-week supply, if applicable.

Generally, we will cover your prescriptions only if they are filled at one of our network pharmacies. You may go to network pharmacies to receive your covered prescription drugs.

The table below describes your share of the cost for **Blue Advantage Plus** when you get a covered Part D prescription drug for a one-month (30-day) supply at a Retail Pharmacy, a one-month (30-day) supply at a Mail-Order Pharmacy, a one-month (31-day) supply at a Long-Term Care Pharmacy, a long-term (100-day) supply from a Retail Pharmacy or a long-term (100-day) supply from a Mail-Order Pharmacy, after your \$320 deductible has been met on all covered Part D Drugs on Tier 3, Tier 4 and Tier 5.

| Drug Tiers | One-month (30-day) supply (or less) at a Retail Pharmacy | One-month (30-day) supply (or less) at a Mail Order Pharmacy | One-month (31-day) supply (or less) at a Long-Term Care Pharmacy | Long-Term (100-day) supply (or less) at a Retail Pharmacy | Long-Term (100-day) supply (or less) at a Mail Order Pharmacy |
|----------------------------|--|--|--|---|---|
| Tier 1 Preferred Generic | \$0 copay | \$0 copay | \$0 copay | \$0 copay | \$0 copay |
| Tier 2 Generic | \$13 copay | \$13 copay | \$13 copay | \$26 copay | \$26 copay |
| Tier 3 Preferred Brand* | 19% coinsurance | 19% coinsurance | 19% coinsurance | 19% coinsurance | 19% coinsurance |
| Tier 4 Non-Preferred Drug* | 31% coinsurance | 31% coinsurance | 31% coinsurance | 31% coinsurance | 31% coinsurance |
| Tier 5 Specialty* | 29% coinsurance | 29% coinsurance | 29% coinsurance | 29% coinsurance | 29% coinsurance |

*Note: Tiers 3, 4 and 5 – have coinsurance applied and do not have a reduced cost for drugs purchased at retail or mail-order pharmacies.

The table below describes your share of the cost for **Blue Advantage Capital** when you get a covered Part D prescription drug for a one-month (30-day) supply at a Retail Pharmacy, a one-month (30-day) supply at a Mail-Order Pharmacy, a one-month (31-day) supply at a Long-Term Care Pharmacy, a long-term (100-day) supply from a Retail Pharmacy or a long-term (100-day) supply from a Mail-Order Pharmacy, after your \$300 deductible has been met on all covered Part D Drugs on Tier 3, Tier 4 and Tier 5.

| Drug Tiers | One-month (30-day) supply (or less) at a Retail Pharmacy | One-month (30-day) supply (or less) at a Mail Order Pharmacy | One-month (31-day) supply (or less) at a Long-Term Care Pharmacy | Long-Term (100-day) supply (or less) at a Retail Pharmacy | Long-Term (100-day) supply (or less) at a Mail Order Pharmacy |
|----------------------------|--|--|--|---|---|
| Tier 1 Preferred Generic | \$0 copay | \$0 copay | \$0 copay | \$0 copay | \$0 copay |
| Tier 2 Generic | \$13 copay | \$13 copay | \$13 copay | \$26 copay | \$26 copay |
| Tier 3 Preferred Brand* | 20% coinsurance | 20% coinsurance | 20% coinsurance | 20% coinsurance | 20% coinsurance |
| Tier 4 Non-Preferred Drug* | 30% coinsurance | 30% coinsurance | 30% coinsurance | 30% coinsurance | 30% coinsurance |
| Tier 5 Specialty* | 29% coinsurance | 29% coinsurance | 29% coinsurance | 29% coinsurance | 29% coinsurance |

*Note: Tiers 3, 4 and 5 – have coinsurance applied and do not have a reduced cost for drugs purchased at retail or mail-order pharmacies.

The table below describes your share of the cost for **Blue Advantage Magnolia** when you get a covered Part D prescription drug for a one-month (30-day) supply at a Retail Pharmacy, a one-month (30-day) supply at a Mail-Order Pharmacy, a one-month (31-day) supply at a Long-Term Care Pharmacy, a long-term (100-day) supply from a Retail Pharmacy or a long-term (100-day) supply from a Mail-Order Pharmacy, after your \$325 deductible has been met on all covered Part D Drugs on Tier 3, Tier 4 and Tier 5.

| Drug Tiers | One-month (30-day) supply (or less) at a Retail Pharmacy | One-month (30-day) supply (or less) at a Mail Order Pharmacy | One-month (31-day) supply (or less) at a Long-Term Care Pharmacy | Long-Term (100-day) supply (or less) at a Retail Pharmacy | Long-Term (100-day) supply (or less) at a Mail Order Pharmacy |
|----------------------------|--|--|--|---|---|
| Tier 1 Preferred Generic | \$0 copay | \$0 copay | \$0 copay | \$0 copay | \$0 copay |
| Tier 2 Generic | \$13 copay | \$13 copay | \$13 copay | \$26 copay | \$26 copay |
| Tier 3 Preferred Brand* | 19% coinsurance | 19% coinsurance | 19% coinsurance | 19% coinsurance | 19% coinsurance |
| Tier 4 Non-Preferred Drug* | 30% coinsurance | 30% coinsurance | 30% coinsurance | 30% coinsurance | 30% coinsurance |
| Tier 5 Specialty* | 29% coinsurance | 29% coinsurance | 29% coinsurance | 29% coinsurance | 29% coinsurance |

*Note: Tiers 3, 4 and 5 – have coinsurance applied and do not have a reduced cost for drugs purchased at retail or mail-order pharmacies.

An Abbreviations Key for prescription drug dosages is provided below as a quick reference for our list of formulary drugs beginning on page 1.

Prescription Drug Dosage Restrictions Abbreviations Key

| KEY | | KEY | |
|---|------------------------------------|-------------------|---------------------------------|
| act | actuation | hr | hour |
| ad | adsorbed | ig | immunoglobulin |
| adjuv | adjuvant | im | intramuscular |
| aepb | aerosol powder blister | inh, inhal | inhalation |
| aer, aers, aero | aerosol | inj | injection |
| afib/afl | atrial fibrillation/atrial flutter | ir | index of reactivity |
| app | applicator | iv | intravenous |
| ba, br act, breath act, breath activ | breath activated | l | liter |
| bau | bioequivalent allergy unit | la | long acting |
| cap, caps | capsules | lf, lfu | flocculation units |
| cart | cartridge | lipo | lipophilic |
| cd | continuous delivery | liq, liqd | liquid |
| chew tab | chewable tablets | maint | maintenance |
| conc | concentrate | mcg | microgram |
| conj | conjugate, conjugated | meq | milliequivalent |
| cpr | controlled release capsule | mg | milligram |
| crm | cream | misc | miscellaneous |
| crys | crystals | ml | milliliter |
| deter | deterrent | nebu | nebules |
| disint, disintegr | disintegrating | oc | oral contraceptive |
| dr | delayed-release | oin, oint | ointment |
| ec | enteric coated | omv | outer membrane vesicles |
| el, elu | enzyme-linked immunosorbent assay | op, ophth | ophthalmic |
| er, extended, extended rel, xr | extended release | osm | osmotic |
| ext | extract | pah | pulmonary arterial hypertension |
| gm | gram | pak, pk | pack |
| gu | genitourinary | pf | preservative-free |
| | | pfu | plaque forming units |
| | | pmdd | premenstrual dysphoric disorder |

| KEY | |
|---------------------|---------------------------|
| pow, powd | powder |
| pref | prefilled |
| pttw | patch twice weekly |
| ptwk | patch weekly |
| recomb | recombinant |
| refrig | refrigerate |
| sl | sublingual |
| sol, soln | solution |
| supp, suppos | suppositories |
| sus, susp | suspension |
| syr | syringe |
| tab, tabs | tablets |
| tocr | controlled release tablet |

| KEY | |
|------------------|-----------------------|
| tbdp | dispersible tablet |
| tbec | enteric coated tablet |
| tbpk | tablet pack |
| td | transdermal |
| ther | therapy |
| titr | titration |
| tl | translingual |
| unt, ut | unit |
| va | vaginal |
| vac, vacc | vaccine |

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| Analgesics | | |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 3 | QL (2700 mls/30 days) |
| <i>acetaminophen w/ codeine tab 300-15 mg, 300-30 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>bac - butalbital-acetaminophen-caffeine tab 50-325-40 mg#</i> | 3 | QL (180 tablets/30 days) |
| <i>butalbital-acetaminophen-caffeine tab 50-325-40 mg#</i> | 3 | QL (180 tablets/30 days) |
| <i>butalbital-aspirin-caffeine cap 50-325-40 mg#</i> | 3 | QL (180 capsules/30 days) |
| <i>celecoxib cap 50 mg, 100 mg, 200 mg</i> | 2 | QL (60 capsules/30 days) |
| <i>celecoxib cap 400 mg</i> | 3 | QL (30 capsules/30 days) |
| <i>diclofenac potassium tab 50 mg</i> | 3 | QL (120 tablets/30 days) |
| <i>diclofenac sodium soln 1.5%</i> | 3 | PA |
| <i>diclofenac sodium tab delayed release 25 mg</i> | 3 | QL (240 tablets/30 days) |
| <i>diclofenac sodium tab delayed release 50 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>diclofenac sodium tab delayed release 75 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>diclofenac sodium tab er 24hr 100 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>endocet - oxycodone w/ acetaminophen tab 2.5-325 mg, 5-325 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>endocet - oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 3 | QL (240 tablets/30 days) |
| <i>endocet - oxycodone w/ acetaminophen tab 10-325 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>etodolac cap 200 mg</i> | 3 | QL (150 capsules/30 days) |
| <i>etodolac cap 300 mg</i> | 3 | QL (90 capsules/30 days) |
| <i>etodolac tab er 24hr 400 mg, 500 mg</i> | 4 | QL (60 tablets/30 days) |
| <i>etodolac tab er 24hr 600 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>etodolac tab 400 mg, 500 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>fentanyl td patch 72hr 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hr, 50 mcg/hr, 62.5 mcg/hr, 75 mcg/hr, 87.5 mcg/hr, 100 mcg/hr</i> | 4 | PA, QL (15 patches/30 days) |
| <i>flurbiprofen tab 100 mg</i> | 2 | QL (90 tablets/30 days) |
| <i>hydrocodone-acetaminophen soln 7.5-325 mg/15ml</i> | 4 | QL (2700 mls/30 days) |
| <i>hydrocodone-acetaminophen tab 10-325 mg, 7.5-325 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>hydrocodone-acetaminophen tab 5-325 mg</i> | 3 | QL (240 tablets/30 days) |
| <i>hydromorphone hcl liqd 1 mg/ml</i> | 4 | QL (1440 mls/30 days) |
| <i>hydromorphone hcl preservative free (pf) inj 10 mg/ml</i> | 4 | BD |
| <i>hydromorphone hcl tab 2 mg, 4 mg, 8 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>ibu - ibuprofen tab 400 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>ibu - ibuprofen tab 600 mg</i> | 1 | QL (150 tablets/30 days) |
| <i>ibu - ibuprofen tab 800 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>ibuprofen susp 100 mg/5ml</i> | 2 | |
| <i>ibuprofen tab 400 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>ibuprofen tab 600 mg</i> | 1 | QL (150 tablets/30 days) |
| <i>ibuprofen tab 800 mg</i> | 1 | QL (120 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>indomethacin cap 25 mg#</i> | 2 | QL (240 capsules/30 days) |
| <i>indomethacin cap 50 mg#</i> | 2 | QL (120 capsules/30 days) |
| <i>meloxicam tab 7.5 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>meloxicam tab 15 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>methadone hcl tab 5 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>methadone hcl tab 10 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>morphine sulfate tab er 15 mg, 30 mg, 60 mg</i> | 3 | PA, QL (90 tablets/30 days) |
| <i>morphine sulfate tab er 100 mg, 200 mg</i> | 4 | PA, QL (90 tablets/30 days) |
| <i>morphine sulfate tab 15 mg</i> | 4 | QL (360 tablets/30 days) |
| <i>morphine sulfate tab 30 mg</i> | 4 | QL (180 tablets/30 days) |
| <i>nabumetone tab 500 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>nabumetone tab 750 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>naproxen sodium tab 275 mg</i> | 3 | QL (150 tablets/30 days) |
| <i>naproxen sodium tab 550 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>naproxen tab ec 375 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>naproxen tab ec 500 mg</i> | 2 | QL (90 tablets/30 days) |
| <i>naproxen tab 250 mg</i> | 1 | QL (180 tablets/30 days) |
| <i>naproxen tab 375 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>naproxen tab 500 mg</i> | 1 | QL (90 tablets/30 days) |
| <i>oxycodone hcl tab 5 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>oxycodone hcl tab 10 mg, 15 mg, 20 mg, 30 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg, 5-325 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 3 | QL (240 tablets/30 days) |
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>piroxicam cap 10 mg</i> | 3 | QL (60 capsules/30 days) |
| <i>piroxicam cap 20 mg</i> | 3 | QL (30 capsules/30 days) |
| <i>sulindac tab 150 mg, 200 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>tramadol hcl tab er 24hr 100 mg, 200 mg, 300 mg</i> | 3 | PA, QL (30 tablets/30 days) |
| <i>tramadol hcl tab 50 mg</i> | 2 | QL (240 tablets/30 days) |
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | 3 | QL (240 tablets/30 days) |
| Anesthetics | | |
| <i>lidocaine hcl viscous soln 2%</i> | 2 | |
| <i>lidocaine patch 5%</i> | 4 | PA, QL (90 patches/30 days) |
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> | 4 | PA, QL (60 grams/30 days) |
| <i>lidocan - lidocaine patch 5%</i> | 4 | PA, QL (90 patches/30 days) |
| <i>tridacaine ii - lidocaine patch 5%</i> | 4 | PA, QL (90 patches/30 days) |
| <i>tridacaine iii - lidocaine patch 5%</i> | 4 | PA, QL (90 patches/30 days) |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| <i>acamprosate calcium tab delayed release 333 mg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| <i>buprenorphine hcl sl tab 2 mg (base equiv)</i> | 3 | QL (480 tablets/30 days) |
| <i>buprenorphine hcl sl tab 8 mg (base equiv)</i> | 3 | QL (120 tablets/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 4 | QL (480 films/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 4 | QL (240 films/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 4 | QL (120 films/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 4 | QL (90 films/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 2 | QL (480 tablets/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 2 | QL (120 tablets/30 days) |
| <i>bupropion hcl (smoking deterrent) tab er 12hr 150 mg</i> | 3 | |
| <i>disulfiram tab 250 mg</i> | 3 | |
| <i>disulfiram tab 500 mg</i> | 4 | |
| KLOXXADO - naloxone hcl nasal spray 8 mg/0.1ml | 4 | |
| <i>naloxone hcl inj 0.4 mg/ml, 4 mg/10ml</i> | 2 | |
| <i>naloxone hcl soln cartridge 0.4 mg/ml</i> | 2 | |
| <i>naloxone hcl soln prefilled syringe 2 mg/2ml</i> | 2 | |
| <i>naltrexone hcl tab 50 mg</i> | 3 | |
| NICOTROL NS - nicotine nasal spray 10 mg/ml (0.5 mg/spray) | 4 | |
| OPVEE - nalmefene hcl nasal spray 2.7 mg/0.1ml (base equiv) | 4 | |
| REXTOVY - naloxone hcl nasal spray 4 mg/0.25ml | 4 | |
| <i>varenicline tartrate tab 0.5 mg (base equiv), 1 mg (base equiv)</i> | 4 | |
| <i>varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack</i> | 4 | |
| Antibacterials | | |
| <i>amikacin sulfate inj 500 mg/2ml (250 mg/ml), 1 gm/4ml (250 mg/ml)</i> | 4 | |
| <i>amoxicillin (trihydrate) cap 250 mg, 500 mg</i> | 2 | |
| <i>amoxicillin (trihydrate) chew tab 125 mg</i> | 2 | |
| <i>amoxicillin (trihydrate) chew tab 250 mg</i> | 2 | |
| <i>amoxicillin (trihydrate) for susp 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i> | 2 | |
| <i>amoxicillin (trihydrate) tab 500 mg, 875 mg</i> | 2 | |
| <i>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i> | 3 | |
| <i>amoxicillin & k clavulanate for susp 250-62.5 mg/5ml</i> | 4 | |
| <i>amoxicillin & k clavulanate tab 250-125 mg, 500-125 mg, 875-125 mg</i> | 2 | |
| <i>ampicillin & sulbactam sodium for inj 3 (2-1) gm</i> | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</i> | 4 | |
| <i>ampicillin cap 500 mg</i> | 2 | |
| <i>ampicillin sodium for inj 1 gm</i> | 4 | |
| <i>ampicillin sodium for iv soln 1 gm</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| ARIKAYCE - amikacin sulfate liposome inhal susp 590 mg/8.4ml (base eq) | 5 | PA, QL (28 vials/28 days) |
| <i>avidoxy - doxycycline monohydrate tab 100 mg</i> | 3 | |
| <i>azithromycin for susp 100 mg/5ml, 200 mg/5ml</i> | 3 | |
| <i>azithromycin iv for soln 500 mg</i> | 4 | |
| <i>azithromycin tab 250 mg, 500 mg, 600 mg</i> | 2 | |
| <i>aztreonam for inj 1 gm, 2 gm</i> | 4 | |
| BICILLIN L-A - penicillin g benzathine im susp pref syr 600000 unit/ml, 2400000 unit/4ml, 1200000 unit/2ml | 4 | |
| <i>cefaclor cap 250 mg</i> | 3 | |
| <i>cefaclor cap 500 mg</i> | 3 | |
| <i>cefadroxil cap 500 mg</i> | 2 | |
| <i>cefadroxil for susp 250 mg/5ml, 500 mg/5ml</i> | 2 | |
| <i>cefazolin sodium for inj 500 mg, 1 gm</i> | 4 | |
| <i>cefazolin sodium for iv soln 1 gm</i> | 4 | |
| <i>cefazolin sodium for iv soln 1 gm and dextrose 4% (50 ml)</i> | 4 | |
| <i>cefazolin sodium-dextrose iv solution 1 gm/50ml-4%</i> | 4 | |
| <i>cefdinir cap 300 mg</i> | 2 | |
| <i>cefdinir for susp 125 mg/5ml, 250 mg/5ml</i> | 3 | |
| <i>cefepime hcl for inj 1 gm</i> | 4 | |
| <i>cefepime hcl for iv soln 1 gm and dextrose 5% (50 ml)</i> | 4 | |
| <i>cefepime hcl for iv soln 2 gm and dextrose 5% (50 ml)</i> | 4 | |
| <i>cefepime hcl for iv soln 2 gm</i> | 4 | |
| <i>cefepime hcl iv soln 1 gm/50ml</i> | 4 | |
| <i>cefepime hcl iv soln 2 gm/100ml</i> | 4 | |
| <i>cefixime cap 400 mg</i> | 4 | |
| <i>cefoxitin sodium for iv soln 1 gm, 2 gm</i> | 4 | |
| <i>cefoxitin sodium iv for soln 1 gm and dextrose 4% (50 ml)</i> | 4 | |
| <i>cefoxitin sodium iv for soln 2 gm and dextrose 2.2% (50 ml)</i> | 4 | |
| <i>cefpodoxime proxetil for susp 100 mg/5ml</i> | 4 | |
| <i>cefpodoxime proxetil for susp 50 mg/5ml</i> | 4 | |
| <i>cefpodoxime proxetil tab 100 mg, 200 mg</i> | 4 | |
| <i>cefprozil tab 250 mg, 500 mg</i> | 3 | |
| <i>ceftaroline fosamil for iv soln 400 mg, 600 mg</i> | 5 | |
| <i>ceftazidime for inj 6 gm</i> | 4 | |
| <i>ceftazidime for inj 1 gm</i> | 4 | |
| <i>ceftazidime for iv soln 2 gm</i> | 4 | |
| <i>ceftriaxone sodium (bulk) for inj 100 gm</i> | 4 | |
| <i>ceftriaxone sodium for inj 250 mg, 500 mg, 1 gm, 2 gm, 10 gm</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>ceftriaxone sodium for iv soln 1 gm and dextrose 3.74% 50 ml</i> | 4 | |
| <i>ceftriaxone sodium for iv soln 2 gm and dextrose 2.22% 50 ml</i> | 4 | |
| <i>ceftriaxone sodium for iv soln 1 gm, 2 gm</i> | 4 | |
| <i>ceftriaxone sodium in dextrose inj 20 mg/ml</i> | 4 | |
| <i>ceftriaxone sodium in dextrose inj 40 mg/ml</i> | 4 | |
| <i>cefuroxime axetil tab 250 mg, 500 mg</i> | 3 | |
| <i>cefuroxime sodium for inj 750 mg</i> | 4 | |
| <i>cefuroxime sodium for iv soln 1.5 gm</i> | 4 | |
| <i>cephalexin cap 250 mg, 500 mg</i> | 2 | |
| <i>cephalexin for susp 125 mg/5ml, 250 mg/5ml</i> | 2 | |
| <i>ciprofloxacin hcl tab 250 mg (base equiv), 500 mg (base equiv), 750 mg (base equiv)</i> | 2 | |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | 4 | |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | 4 | |
| CLARITHROMYCIN - <i>clarithromycin for susp 125 mg/5ml, 250 mg/5ml</i> | 4 | |
| <i>clarithromycin tab 250 mg, 500 mg</i> | 3 | |
| <i>clindamycin hcl cap 75 mg, 150 mg, 300 mg</i> | 2 | |
| <i>clindamycin palmitate hcl for soln 75 mg/5ml (base equiv)</i> | 4 | |
| <i>clindamycin phosphate gel 1% (once-daily), 1% (twice-daily)</i> | 3 | |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in nacl 0.9% iv soln 300 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in nacl 0.9% iv soln 600 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in nacl 0.9% iv soln 900 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate inj 300 mg/2ml, 600 mg/4ml, 900 mg/6ml</i> | 4 | |
| <i>clindamycin phosphate soln 1%</i> | 3 | |
| <i>clindamycin phosphate vaginal cream 2%</i> | 3 | |
| <i>colistimethate sod for inj 150 mg (colistin base activity)</i> | 4 | |
| <i>daptomycin for iv soln 500 mg</i> | 4 | |
| <i>dicloxacillin sodium cap 250 mg</i> | 2 | |
| <i>dicloxacillin sodium cap 500 mg</i> | 3 | |
| DIFICID - <i>fidaxomicin for susp 40 mg/ml</i> | 5 | QL (1 bottle/10 days) |
| DIFICID - <i>fidaxomicin tab 200 mg</i> | 5 | QL (20 tablets/10 days) |
| <i>doxycycline hyclate cap 50 mg, 100 mg</i> | 3 | |
| <i>doxycycline hyclate for inj 100 mg</i> | 4 | |
| <i>doxycycline hyclate tab 20 mg</i> | 2 | |
| <i>doxycycline hyclate tab 100 mg</i> | 3 | |
| <i>doxycycline monohydrate cap 50 mg, 100 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>doxycycline monohydrate tab 50 mg, 75 mg, 100 mg</i> | 3 | |
| <i>doxy 100 - doxycycline hyclate for inj 100 mg</i> | 4 | |
| <i>ertapenem sodium for inj 1 gm (base equivalent)</i> | 4 | |
| <i>erythrocin lactobionate - erythromycin lactobionate for inj 500 mg</i> | 4 | |
| <i>erythromycin soln 2%</i> | 2 | |
| <i>erythromycin tab delayed release 250 mg, 333 mg, 500 mg</i> | 4 | |
| <i>erythromycin tab 250 mg, 500 mg</i> | 4 | |
| <i>erythromycin w/ delayed release particles cap 250 mg</i> | 4 | |
| <i>fidaxomicin tab 200 mg</i> | 5 | QL (20 tablets/10 days) |
| <i>fosfomycin tromethamine powd pack 3 gm (base equivalent)</i> | 3 | |
| <i>gentamicin sulfate inj 40 mg/ml</i> | 4 | |
| <i>HUMATIN - paromomycin sulfate cap 250 mg</i> | 5 | |
| <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 4 | |
| <i>IMIPENEM/CILASTATIN - imipenem-cilastatin intravenous for soln 250 mg</i> | 3 | |
| <i>IMPAVIDO - miltefosine cap 50 mg</i> | 5 | |
| <i>levofloxacin in d5w iv soln 250 mg/50ml, 500 mg/100ml, 750 mg/150ml</i> | 4 | |
| <i>levofloxacin oral soln 25 mg/ml</i> | 4 | |
| <i>levofloxacin tab 250 mg, 500 mg, 750 mg</i> | 2 | |
| <i>linezolid for susp 100 mg/5ml</i> | 5 | PA |
| <i>linezolid in sodium chloride iv soln 600 mg/300ml-0.9%</i> | 4 | |
| <i>linezolid iv soln 600 mg/300ml (2 mg/ml)</i> | 4 | |
| <i>linezolid tab 600 mg</i> | 4 | PA |
| <i>meropenem & sodium chloride 0.9% for iv soln 1 gm/50ml</i> | 4 | |
| <i>meropenem & sodium chloride 0.9% for iv soln 500 mg/50ml</i> | 3 | |
| <i>meropenem iv for soln 500 mg</i> | 3 | |
| <i>meropenem iv for soln 1 gm</i> | 4 | |
| <i>methenamine hippurate tab 1 gm</i> | 3 | |
| <i>metronidazole iv soln 500 mg/100ml</i> | 4 | |
| <i>metronidazole tab 250 mg, 500 mg</i> | 2 | |
| <i>metronidazole vaginal gel 0.75%</i> | 3 | |
| <i>minocycline hcl cap 50 mg, 75 mg, 100 mg</i> | 2 | |
| <i>minocycline hcl tab 50 mg, 75 mg</i> | 4 | |
| <i>mondoxylene nl - doxycycline monohydrate cap 100 mg</i> | 2 | |
| <i>moxifloxacin hcl iv solution 400 mg/250ml (base equiv)</i> | 4 | |
| <i>moxifloxacin hcl tab 400 mg (base equiv)</i> | 3 | |
| <i>moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj</i> | 4 | |
| <i>nafcillin sodium for inj 1 gm, 2 gm</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>nafcillin sodium for iv soln 10 gm</i> | 4 | |
| <i>nafcillin sodium in dextrose inj 2 gm/100ml</i> | 4 | |
| <i>neomycin sulfate tab 500 mg</i> | 2 | |
| <i>nitrofurantoin macrocrystalline cap 50 mg, 100 mg#</i> | 3 | |
| <i>nitrofurantoin monohydrate macrocrystalline cap 100 mg#</i> | 3 | |
| <i>penicillin g potassium for inj 5000000 unit, 20000000 unit</i> | 4 | |
| PENICILLIN G POTASSIUM IN ISO-OSMOTIC DEXTROSE - penicillin g potassium inj 40000 unit/ml in dextrose, 60000 unit/ml in dextrose | 4 | |
| <i>penicillin v potassium for soln 125 mg/5ml</i> | 2 | |
| <i>penicillin v potassium for soln 250 mg/5ml</i> | 2 | |
| <i>penicillin v potassium tab 250 mg, 500 mg</i> | 2 | |
| <i>pfizerpen - penicillin g potassium for inj 5000000 unit, 20000000 unit</i> | 4 | |
| <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm), 4.5 gm (4-0.5 gm)</i> | 4 | |
| PIPERACILLIN SODIUM/TAZOBACTAM SODIUM/NACL - piperacillin-tazobactam &nacl 0.3% for iv sol 3-0.375gm/50ml | 4 | |
| PIPERACILLIN SODIUM/TAZOBACTAM SODIUM/NACL - piperacillin-tazobactam &nacl 0.45% for iv sol 2-0.25gm/50ml, 4-0.5gm/100ml | 4 | |
| SIVEXTRO - tedizolid phosphate for iv soln 200 mg | 5 | |
| SIVEXTRO - tedizolid phosphate tab 200 mg | 5 | PA |
| STREPTOMYCIN SULFATE - streptomycin sulfate for inj 1 gm | 5 | |
| <i>sulfadiazine tab 500 mg</i> | 5 | |
| <i>sulfamethoxazole-trimethoprim susp 200-40 mg/5ml</i> | 4 | |
| <i>sulfamethoxazole-trimethoprim tab 400-80 mg, 800-160 mg</i> | 2 | |
| <i>tazicef - ceftazidime for inj 1 gm</i> | 4 | |
| <i>tazicef - ceftazidime for iv soln 1 gm</i> | 4 | |
| <i>tazicef - ceftazidime for iv soln 6 gm</i> | 4 | |
| <i>tazicef - ceftazidime for iv soln 2 gm</i> | 4 | |
| TEFLARO - ceftaroline fosamil for iv soln 400 mg, 600 mg | 5 | |
| <i>tetracycline hcl cap 250 mg, 500 mg</i> | 4 | |
| <i>tigecycline for iv soln 50 mg</i> | 4 | |
| <i>tinidazole tab 250 mg, 500 mg</i> | 3 | |
| TOBRAMYCIN SULFATE - tobramycin sulfate inj 10 mg/ml (base equivalent) | 4 | |
| <i>tobramycin sulfate for inj 1.2 gm</i> | 4 | |
| <i>tobramycin sulfate inj 80 mg/2ml (40 mg/ml) (base equiv), 1.2 gm/30ml (40 mg/ml) (base equiv)</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------------|
| <i>trimethoprim tab 100 mg</i> | 2 | |
| <i>vancomycin hcl cap 125 mg (base equivalent)</i> | 4 | QL (120 capsules/30 days) |
| <i>vancomycin hcl cap 250 mg (base equivalent)</i> | 4 | QL (240 capsules/30 days) |
| <i>vancomycin hcl for iv soln 100 gm (base equivalent)</i> | 4 | |
| <i>vancomycin hcl for iv soln 500 mg (base equivalent), 750 mg (base equivalent), 1 gm (base equivalent), 5 gm (base equivalent), 10 gm (base equivalent)</i> | 4 | |
| Anticonvulsants | | |
| <i>brivaracetam oral soln 10 mg/ml</i> | 4 | QL (2 bottles/30 days) |
| <i>brivaracetam tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg</i> | 4 | QL (60 tablets/30 days) |
| BRIVIACT - brivaracetam oral soln 10 mg/ml | 5 | QL (2 bottles/30 days) |
| BRIVIACT - brivaracetam tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg | 5 | QL (60 tablets/30 days) |
| <i>carbamazepine cap er 12hr 100 mg, 200 mg, 300 mg</i> | 4 | |
| <i>carbamazepine chew tab 100 mg</i> | 3 | |
| <i>carbamazepine susp 100 mg/5ml</i> | 4 | |
| <i>carbamazepine tab er 12hr 100 mg, 200 mg, 400 mg</i> | 4 | |
| <i>carbamazepine tab 200 mg</i> | 3 | |
| <i>clobazam suspension 2.5 mg/ml</i> | 4 | PA (>=65 yr), QL (480 mls/30 days) |
| <i>clobazam tab 10 mg, 20 mg</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| DIACOMIT - stiripentol cap 250 mg, 500 mg* | 5 | |
| DIACOMIT - stiripentol packet 250 mg, 500 mg* | 5 | |
| <i>diazepam rectal gel delivery system 2.5 mg, 10 mg, 20 mg</i> | 4 | QL (5 twin pack(s)/30 days) |
| DILANTIN - phenytoin sodium extended cap 30 mg | 4 | |
| <i>divalproex sodium cap delayed release sprinkle 125 mg</i> | 3 | |
| <i>divalproex sodium tab delayed release 125 mg, 250 mg, 500 mg</i> | 2 | |
| <i>divalproex sodium tab er 24 hr 250 mg, 500 mg</i> | 3 | |
| EPIDIOLEX - cannabidiol soln 100 mg/ml* | 5 | PA |
| <i>eslicarbazepine acetate tab 200 mg, 400 mg</i> | 5 | QL (30 tablets/30 days) |
| <i>eslicarbazepine acetate tab 600 mg, 800 mg</i> | 5 | QL (60 tablets/30 days) |
| <i>ethosuximide cap 250 mg</i> | 3 | |
| <i>ethosuximide soln 250 mg/5ml</i> | 4 | |
| <i>felbamate susp 600 mg/5ml</i> | 4 | |
| <i>felbamate tab 400 mg, 600 mg</i> | 4 | |
| FINTEPLA - fenfluramine hcl oral soln 2.2 mg/ml | 5 | PA, QL (360 mls/30 days) |
| <i>gabapentin cap 100 mg</i> | 2 | QL (1080 capsules/30 days) |
| <i>gabapentin cap 300 mg</i> | 2 | QL (360 capsules/30 days) |
| <i>gabapentin cap 400 mg</i> | 2 | QL (270 capsules/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| <i>gabapentin oral soln 250 mg/5ml</i> | 3 | QL (2160 mls/30 days) |
| <i>gabapentin tab 600 mg</i> | 2 | QL (180 tablets/30 days) |
| <i>gabapentin tab 800 mg</i> | 2 | QL (135 tablets/30 days) |
| <i>lacosamide oral solution 10 mg/ml</i> | 4 | |
| <i>lacosamide tab 50 mg, 100 mg, 150 mg, 200 mg</i> | 4 | |
| <i>lamotrigine tab chewable dispersible 5 mg, 25 mg</i> | 3 | |
| <i>lamotrigine tab 25 mg, 100 mg, 150 mg, 200 mg</i> | 2 | |
| <i>levetiracetam oral soln 100 mg/ml</i> | 3 | |
| <i>levetiracetam tab er 24hr 500 mg, 750 mg</i> | 3 | |
| <i>levetiracetam tab 250 mg, 500 mg, 750 mg, 1000 mg</i> | 2 | |
| <i>methsuximide cap 300 mg</i> | 4 | |
| NAYZILAM - midazolam nasal spray soln 5 mg/0.1 ml | 4 | QL (10 bottles/30 days) |
| <i>oxcarbazepine susp 300 mg/5ml (60 mg/ml)</i> | 4 | |
| <i>oxcarbazepine tab 150 mg, 300 mg, 600 mg</i> | 3 | |
| <i>perampanel susp 0.5 mg/ml</i> | 4 | QL (2 bottles/28 days) |
| <i>perampanel tab 2 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>perampanel tab 4 mg, 6 mg, 8 mg, 10 mg, 12 mg</i> | 5 | QL (30 tablets/30 days) |
| <i>phenobarbital elixir 20 mg/5ml#</i> | 4 | |
| <i>phenobarbital tab 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg, 100 mg#</i> | 3 | |
| <i>phenytek - phenytoin sodium extended cap 200 mg, 300 mg</i> | 3 | |
| <i>phenytoin chew tab 50 mg</i> | 3 | |
| <i>phenytoin infatabs - phenytoin chew tab 50 mg</i> | 3 | |
| <i>phenytoin sodium extended cap 100 mg</i> | 2 | |
| <i>phenytoin sodium extended cap 200 mg, 300 mg</i> | 3 | |
| <i>phenytoin susp 125 mg/5ml</i> | 3 | |
| <i>pregabalin cap 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg</i> | 3 | QL (90 capsules/30 days) |
| <i>pregabalin cap 225 mg, 300 mg</i> | 3 | QL (60 capsules/30 days) |
| <i>pregabalin soln 20 mg/ml</i> | 3 | QL (900 mls/30 days) |
| PRIMIDONE - primidone tab 125 mg | 4 | |
| <i>primidone tab 50 mg, 250 mg</i> | 2 | |
| <i>roweepra - levetiracetam tab 500 mg</i> | 2 | |
| <i>rufinamide susp 40 mg/ml</i> | 4 | |
| <i>rufinamide tab 200 mg</i> | 4 | |
| <i>rufinamide tab 400 mg</i> | 5 | |
| SPRITAM - levetiracetam tab disintegrating soluble 250 mg, 500 mg | 4 | |
| SUBVENITE - lamotrigine oral susp 10 mg/ml | 5 | |
| <i>subvenite - lamotrigine tab 25 mg, 100 mg, 150 mg, 200 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------------------|
| SYMPAZAN - clobazam oral film 5 mg | 4 | PA (>=65 yr), QL (240 films/30 days) |
| SYMPAZAN - clobazam oral film 10 mg, 20 mg | 5 | PA (>=65 yr), QL (60 films/30 days) |
| <i>tiagabine hcl tab 2 mg, 4 mg, 12 mg, 16 mg</i> | 4 | |
| <i>topiramate oral soln 25 mg/ml</i> | 4 | |
| <i>topiramate sprinkle cap 15 mg, 25 mg</i> | 3 | |
| <i>topiramate tab 25 mg, 50 mg, 100 mg, 200 mg</i> | 2 | |
| <i>valproate sodium oral soln 250 mg/5ml (base equiv)</i> | 2 | |
| <i>valproic acid cap 250 mg</i> | 2 | |
| VALTOCO 10 MG DOSE - diazepam nasal spray 10 mg/0.1 ml | 4 | QL (5 twin pack(s)/30 days) |
| VALTOCO 15 MG DOSE - diazepam nasal spray ther pack 2 x 7.5 mg/0.1ml (15 mg dose) | 4 | QL (5 twin pack(s)/30 days) |
| VALTOCO 20 MG DOSE - diazepam nasal spray ther pack 2 x 10 mg/0.1ml (20 mg dose) | 5 | QL (5 twin pack(s)/30 days) |
| VALTOCO 5 MG DOSE - diazepam nasal spray 5 mg/0.1 ml | 4 | QL (5 twin pack(s)/30 days) |
| <i>vigabatrin powd pack 500 mg*</i> | 5 | QL (180 packets/30 days) |
| <i>vigabatrin tab 500 mg*</i> | 5 | QL (180 tablets/30 days) |
| <i>vigadrone - vigabatrin powd pack 500 mg*</i> | 5 | QL (180 packets/30 days) |
| <i>vigadrone - vigabatrin tab 500 mg*</i> | 5 | QL (180 tablets/30 days) |
| VIGAFYDE - vigabatrin oral soln 100 mg/ml | 5 | QL (5 bottles/30 days) |
| XCOPRI - cenobamate tab pack 100 mg & 150 mg tabs (250 mg daily dose) | 5 | |
| XCOPRI - cenobamate tab pack 150 mg & 200 mg tabs (350 mg daily dose) | 5 | |
| XCOPRI - cenobamate tab titration pack 14 x 12.5 mg & 14 x 25 mg | 4 | |
| XCOPRI - cenobamate tab titration pack 14 x 50 mg & 14 x 100 mg, 14 x 150 mg & 14 x 200 mg | 5 | |
| XCOPRI - cenobamate tab 25 mg, 50 mg, 100 mg, 150 mg, 200 mg | 5 | |
| ZONISADE - zonisamide oral susp 100 mg/5ml (20 mg/ml) | 4 | |
| <i>zonisamide cap 25 mg, 50 mg, 100 mg</i> | 2 | |
| ZTALMY - ganaxolone susp 50 mg/ml* | 5 | PA, QL (10 bottles/30 days) |
| Antidementia Agents | | |
| <i>donepezil hydrochloride orally disintegrating tab 5 mg, 10 mg</i> | 2 | |
| <i>donepezil hydrochloride tab 5 mg, 10 mg</i> | 1 | |
| GALANTAMINE HYDROBROMIDE - galantamine hydrobromide oral soln 4 mg/ml | 4 | |
| <i>galantamine hydrobromide cap er 24hr 8 mg, 16 mg, 24 mg</i> | 4 | |
| <i>galantamine hydrobromide tab 4 mg, 8 mg, 12 mg</i> | 4 | |
| <i>memantine hcl oral solution 2 mg/ml</i> | 4 | PA (<=29 yr) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| <i>memantine hcl tab 28 x 5 mg & 21 x 10 mg titration pack</i> | 4 | PA (<=29 yr) |
| <i>memantine hcl tab 5 mg, 10 mg</i> | 2 | PA (<=29 yr) |
| <i>rivastigmine tartrate cap 1.5 mg (base equivalent), 3 mg (base equivalent), 4.5 mg (base equivalent), 6 mg (base equivalent)</i> | 4 | |
| <i>rivastigmine td patch 24hr 4.6 mg/24hr, 9.5 mg/24hr, 13.3 mg/24hr</i> | 4 | |
| Antidepressants | | |
| <i>amitriptyline hcl tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg#</i> | 2 | |
| <i>amoxapine tab 25 mg, 50 mg, 100 mg, 150 mg#</i> | 4 | |
| AUVELITY - dextromethorphan hbr-bupropion hcl tab er 45-105 mg | 5 | QL (60 tablets/30 days) |
| <i>bupropion hcl tab er 12hr 100 mg</i> | 2 | QL (90 tablets/30 days) |
| <i>bupropion hcl tab er 12hr 150 mg, 200 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>bupropion hcl tab er 24hr 150 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>bupropion hcl tab er 24hr 300 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>bupropion hcl tab 75 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>bupropion hcl tab 100 mg</i> | 3 | QL (120 tablets/30 days) |
| <i>citalopram hydrobromide oral soln 10 mg/5ml</i> | 3 | QL (600 mls/30 days) |
| <i>citalopram hydrobromide tab 10 mg (base equiv), 20 mg (base equiv)</i> | 1 | QL (45 tablets/30 days) |
| <i>citalopram hydrobromide tab 40 mg (base equiv)</i> | 1 | QL (30 tablets/30 days) |
| <i>clomipramine hcl cap 25 mg, 50 mg, 75 mg#</i> | 4 | |
| <i>desipramine hcl tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg#</i> | 4 | |
| <i>desvenlafaxine succinate tab er 24hr 25 mg (base equiv), 50 mg (base equiv), 100 mg (base equiv)</i> | 4 | QL (30 tablets/30 days) |
| <i>doxepin hcl cap 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg#</i> | 4 | |
| <i>doxepin hcl conc 10 mg/ml#</i> | 4 | |
| DRIZALMA SPRINKLE - duloxetine hcl cap delayed release sprinkle 20 mg (base eq), 40 mg (base eq), 60 mg (base eq) | 4 | QL (60 capsules/30 days) |
| DRIZALMA SPRINKLE - duloxetine hcl cap delayed release sprinkle 30 mg (base eq) | 4 | QL (90 capsules/30 days) |
| <i>duloxetine hcl enteric coated pellets cap 20 mg (base eq), 60 mg (base eq)</i> | 2 | QL (60 capsules/30 days) |
| <i>duloxetine hcl enteric coated pellets cap 30 mg (base eq)</i> | 2 | QL (90 capsules/30 days) |
| EMSAM - selegiline td patch 24hr 6 mg/24hr, 9 mg/24hr, 12 mg/24hr | 5 | PA, QL (30 patches/30 days) |
| <i>escitalopram oxalate soln 5 mg/5ml (base equiv)</i> | 4 | QL (600 mls/30 days) |
| <i>escitalopram oxalate tab 5 mg (base equiv), 10 mg (base equiv)</i> | 1 | QL (45 tablets/30 days) |
| <i>escitalopram oxalate tab 20 mg (base equiv)</i> | 1 | QL (30 tablets/30 days) |
| EXXUA - gepirone hcl tab er 24hr 18.2 mg, 36.3 mg, 54.5 mg, 72.6 mg | 5 | QL (30 tablets/30 days) |
| EXXUA TITRATION PACK - gepirone hcl tab er 24hr 18.2 mg | 5 | QL (32 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------|
| FETZIMA - levomilnacipran hcl cap er 24hr 20 mg (base equivalent), 40 mg (base equivalent), 80 mg (base equivalent), 120 mg (base equivalent) | 4 | QL (30 capsules/30 days) |
| FETZIMA TITRATION PACK - levomilnacipran hcl cap er 24hr 20 & 40 mg therapy pack | 4 | QL (28 capsules/28 days) |
| <i>fluoxetine hcl cap 10 mg</i> | 1 | QL (90 capsules/30 days) |
| <i>fluoxetine hcl cap 20 mg</i> | 1 | QL (120 capsules/30 days) |
| <i>fluoxetine hcl cap 40 mg</i> | 1 | QL (60 capsules/30 days) |
| <i>fluoxetine hcl solution 20 mg/5ml</i> | 3 | QL (600 mls/30 days) |
| <i>flvoxamine maleate tab 25 mg, 50 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>flvoxamine maleate tab 100 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>imipramine hcl tab 10 mg, 25 mg, 50 mg#</i> | 4 | |
| MARPLAN - isocarboxazid tab 10 mg | 4 | |
| <i>mirtazapine orally disintegrating tab 15 mg, 30 mg, 45 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>mirtazapine tab 7.5 mg, 30 mg, 45 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>mirtazapine tab 15 mg</i> | 2 | QL (45 tablets/30 days) |
| NEFAZODONE HYDROCHLORIDE - nefazodone hcl tab 50 mg, 100 mg, 150 mg, 200 mg, 250 mg | 4 | |
| <i>nortriptyline hcl cap 10 mg, 25 mg, 50 mg, 75 mg#</i> | 2 | |
| <i>nortriptyline hcl soln 10 mg/5ml#</i> | 4 | |
| <i>paroxetine hcl oral susp 10 mg/5ml (base equiv)#</i> | 4 | QL (900 mls/30 days) |
| <i>paroxetine hcl tab 10 mg, 40 mg#</i> | 2 | QL (45 tablets/30 days) |
| <i>paroxetine hcl tab 20 mg#</i> | 2 | QL (30 tablets/30 days) |
| <i>paroxetine hcl tab 30 mg#</i> | 2 | QL (60 tablets/30 days) |
| <i>phenelzine sulfate tab 15 mg</i> | 3 | |
| <i>protriptyline hcl tab 5 mg, 10 mg#</i> | 4 | |
| RALDESY - trazodone hcl oral soln 50 mg/5ml | 4 | QL (1200 mls/30 days) |
| <i>sertraline hcl oral concentrate for solution 20 mg/ml</i> | 4 | QL (300 mls/30 days) |
| <i>sertraline hcl tab 25 mg, 50 mg</i> | 1 | QL (45 tablets/30 days) |
| <i>sertraline hcl tab 100 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>tranylcypromine sulfate tab 10 mg</i> | 4 | |
| <i>trazodone hcl tab 50 mg, 100 mg, 150 mg</i> | 1 | |
| <i>trazodone hcl tab 300 mg</i> | 3 | |
| <i>trimipramine maleate cap 25 mg, 50 mg, 100 mg#</i> | 4 | |
| TRINTELLIX - vortioxetine hbr tab 5 mg (base equiv), 10 mg (base equiv), 20 mg (base equiv) | 4 | QL (30 tablets/30 days) |
| VENLAFAXINE BESYLATE ER - venlafaxine besylate tab er 24hr 112.5 mg | 4 | QL (60 tablets/30 days) |
| <i>venlafaxine hcl cap er 24hr 37.5 mg (base equivalent)</i> | 2 | QL (60 capsules/30 days) |
| <i>venlafaxine hcl cap er 24hr 75 mg (base equivalent)</i> | 2 | QL (90 capsules/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------|
| <i>venlafaxine hcl cap er 24hr 150 mg (base equivalent)</i> | 2 | QL (30 capsules/30 days) |
| <i>venlafaxine hcl tab 25 mg (base equivalent), 37.5 mg (base equivalent), 50 mg (base equivalent), 75 mg (base equivalent), 100 mg (base equivalent)</i> | 2 | QL (90 tablets/30 days) |
| <i>vilazodone hcl tab 10 mg, 20 mg, 40 mg</i> | 4 | QL (30 tablets/30 days) |
| ZURZUVAE - zuranolone cap 20 mg, 25 mg | 5 | QL (28 capsules/365 days) |
| ZURZUVAE - zuranolone cap 30 mg | 5 | QL (14 capsules/365 days) |
| Antiemetics | | |
| <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 4 | BD |
| <i>aprepitant capsule 40 mg, 80 mg, 125 mg</i> | 4 | BD |
| <i>chlorpromazine hcl conc 30 mg/ml, 100 mg/ml</i> | 4 | PA (>=65 yr) |
| <i>chlorpromazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg, 200 mg</i> | 4 | PA (>=65 yr) |
| <i>compro - prochlorperazine suppos 25 mg</i> | 4 | |
| <i>dronabinol cap 2.5 mg, 5 mg, 10 mg</i> | 4 | BD |
| <i>meclizine hcl tab 12.5 mg, 25 mg#</i> | 2 | |
| <i>ondansetron hcl tab 4 mg, 8 mg</i> | 2 | |
| <i>ondansetron orally disintegrating tab 4 mg, 8 mg</i> | 3 | |
| <i>perphenazine tab 2 mg, 4 mg, 8 mg, 16 mg</i> | 4 | PA (>=65 yr) |
| <i>prochlorperazine maleate tab 5 mg (base equivalent), 10 mg (base equivalent)</i> | 2 | |
| <i>prochlorperazine suppos 25 mg</i> | 4 | |
| <i>promethazine hcl tab 12.5 mg, 25 mg, 50 mg#</i> | 3 | |
| <i>scopolamine td patch 72hr 1 mg/3days#</i> | 4 | PA (>=65 yr) |
| Antifungals | | |
| AMPHOTERICIN B - amphotericin b for iv soln 50 mg | 4 | BD |
| <i>amphotericin b liposome iv for susp 50 mg</i> | 5 | BD |
| <i>caspofungin acetate for iv soln 50 mg, 70 mg</i> | 4 | |
| <i>ciclodan - ciclopirox solution 8%</i> | 2 | QL (6.6 mls/30 days) |
| <i>ciclopirox gel 0.77%</i> | 3 | |
| <i>ciclopirox olamine cream 0.77% (base equiv)</i> | 3 | |
| <i>ciclopirox olamine susp 0.77% (base equiv)</i> | 3 | |
| <i>ciclopirox solution 8%</i> | 2 | QL (6.6 mls/30 days) |
| <i>clotrimazole cream 1%</i> | 3 | |
| <i>clotrimazole troche 10 mg</i> | 3 | |
| CRESEMBA - isavuconazonium sulfate cap 74.5 mg, 186 mg | 5 | PA |
| <i>econazole nitrate cream 1%</i> | 4 | |
| <i>fluconazole for susp 10 mg/ml, 40 mg/ml</i> | 3 | |
| <i>fluconazole in nacl 0.9% inj 200 mg/100ml, 400 mg/200ml</i> | 4 | |
| <i>fluconazole tab 50 mg, 100 mg, 150 mg, 200 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------|
| <i>flucytosine cap 250 mg</i> | 5 | PA |
| <i>flucytosine cap 500 mg</i> | 4 | PA |
| <i>griseofulvin microsize susp 125 mg/5ml</i> | 4 | |
| <i>griseofulvin microsize tab 500 mg</i> | 4 | |
| <i>griseofulvin ultramicrosize tab 125 mg, 250 mg</i> | 4 | |
| <i>itraconazole cap 100 mg</i> | 4 | QL (120 capsules/30 days) |
| <i>ketoconazole cream 2%</i> | 2 | |
| <i>ketoconazole shampoo 2%</i> | 2 | |
| <i>ketoconazole tab 200 mg</i> | 2 | |
| <i>klayesta - nystatin topical powder 100000 unit/gm</i> | 4 | |
| <i>miconazole sodium for iv soln 50 mg, 100 mg</i> | 4 | |
| <i>nyamyc - nystatin topical powder 100000 unit/gm</i> | 4 | |
| <i>nystatin cream 100000 unit/gm</i> | 2 | |
| <i>nystatin oint 100000 unit/gm</i> | 2 | |
| <i>nystatin susp 100000 unit/ml</i> | 2 | |
| <i>nystatin tab 500000 unit</i> | 3 | |
| <i>nystatin topical powder 100000 unit/gm</i> | 4 | |
| <i>nystop - nystatin topical powder 100000 unit/gm</i> | 4 | |
| <i>posaconazole iv soln 300 mg/16.7ml (18 mg/ml)</i> | 4 | PA |
| <i>posaconazole susp 40 mg/ml</i> | 5 | PA |
| <i>posaconazole tab delayed release 100 mg</i> | 5 | PA |
| <i>terbinafine hcl tab 250 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>terconazole vaginal cream 0.4%, 0.8%</i> | 3 | |
| <i>terconazole vaginal suppos 80 mg</i> | 3 | |
| <i>voriconazole for inj 200 mg</i> | 4 | PA |
| <i>voriconazole for susp 40 mg/ml</i> | 4 | PA |
| <i>voriconazole tab 50 mg, 200 mg</i> | 4 | PA |
| Antigout Agents | | |
| <i>allopurinol tab 100 mg, 300 mg</i> | 1 | |
| <i>colchicine tab 0.6 mg</i> | 3 | |
| <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 3 | |
| <i>probenecid tab 500 mg</i> | 3 | |
| Antimigraine Agents | | |
| <i>AIMOVIG - erenumab-aooe subcutaneous soln auto-injector 70 mg/ml</i> | 3 | PA, QL (2 pens/30 days) |
| <i>AIMOVIG - erenumab-aooe subcutaneous soln auto-injector 140 mg/ml</i> | 3 | PA, QL (1 pen/30 days) |
| <i>dihydroergotamine mesylate nasal spray 4 mg/ml</i> | 5 | PA, QL (8 mls/28 days) |
| <i>EMGALITY - galcanezumab-gnlm subcutaneous soln auto-injector 120 mg/ml</i> | 3 | PA, QL (2 pens/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------------|
| EMGALITY - galcanezumab-gnlm subcutaneous soln prefilled syr 100 mg/ml | 3 | PA, QL (3 syringes/30 days) |
| EMGALITY - galcanezumab-gnlm subcutaneous soln prefilled syr 120 mg/ml | 3 | PA, QL (2 syringes/30 days) |
| <i>ergotamine w/ caffeine tab 1-100 mg</i> | 3 | |
| <i>naratriptan hcl tab 1 mg (base equiv), 2.5 mg (base equiv)</i> | 3 | QL (18 tablets/30 days) |
| NURTEC - rimegepant sulfate tab disint 75 mg | 3 | PA, QL (16 tablets/30 days) |
| <i>rizatriptan benzoate oral disintegrating tab 5 mg (base eq), 10 mg (base eq)</i> | 4 | QL (18 tablets/30 days) |
| <i>rizatriptan benzoate tab 5 mg (base equivalent), 10 mg (base equivalent)</i> | 3 | QL (18 tablets/30 days) |
| <i>sumatriptan nasal spray 5 mg/act, 20 mg/act</i> | 4 | QL (12 units (2 packages)/30 days) |
| <i>sumatriptan succinate inj 6 mg/0.5ml</i> | 4 | QL (10 doses/30 days) |
| <i>sumatriptan succinate solution auto-injector 6 mg/0.5ml</i> | 4 | QL (12 doses/30 days) |
| <i>sumatriptan succinate solution cartridge 4 mg/0.5ml</i> | 4 | QL (12 doses/30 days) |
| <i>sumatriptan succinate solution cartridge 6 mg/0.5ml</i> | 4 | QL (12 doses/30 days) |
| <i>sumatriptan succinate tab 25 mg, 50 mg, 100 mg</i> | 2 | QL (18 tablets/30 days) |
| Antimyasthenic Agents | | |
| <i>pyridostigmine bromide tab 60 mg</i> | 3 | |
| Antimycobacterials | | |
| <i>dapsone tab 25 mg, 100 mg</i> | 3 | |
| <i>ethambutol hcl tab 100 mg, 400 mg</i> | 3 | |
| <i>isoniazid syrup 50 mg/5ml</i> | 4 | |
| <i>isoniazid tab 100 mg</i> | 1 | |
| <i>isoniazid tab 300 mg</i> | 2 | |
| PRETOMANID - pretomanid tab 200 mg | 4 | |
| PRIFTIN - rifapentine tab 150 mg | 4 | |
| <i>pyrazinamide tab 500 mg</i> | 4 | |
| <i>rifabutin cap 150 mg</i> | 4 | |
| <i>rifampin cap 150 mg, 300 mg</i> | 3 | |
| <i>rifampin for inj 600 mg</i> | 4 | |
| SIRTURO - bedaquiline fumarate tab 20 mg (base equiv), 100 mg (base equiv)* | 5 | |
| Antineoplastics | | |
| <i>abiraterone acetate tab 250 mg</i> | 4 | PA, QL (120 tablets/30 days) |
| <i>abirtega - abiraterone acetate tab 250 mg</i> | 4 | PA, QL (120 tablets/30 days) |
| AKEEGA - niraparib tosylate-abiraterone acetate tab 50-500 mg, 100-500 mg† | 5 | PA, QL (60 tablets/30 days) |
| ALECENSA - alectinib hcl cap 150 mg (base equivalent)* | 5 | PA, QL (240 capsules/30 days) |
| ALUNBRIG - brigatinib tab initiation therapy pack 90 mg & 180 mg* | 5 | PA, QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| ALUNBRIG - brigatinib tab 30 mg* | 5 | PA, QL (120 tablets/30 days) |
| ALUNBRIG - brigatinib tab 90 mg, 180 mg* | 5 | PA, QL (30 tablets/30 days) |
| <i>anastrozole tab 1 mg</i> | 1 | |
| AUGTYRO - repotrectinib cap 40 mg | 5 | PA, QL (180 capsules/30 days) |
| AUGTYRO - repotrectinib cap 160 mg | 5 | PA, QL (60 capsules/30 days) |
| AVMAPKI FAKZYNJA CO-PACK - avutometinib cap 0.8 mg & defactinib tab 200 mg therapy pack | 5 | PA, QL (66 tablets/28 days) |
| AYVAKIT - avapritinib tab 25 mg, 50 mg, 100 mg, 200 mg, 300 mg† | 5 | PA, QL (30 tablets/30 days) |
| BALVERSA - erdafitinib tab 3 mg† | 5 | PA, QL (90 tablets/30 days) |
| BALVERSA - erdafitinib tab 4 mg† | 5 | PA, QL (60 tablets/30 days) |
| BALVERSA - erdafitinib tab 5 mg† | 5 | PA, QL (30 tablets/30 days) |
| <i>bexarotene cap 75 mg†</i> | 5 | PA |
| <i>bexarotene gel 1%</i> | 5 | PA |
| <i>bicalutamide tab 50 mg</i> | 3 | |
| BOSULIF - bosutinib cap 50 mg | 5 | PA, QL (330 capsules/30 days) |
| BOSULIF - bosutinib cap 100 mg | 5 | PA, QL (180 capsules/30 days) |
| BOSULIF - bosutinib tab 100 mg† | 5 | PA, QL (180 tablets/30 days) |
| BOSULIF - bosutinib tab 400 mg, 500 mg† | 5 | PA, QL (30 tablets/30 days) |
| BRAFTOVI - encorafenib cap 75 mg* | 5 | PA, QL (180 capsules/30 days) |
| BRUKINSA - zanubrutinib cap 80 mg | 5 | PA, QL (120 capsules/30 days) |
| BRUKINSA - zanubrutinib tab 160 mg | 5 | PA, QL (60 tablets/30 days) |
| CABOMETYX - cabozantinib s-malate tab 20 mg (base equivalent), 40 mg (base equivalent), 60 mg (base equivalent)*† | 5 | PA, QL (30 tablets/30 days) |
| CALQUENCE - acalabrutinib maleate tab 100 mg*† | 5 | PA, QL (60 tablets/30 days) |
| CAPRELSA - vandetanib tab 100 mg* | 5 | PA, QL (60 tablets/30 days) |
| CAPRELSA - vandetanib tab 300 mg* | 5 | PA, QL (30 tablets/30 days) |
| COMETRIQ - cabozantinib s-mal cap 1 x 80 mg & 1 x 20 mg (100 dose) kit* | 5 | PA, QL (56 capsules/28 days) |
| COMETRIQ - cabozantinib s-mal cap 1 x 80 mg & 3 x 20 mg (140 dose) kit* | 5 | PA, QL (112 capsules/28 days) |
| COMETRIQ - cabozantinib s-malate cap 3 x 20 mg (60 mg dose) kit* | 5 | PA, QL (84 capsules/28 days) |
| COPIKTRA - duvelisib cap 15 mg, 25 mg* | 5 | PA, QL (56 capsules/28 days) |
| COTELLIC - cobimetinib fumarate tab 20 mg (base equivalent)* | 5 | PA, QL (63 tablets/28 days) |
| CYCLOPHOSPHAMIDE - cyclophosphamide tab 50 mg | 3 | BD |
| <i>cyclophosphamide cap 25 mg, 50 mg</i> | 4 | BD |
| DANZITEN - nilotinib tartrate tab 71 mg (base equivalent), 95 mg (base equivalent)† | 5 | PA, QL (112 tablets/28 days) |
| <i>dasatinib tab 20 mg†</i> | 5 | PA, QL (90 tablets/30 days) |
| <i>dasatinib tab 50 mg, 70 mg, 80 mg, 100 mg, 140 mg†</i> | 5 | PA, QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| DAURISMO - glasdegib maleate tab 25 mg (base equivalent)† | 5 | PA, QL (60 tablets/30 days) |
| DAURISMO - glasdegib maleate tab 100 mg (base equivalent)† | 5 | PA, QL (30 tablets/30 days) |
| ENSACOVE - ensartinib hcl cap 25 mg (base equivalent), 100 mg (base equivalent) | 5 | PA, QL (60 capsules/30 days) |
| ERIVEDGE - vismodegib cap 150 mg*† | 5 | PA, QL (30 capsules/30 days) |
| ERLEADA - apalutamide tab 60 mg* | 5 | PA, QL (120 tablets/30 days) |
| ERLEADA - apalutamide tab 240 mg* | 5 | PA, QL (30 tablets/30 days) |
| <i>erlotinib hcl tab 25 mg (base equivalent)†</i> | 5 | PA, QL (60 tablets/30 days) |
| <i>erlotinib hcl tab 100 mg (base equivalent), 150 mg (base equivalent)†</i> | 5 | PA, QL (30 tablets/30 days) |
| EULEXIN - flutamide cap 125 mg | 5 | |
| <i>everolimus tab for oral susp 2 mg, 5 mg</i> | 5 | PA, QL (60 tablets/30 days) |
| <i>everolimus tab for oral susp 3 mg</i> | 5 | PA, QL (90 tablets/30 days) |
| <i>everolimus tab 2.5 mg, 7.5 mg, 10 mg†</i> | 5 | PA, QL (30 tablets/30 days) |
| <i>everolimus tab 5 mg†</i> | 5 | PA, QL (60 tablets/30 days) |
| <i>exemestane tab 25 mg</i> | 4 | |
| FOTIVDA - tivozanib hcl cap 0.89 mg (base equivalent), 1.34 mg (base equivalent)* | 5 | PA, QL (21 capsules/28 days) |
| FRUZAQLA - fruquintinib cap 1 mg | 5 | PA, QL (84 capsules/28 days) |
| FRUZAQLA - fruquintinib cap 5 mg | 5 | PA, QL (21 capsules/28 days) |
| GAVRETO - pralsetinib cap 100 mg† | 5 | PA, QL (120 capsules/30 days) |
| <i>gefitinib tab 250 mg†</i> | 5 | PA, QL (30 tablets/30 days) |
| GILOTRIF - afatinib dimaleate tab 20 mg (base equivalent), 30 mg (base equivalent), 40 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |
| GOMEKLI - mirdametinib cap 1 mg | 5 | PA, QL (168 capsules/28 days) |
| GOMEKLI - mirdametinib cap 2 mg | 5 | PA, QL (84 capsules/28 days) |
| GOMEKLI - mirdametinib tab for oral susp 1 mg | 5 | PA, QL (168 tablets/28 days) |
| HERNEXEOS - zongertinib tab 60 mg | 5 | PA, QL (180 tablets/60 days) |
| <i>hydroxyurea cap 500 mg</i> | 2 | |
| HYRNUO - sevabertinib tab 10 mg | 5 | PA, QL (120 tablets/30 days) |
| IBRANCE - palbociclib cap 75 mg, 100 mg, 125 mg* | 5 | PA, QL (21 capsules/28 days) |
| IBRANCE - palbociclib tab 75 mg, 100 mg, 125 mg* | 5 | PA, QL (21 tablets/28 days) |
| IBTROZI - taltrectinib adipate cap 200 mg | 5 | PA, QL (90 capsules/30 days) |
| ICLUSIG - ponatinib hcl tab 10 mg (base equiv), 15 mg (base equiv), 30 mg (base equiv), 45 mg (base equiv)*† | 5 | PA, QL (30 tablets/30 days) |
| IDHIFA - enasidenib mesylate tab 50 mg (base equivalent), 100 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |
| <i>imatinib mesylate tab 100 mg (base equivalent)†</i> | 4 | PA, QL (90 tablets/30 days) |
| <i>imatinib mesylate tab 400 mg (base equivalent)†</i> | 5 | PA, QL (60 tablets/30 days) |
| IMBRUVICA - ibrutinib cap 70 mg* | 5 | PA, QL (30 capsules/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| IMBRUVICA - ibrutinib cap 140 mg* | 5 | PA, QL (120 capsules/30 days) |
| IMBRUVICA - ibrutinib oral susp 70 mg/ml* | 5 | PA, QL (3 bottles/30 days) |
| IMBRUVICA - ibrutinib tab 140 mg, 280 mg, 420 mg* | 5 | PA, QL (30 tablets/30 days) |
| IMKELDI - imatinib mesylate oral soln 80 mg/ml (base equivalent) | 5 | PA, QL (2 bottles/28 days) |
| INLURIYO - imlunestrant tosylate tab 200 mg | 5 | PA, QL (60 tablets/30 days) |
| INLYTA - axitinib tab 1 mg*† | 5 | PA, QL (180 tablets/30 days) |
| INLYTA - axitinib tab 5 mg*† | 5 | PA, QL (120 tablets/30 days) |
| INQOVI - decitabine-cedazuridine tab 35-100 mg | 5 | PA, QL (5 tablets/28 days) |
| INREBIC - fedratinib hcl cap 100 mg† | 5 | PA, QL (120 capsules/30 days) |
| ITOVEBI - inavolisib tab 3 mg | 5 | PA, QL (60 tablets/30 days) |
| ITOVEBI - inavolisib tab 9 mg | 5 | PA, QL (30 tablets/30 days) |
| IWILFIN - eflornithine hcl tab 192 mg | 5 | PA, QL (240 tablets/30 days) |
| JAKAFI - ruxolitinib phosphate tab 5 mg (base equivalent), 10 mg (base equivalent), 15 mg (base equivalent), 20 mg (base equivalent), 25 mg (base equivalent)*† | 5 | PA, QL (60 tablets/30 days) |
| JAYPIRCA - pirtobrutinib tab 50 mg† | 5 | PA, QL (30 tablets/30 days) |
| JAYPIRCA - pirtobrutinib tab 100 mg† | 5 | PA, QL (60 tablets/30 days) |
| KISQALI - ribociclib succinate tab pack 200 mg daily dose | 5 | PA, QL (21 tablets/28 days) |
| KISQALI - ribociclib succinate tab pack 400 mg daily dose (200 mg tab) | 5 | PA, QL (42 tablets/28 days) |
| KISQALI - ribociclib succinate tab pack 600 mg daily dose (200 mg tab) | 5 | PA, QL (63 tablets/28 days) |
| KISQALI FEMARA 400 DOSE - ribociclib 400 mg dose (200 mg tab) & letrozole 2.5 mg tbpk | 5 | PA, QL (70 tablets/28 days) |
| KISQALI FEMARA 600 DOSE - ribociclib 600 mg dose (200 mg tab) & letrozole 2.5 mg tbpk | 5 | PA, QL (91 tablets/28 days) |
| KOMZIFTI - ziftomenib cap 200 mg† | 5 | PA, QL (90 capsules/30 days) |
| KOSELUGO - selumetinib sulfate cap sprinkle 5 mg | 5 | PA, QL (600 capsules/30 days) |
| KOSELUGO - selumetinib sulfate cap sprinkle 7.5 mg | 5 | PA, QL (360 capsules/30 days) |
| KOSELUGO - selumetinib sulfate cap 10 mg | 5 | PA, QL (240 capsules/30 days) |
| KOSELUGO - selumetinib sulfate cap 25 mg | 5 | PA, QL (120 capsules/30 days) |
| KRAZATI - adagrasib tab 200 mg*† | 5 | PA, QL (180 tablets/30 days) |
| <i>lapatinib ditosylate tab 250 mg (base equiv)</i> | 5 | PA, QL (180 tablets/30 days) |
| LAZCLUZE - lazertinib mesylate tab 80 mg† | 5 | PA, QL (60 tablets/30 days) |
| LAZCLUZE - lazertinib mesylate tab 240 mg† | 5 | PA, QL (30 tablets/30 days) |
| LEDERLE LEUCOVORIN - leucovorin calcium tab 5 mg | 3 | |
| <i>lenalidomide caps 2.5 mg</i> | 5 | PA, QL (30 capsules/30 days) |
| <i>lenalidomide cap 5 mg, 10 mg</i> | 5 | PA, QL (30 capsules/30 days) |
| <i>lenalidomide cap 15 mg, 20 mg, 25 mg</i> | 5 | PA, QL (21 capsules/28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| LENVIMA 10 MG DAILY DOSE - lenvatinib cap therapy pack 10 mg (10 mg daily dose)* | 5 | PA, QL (30 capsules/30 days) |
| LENVIMA 12MG DAILY DOSE - lenvatinib cap therapy pack 3 x 4 mg (12 mg daily dose)* | 5 | PA, QL (90 capsules/30 days) |
| LENVIMA 14 MG DAILY DOSE - lenvatinib cap therapy pack 10 & 4 mg (14 mg daily dose)* | 5 | PA, QL (60 capsules/30 days) |
| LENVIMA 18 MG DAILY DOSE - lenvatinib cap ther pack 10 mg & 2 x 4 mg (18 mg daily dose)* | 5 | PA, QL (90 capsules/30 days) |
| LENVIMA 20 MG DAILY DOSE - lenvatinib cap therapy pack 2 x 10 mg (20 mg daily dose)* | 5 | PA, QL (60 capsules/30 days) |
| LENVIMA 24 MG DAILY DOSE - lenvatinib cap ther pack 2 x 10 mg & 4 mg (24 mg daily dose)* | 5 | PA, QL (90 capsules/30 days) |
| LENVIMA 4 MG DAILY DOSE - lenvatinib cap therapy pack 4 mg (4 mg daily dose)* | 5 | PA, QL (30 capsules/30 days) |
| LENVIMA 8 MG DAILY DOSE - lenvatinib cap therapy pack 2 x 4 mg (8 mg daily dose)* | 5 | PA, QL (60 capsules/30 days) |
| <i>letrozole tab 2.5 mg</i> | 2 | |
| <i>leucovorin calcium tab 5 mg, 10 mg</i> | 3 | |
| <i>leucovorin calcium tab 15 mg, 25 mg</i> | 4 | |
| LEUKERAN - chlorambucil tab 2 mg | 5 | |
| LIFYORLI - relacorilant cap pak 1 x 25 mg & 1 x 100 mg (125 mg dose), 2 x 25 mg & 1 x 100 mg (150 mg dose) | 5 | PA, QL (3 packs/28 days) |
| <i>lomustine cap 10 mg, 40 mg</i> | 4 | |
| <i>lomustine cap 100 mg</i> | 5 | |
| LONSURF - trifluridine-tipiracil tab 15-6.14 mg | 5 | PA, QL (100 tablets/28 days) |
| LONSURF - trifluridine-tipiracil tab 20-8.19 mg | 5 | PA, QL (80 tablets/28 days) |
| LORBRENA - lorlatinib tab 25 mg† | 5 | PA, QL (90 tablets/30 days) |
| LORBRENA - lorlatinib tab 100 mg† | 5 | PA, QL (30 tablets/30 days) |
| LUMAKRAS - sotorasib tab 120 mg*† | 5 | PA, QL (240 tablets/30 days) |
| LUMAKRAS - sotorasib tab 240 mg*† | 5 | PA, QL (120 tablets/30 days) |
| LUMAKRAS - sotorasib tab 320 mg*† | 5 | PA, QL (90 tablets/30 days) |
| LYNPARZA - olaparib tab 100 mg, 150 mg*† | 5 | PA, QL (120 tablets/30 days) |
| LYSODREN - mitotane tab 500 mg | 5 | |
| LYTGOBI - futibatinib tab therapy pack 4 mg (12 mg daily dose)* | 5 | PA, QL (84 tablets/28 days) |
| LYTGOBI - futibatinib tab therapy pack 4 mg (16 mg daily dose)* | 5 | PA, QL (112 tablets/28 days) |
| LYTGOBI - futibatinib tab therapy pack 4 mg (20 mg daily dose)* | 5 | PA, QL (140 tablets/28 days) |
| MATULANE - procarbazine hcl cap 50 mg* | 5 | PA |
| MEKINIST - trametinib dimethyl sulfoxide for soln 0.05 mg/ml (base eq) | 5 | PA, QL (13 bottles/28 days) |
| MEKINIST - trametinib dimethyl sulfoxide tab 0.5 mg (base equivalent)* | 5 | PA, QL (90 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| MEKINIST - trametinib dimethyl sulfoxide tab 2 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |
| MEKTOVI - binimetinib tab 15 mg* | 5 | PA, QL (180 tablets/30 days) |
| <i>mercaptopurine susp 2000 mg/100ml (20 mg/ml)</i> | 5 | |
| <i>mercaptopurine tab 50 mg</i> | 3 | |
| <i>mesna tab 400 mg</i> | 5 | |
| MODEYSO - dordaviprone hcl cap 125 mg | 5 | PA, QL (20 capsules/28 days) |
| NERLYNX - neratinib maleate tab 40 mg (base equivalent)*† | 5 | PA, QL (180 tablets/30 days) |
| <i>nilotinib hcl cap 50 mg (base equivalent)†</i> | 5 | PA, QL (120 capsules/30 days) |
| <i>nilotinib hcl cap 150 mg (base equivalent), 200 mg (base equivalent)</i> | 5 | PA, QL (120 capsules/30 days) |
| <i>nilutamide tab 150 mg</i> | 5 | |
| NINLARO - ixazomib citrate cap 2.3 mg (base equivalent), 3 mg (base equivalent), 4 mg (base equivalent) | 5 | PA, QL (3 capsules/28 days) |
| NUBEQA - darolutamide tab 300 mg† | 5 | PA, QL (120 tablets/30 days) |
| ODOMZO - sonidegib phosphate cap 200 mg (base equivalent)*† | 5 | PA, QL (30 capsules/30 days) |
| OGSIVEO - nirogacestat hydrobromide tab 100 mg, 150 mg† | 5 | PA, QL (56 tablets/28 days) |
| OJEMDA - tovorafenib for oral susp 25 mg/ml | 5 | PA, QL (8 bottles/28 days) |
| OJEMDA - tovorafenib tab 100 mg | 5 | PA, QL (24 tablets/28 days) |
| OJJAARA - momelotinib dihydrochloride tab 100 mg, 150 mg, 200 mg | 5 | PA, QL (30 tablets/30 days) |
| ONUREG - azacitidine tab 200 mg, 300 mg | 5 | PA, QL (14 tablets/28 days) |
| ORGOVYX - relugolix tab 120 mg* | 5 | PA, QL (90 tablets/30 days) |
| ORSERDU - elacestrant hydrochloride tab 86 mg | 5 | PA, QL (90 tablets/30 days) |
| ORSERDU - elacestrant hydrochloride tab 345 mg | 5 | PA, QL (30 tablets/30 days) |
| PANRETIN - alitretinoin gel 0.1% | 5 | PA |
| <i>pazopanib hcl tab 200 mg (base equiv)†</i> | 5 | PA, QL (120 tablets/30 days) |
| PEMAZYRE - pemigatinib tab 4.5 mg, 9 mg, 13.5 mg | 5 | PA, QL (14 tablets/21 days) |
| PIQRAY 200MG DAILY DOSE - alpelisib tab therapy pack 200 mg daily dose | 5 | PA, QL (30 tablets/30 days) |
| PIQRAY 250MG DAILY DOSE - alpelisib tab pack 250 mg daily dose (200 mg & 50 mg tabs) | 5 | PA, QL (60 tablets/30 days) |
| PIQRAY 300MG DAILY DOSE - alpelisib tab pack 300 mg daily dose (2x150 mg tab) | 5 | PA, QL (60 tablets/30 days) |
| <i>pomalidomide cap 1 mg, 2 mg, 3 mg, 4 mg</i> | 5 | PA, QL (21 capsules/28 days) |
| QINLOCK - ripretinib tab 50 mg | 5 | PA, QL (90 tablets/30 days) |
| RETEVMO - selpercatinib tab 40 mg† | 5 | PA, QL (90 tablets/30 days) |
| RETEVMO - selpercatinib tab 80 mg, 120 mg, 160 mg† | 5 | PA, QL (60 tablets/30 days) |
| REVUFORJ - revumenib citrate tab 25 mg | 5 | PA, QL (240 tablets/30 days) |
| REVUFORJ - revumenib citrate tab 110 mg | 5 | PA, QL (120 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| REVUFORJ - revumenib citrate tab 160 mg | 5 | PA, QL (60 tablets/30 days) |
| REZLIDHIA - olutasidenib cap 150 mg*† | 5 | PA, QL (60 capsules/30 days) |
| ROMVIMZA - vimseltinib cap 14 mg, 20 mg, 30 mg | 5 | PA, QL (8 capsules/28 days) |
| ROZLYTREK - entrectinib cap 100 mg† | 5 | PA, QL (150 capsules/30 days) |
| ROZLYTREK - entrectinib cap 200 mg† | 5 | PA, QL (90 capsules/30 days) |
| ROZLYTREK - entrectinib pellet pack 50 mg | 5 | PA, QL (336 packets/28 days) |
| RUBRACA - rucaparib camsylate tab 200 mg (base equivalent), 250 mg (base equivalent), 300 mg (base equivalent)*† | 5 | PA, QL (120 tablets/30 days) |
| RYDAPT - midostaurin cap 25 mg | 5 | PA, QL (240 capsules/30 days) |
| SCSEMBLIX - asciminib hcl tab 20 mg | 5 | PA, QL (60 tablets/30 days) |
| SCSEMBLIX - asciminib hcl tab 40 mg | 5 | PA, QL (240 tablets/30 days) |
| SCSEMBLIX - asciminib hcl tab 100 mg | 5 | PA, QL (120 tablets/30 days) |
| SOLTAMOX - tamoxifen citrate oral soln 10 mg/5ml (base equivalent) | 4 | |
| <i>sorafenib tosylate tab 200 mg (base equivalent)†</i> | 5 | PA, QL (120 tablets/30 days) |
| STIVARGA - regorafenib tab 40 mg* | 5 | PA, QL (84 tablets/28 days) |
| <i>sunitinib malate cap 12.5 mg (base equivalent)†</i> | 5 | PA, QL (90 capsules/30 days) |
| <i>sunitinib malate cap 25 mg (base equivalent), 37.5 mg (base equivalent), 50 mg (base equivalent)†</i> | 5 | PA, QL (30 capsules/30 days) |
| TABLOID - thioguanine tab 40 mg | 5 | |
| TABRECTA - capmatinib hcl tab 150 mg, 200 mg | 5 | PA, QL (120 tablets/30 days) |
| TAFINLAR - dabrafenib mesylate cap 50 mg (base equivalent), 75 mg (base equivalent)* | 5 | PA, QL (120 capsules/30 days) |
| TAFINLAR - dabrafenib mesylate tab for oral susp 10 mg (base equiv) | 5 | PA, QL (4 bottles/28 days) |
| TAGRISSE - osimertinib mesylate tab 40 mg (base equivalent), 80 mg (base equivalent)*† | 5 | PA, QL (30 tablets/30 days) |
| TALZENNA - talazoparib tosylate cap 0.1 mg (base equivalent), 0.35 mg (base equivalent)† | 5 | PA, QL (30 capsules/30 days) |
| TALZENNA - talazoparib tosylate cap 0.25 mg (base equivalent), 0.5 mg (base equivalent), 0.75 mg (base equivalent), 1 mg (base equivalent)*† | 5 | PA, QL (30 capsules/30 days) |
| <i>tamoxifen citrate tab 10 mg (base equivalent), 20 mg (base equivalent)</i> | 2 | |
| TEPMETKO - tepotinib hcl tab 225 mg*† | 5 | PA, QL (60 tablets/30 days) |
| THALOMID - thalidomide cap 50 mg | 5 | PA, QL (90 capsules/30 days) |
| THALOMID - thalidomide cap 100 mg | 5 | PA, QL (120 capsules/30 days) |
| TIBSOVO - ivosidenib tab 250 mg*† | 5 | PA, QL (60 tablets/30 days) |
| <i>toremifene citrate tab 60 mg (base equivalent)</i> | 4 | |
| <i>torpenz - everolimus tab 2.5 mg, 7.5 mg, 10 mg†</i> | 5 | PA, QL (30 tablets/30 days) |
| <i>torpenz - everolimus tab 5 mg†</i> | 5 | PA, QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------------------|
| <i>tretinoin cap 10 mg</i> | 5 | PA |
| TRUQAP - capivasertib tab therapy pack 160 mg, 200 mg | 5 | PA, QL (4 boxes/28 days) |
| TRUQAP - capivasertib tab 200 mg | 5 | PA, QL (64 tablets/28 days) |
| TUKYSA - tucatinib tab 50 mg | 5 | PA, QL (300 tablets/30 days) |
| TUKYSA - tucatinib tab 150 mg | 5 | PA, QL (120 tablets/30 days) |
| TURALIO - pexidartinib hcl cap 125 mg (base equivalent) | 5 | PA, QL (120 capsules/30 days) |
| VALCHLOR - mechlorethamine hcl gel 0.016% (base equivalent)* | 5 | PA, QL (1 tube/30 days) |
| VANFLYTA - quizartinib dihydrochloride tab 17.7 mg, 26.5 mg* | 5 | PA, QL (60 tablets/30 days) |
| VENCLEXTA - venetoclax tab 10 mg* | 3 | PA, QL (60 tablets/30 days) |
| VENCLEXTA - venetoclax tab 50 mg* | 5 | PA, QL (30 tablets/30 days) |
| VENCLEXTA - venetoclax tab 100 mg* | 5 | PA, QL (180 tablets/30 days) |
| VENCLEXTA STARTING PACK - venetoclax tab therapy starter pack 10 & 50 & 100 mg* | 5 | PA, QL (1 pack (42 tablets)/28 days) |
| VERZENIO - abemaciclib tab 50 mg, 100 mg, 150 mg, 200 mg* | 5 | PA, QL (60 tablets/30 days) |
| VITRAKVI - larotrectinib sulfate cap 25 mg (base equivalent)*† | 5 | PA, QL (180 capsules/30 days) |
| VITRAKVI - larotrectinib sulfate cap 100 mg (base equivalent)*† | 5 | PA, QL (60 capsules/30 days) |
| VITRAKVI - larotrectinib sulfate oral soln 20 mg/ml (base equivalent)* | 5 | PA, QL (300 mls/30 days) |
| VIZIMPRO - dacomitinib tab 15 mg, 30 mg, 45 mg*† | 5 | PA, QL (30 tablets/30 days) |
| VONJO - pacritinib citrate cap 100 mg*† | 5 | PA, QL (120 capsules/30 days) |
| VORANIGO - vorasidenib tab 10 mg | 5 | PA, QL (60 tablets/30 days) |
| VORANIGO - vorasidenib tab 40 mg | 5 | PA, QL (30 tablets/30 days) |
| XALKORI - crizotinib cap sprinkle 20 mg, 50 mg*† | 5 | PA, QL (120 capsules/30 days) |
| XALKORI - crizotinib cap sprinkle 150 mg*† | 5 | PA, QL (180 capsules/30 days) |
| XALKORI - crizotinib cap 200 mg, 250 mg*† | 5 | PA, QL (120 capsules/30 days) |
| XOSPATA - gilteritinib fumarate tablet 40 mg (base equivalent)† | 5 | PA, QL (90 tablets/30 days) |
| XPOVIO - selinexor tab therapy pack 10 mg (40 mg once weekly), 80 mg (80 mg once weekly) | 5 | PA, QL (1 box/28 days) |
| XPOVIO - selinexor tab therapy pack 40 mg (40 mg twice weekly), 40 mg (80 mg once weekly), 50 mg (100 mg once weekly), 60 mg (60 mg once weekly)* | 5 | PA, QL (1 box/28 days) |
| XPOVIO 60 MG TWICE WEEKLY - selinexor tab therapy pack 20 mg (60 mg twice weekly)* | 5 | PA, QL (1 box/28 days) |
| XPOVIO 80 MG TWICE WEEKLY - selinexor tab therapy pack 20 mg (80 mg twice weekly)* | 5 | PA, QL (1 box/28 days) |
| XTANDI - enzalutamide cap 40 mg*† | 5 | PA, QL (120 capsules/30 days) |
| XTANDI - enzalutamide tab 40 mg*† | 5 | PA, QL (120 tablets/30 days) |
| XTANDI - enzalutamide tab 80 mg*† | 5 | PA, QL (60 tablets/30 days) |
| ZEJULA - niraparib tosylate tab 100 mg (base equivalent), 200 mg (base equivalent), 300 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| ZELBORAF - vemurafenib tab 240 mg* | 5 | PA, QL (240 tablets/30 days) |
| ZOLINZA - vorinostat cap 100 mg† | 5 | PA, QL (120 capsules/30 days) |
| ZYDELIG - idelalisib tab 100 mg, 150 mg* | 5 | PA, QL (60 tablets/30 days) |
| ZYKADIA - ceritinib tab 150 mg*† | 5 | PA, QL (90 tablets/30 days) |
| Antiparasitics | | |
| albendazole tab 200 mg | 4 | |
| atovaquone susp 750 mg/5ml | 4 | PA, QL (600 mls/30 days) |
| atovaquone-proguanil hcl tab 62.5-25 mg, 250-100 mg | 4 | |
| chloroquine phosphate tab 250 mg | 4 | |
| chloroquine phosphate tab 500 mg | 4 | |
| COARTEM - artemether-lumefantrine tab 20-120 mg | 4 | |
| hydroxychloroquine sulfate tab 200 mg | 3 | |
| ivermectin tab 3 mg | 3 | PA |
| LAMPIT - nifurtimox tab 30 mg, 120 mg | 4 | |
| mefloquine hcl tab 250 mg | 3 | |
| nitazoxanide tab 500 mg | 4 | QL (20 tablets/30 days) |
| pentamidine isethionate for inj soln 300 mg | 4 | |
| pentamidine isethionate for nebulization soln 300 mg | 4 | BD |
| praziquantel tab 600 mg | 4 | |
| primaquine phosphate tab 26.3 mg (15 mg base) | 4 | |
| pyrimethamine tab 25 mg | 5 | PA |
| quinine sulfate cap 324 mg | 4 | PA |
| Antiparkinson Agents | | |
| amantadine hcl cap 100 mg | 3 | |
| amantadine hcl soln 50 mg/5ml | 3 | |
| benztropine mesylate tab 0.5 mg, 1 mg, 2 mg# | 2 | |
| bromocriptine mesylate cap 5 mg (base equivalent) | 4 | |
| bromocriptine mesylate tab 2.5 mg (base equivalent) | 4 | |
| carbidopa & levodopa orally disintegrating tab 10-100 mg, 25-100 mg, 25-250 mg | 4 | |
| carbidopa & levodopa tab er 25-100 mg, 50-200 mg | 3 | |
| carbidopa & levodopa tab 10-100 mg, 25-100 mg, 25-250 mg | 2 | |
| entacapone tab 200 mg | 4 | |
| INBRIJA - levodopa inhal powder cap 42 mg | 5 | PA, QL (300 capsules/30 days) |
| pramipexole dihydrochloride tab 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg | 2 | |
| rasagiline mesylate tab 0.5 mg (base equiv), 1 mg (base equiv) | 4 | |
| ropinirole hydrochloride tab 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg | 2 | |
| selegiline hcl cap 5 mg | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--|
| <i>selegiline hcl tab 5 mg</i> | 3 | |
| Antipsychotics | | |
| ABILIFY ASIMTUFII - aripiprazole im er susp prefilled syringe 720 mg/2.4ml, 960 mg/3.2ml | 5 | QL (1 syringe/56 days) |
| ABILIFY MAINTENA - aripiprazole im for er susp prefilled syringe 300 mg, 400 mg | 5 | QL (1 syringe/28 days) |
| ABILIFY MAINTENA - aripiprazole im for extended release susp 300 mg, 400 mg | 5 | QL (1 vial/28 days) |
| <i>aripiprazole oral solution 1 mg/ml</i> | 4 | PA (>=65 yr), QL (750 mls/30 days) |
| <i>aripiprazole orally disintegrating tab 10 mg, 15 mg</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| <i>aripiprazole tab 2 mg, 5 mg</i> | 3 | PA (>=65 yr), QL (45 tablets/30 days) |
| <i>aripiprazole tab 10 mg, 15 mg, 20 mg, 30 mg</i> | 3 | PA (>=65 yr), QL (30 tablets/30 days) |
| <i>asenapine maleate sl tab 2.5 mg (base equiv), 5 mg (base equiv), 10 mg (base equiv)</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| CAPLYTA - lumateperone tosylate cap 10.5 mg, 21 mg, 42 mg | 5 | QL (30 capsules/30 days) |
| <i>clozapine orally disintegrating tab 12.5 mg</i> | 4 | PA (>=65 yr), QL (90 tablets/30 days) |
| <i>clozapine orally disintegrating tab 25 mg, 100 mg</i> | 4 | PA (>=65 yr), QL (270 tablets/30 days) |
| <i>clozapine orally disintegrating tab 150 mg</i> | 4 | PA (>=65 yr), QL (180 tablets/30 days) |
| <i>clozapine orally disintegrating tab 200 mg</i> | 4 | PA (>=65 yr), QL (120 tablets/30 days) |
| <i>clozapine tab 25 mg, 50 mg</i> | 3 | PA (>=65 yr), QL (90 tablets/30 days) |
| <i>clozapine tab 100 mg</i> | 4 | PA (>=65 yr), QL (270 tablets/30 days) |
| <i>clozapine tab 200 mg</i> | 4 | PA (>=65 yr), QL (120 tablets/30 days) |
| COBENFY - xanomeline tartrate-trospium chloride cap 50-20 mg, 100-20 mg, 125-30 mg | 5 | PA, QL (60 capsules/30 days) |
| COBENFY STARTER PACK - xanomeline-trospium chloride cap pack 50-20 mg & 100-20 mg | 5 | PA, QL (1 pack/28 days) |
| FANAPT - iloperidone tab 1 mg, 2 mg, 4 mg, 6 mg, 8 mg, 10 mg, 12 mg | 5 | PA (>=65 yr), QL (60 tablets/30 days) |
| FANAPT TITRATION PACK A - iloperidone tab 1 mg & 2 mg & 4 mg & 6 mg titration pak | 4 | PA (>=65 yr), QL (7 packs (56 tablets)/28 days) |
| FANAPT TITRATION PACK C - iloperidone tab 1 mg & 2 mg & 6 mg titration pak | 4 | PA (>=65 yr), QL (1 pack/28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------------|
| <i>fluphenazine decanoate inj 25 mg/ml</i> | 4 | PA (>=65 yr) |
| FLUPHENAZINE HCL - fluphenazine hcl oral conc 5 mg/ml | 4 | PA (>=65 yr) |
| <i>fluphenazine hcl tab 1 mg, 2.5 mg, 5 mg, 10 mg</i> | 4 | PA (>=65 yr) |
| FLUPHENAZINE HYDROCHLORIDE - fluphenazine hcl elixir 2.5 mg/5ml | 4 | PA (>=65 yr) |
| FLUPHENAZINE HYDROCHLORIDE - fluphenazine hcl inj 2.5 mg/ml | 4 | PA (>=65 yr) |
| <i>haloperidol decanoate im soln 50 mg/ml, 100 mg/ml</i> | 4 | PA (>=65 yr) |
| <i>haloperidol lactate inj 5 mg/ml</i> | 4 | PA (>=65 yr) |
| <i>haloperidol lactate oral conc 2 mg/ml</i> | 3 | PA (>=65 yr) |
| <i>haloperidol tab 0.5 mg, 1 mg, 2 mg, 5 mg, 10 mg</i> | 2 | PA (>=65 yr) |
| <i>haloperidol tab 20 mg</i> | 3 | PA (>=65 yr) |
| INVEGA HAFYERA - paliperidone palmitate er susp pref syr 1,092 mg/3.5ml, 1,560 mg/5ml | 5 | QL (1 kit/180 days) |
| INVEGA SUSTENNA - paliperidone palmitate er susp pref syr 39 mg/0.25ml | 4 | QL (1 kit/28 days) |
| INVEGA SUSTENNA - paliperidone palmitate er susp pref syr 78 mg/0.5ml, 117 mg/0.75ml, 156 mg/ml, 234 mg/1.5ml | 5 | QL (1 kit/28 days) |
| INVEGA TRINZA - paliperidone palmitate er susp pref syr 273 mg/0.88ml, 410 mg/1.32ml, 546 mg/1.75ml, 819 mg/2.63ml | 5 | QL (1 kit/84 days) |
| <i>loxapine succinate cap 5 mg, 10 mg, 25 mg, 50 mg</i> | 3 | PA (>=65 yr) |
| <i>lurasidone hcl tab 20 mg, 40 mg, 60 mg, 120 mg</i> | 4 | PA (>=65 yr), QL (30 tablets/30 days) |
| <i>lurasidone hcl tab 80 mg</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| LYBALVI - olanzapine-samidorphane l-malate tab 5-10 mg, 10-10 mg, 15-10 mg, 20-10 mg | 5 | PA (>=65 yr), QL (30 tablets/30 days) |
| MOLINDONE HYDROCHLORIDE - molindone hcl tab 5 mg, 10 mg, 25 mg | 4 | PA (>=65 yr) |
| NUPLAZID - pimavanserin tartrate cap 34 mg (base equivalent)* | 5 | PA, QL (30 capsules/30 days) |
| NUPLAZID - pimavanserin tartrate tab 10 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |
| <i>olanzapine for im inj 10 mg</i> | 4 | PA (>=65 yr), QL (90 vials/30 days) |
| <i>olanzapine orally disintegrating tab 5 mg, 10 mg, 15 mg, 20 mg</i> | 4 | PA (>=65 yr), QL (30 tablets/30 days) |
| <i>olanzapine tab 2.5 mg, 5 mg, 7.5 mg, 10 mg</i> | 2 | PA (>=65 yr), QL (45 tablets/30 days) |
| <i>olanzapine tab 15 mg, 20 mg</i> | 2 | PA (>=65 yr), QL (30 tablets/30 days) |
| OPIPZA - aripiprazole oral film 2 mg | 5 | PA (>=65 yr), QL (30 films/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--|
| OPIPZA - aripiprazole oral film 5 mg, 10 mg | 5 | PA (>=65 yr), QL (90 films/30 days) |
| <i>paliperidone tab er 24hr 1.5 mg, 3 mg, 9 mg</i> | 4 | PA (>=65 yr), QL (30 tablets/30 days) |
| <i>paliperidone tab er 24hr 6 mg</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| PERSERIS - risperidone subcutaneous for er susp prefilled syr 90 mg, 120 mg | 5 | QL (1 syringe/28 days) |
| <i>pimozide tab 1 mg, 2 mg</i> | 4 | PA (>=65 yr) |
| QUETIAPINE FUMARATE - quetiapine fumarate tab 150 mg | 4 | PA (>=65 yr), QL (150 tablets/30 days) |
| <i>quetiapine fumarate tab er 24hr 50 mg, 300 mg, 400 mg</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| <i>quetiapine fumarate tab er 24hr 150 mg, 200 mg</i> | 4 | PA (>=65 yr), QL (30 tablets/30 days) |
| <i>quetiapine fumarate tab 25 mg, 50 mg, 100 mg, 200 mg</i> | 2 | PA (>=65 yr), QL (120 tablets/30 days) |
| <i>quetiapine fumarate tab 300 mg, 400 mg</i> | 2 | PA (>=65 yr), QL (60 tablets/30 days) |
| REXULTI - brexpiprazole tab 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg | 5 | PA (>=65 yr), QL (30 tablets/30 days) |
| <i>risperidone microspheres for im extended rel susp 12.5 mg, 25 mg, 37.5 mg</i> | 4 | QL (2 vials/28 days) |
| <i>risperidone microspheres for im extended rel susp 50 mg</i> | 5 | QL (2 vials/28 days) |
| RISPERIDONE ODT - risperidone orally disintegrating tab 0.25 mg | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| <i>risperidone orally disintegrating tab 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| <i>risperidone orally disintegrating tab 4 mg</i> | 4 | PA (>=65 yr), QL (120 tablets/30 days) |
| <i>risperidone soln 1 mg/ml</i> | 3 | PA (>=65 yr), QL (480 mls/30 days) |
| <i>risperidone tab 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>risperidone tab 4 mg</i> | 2 | QL (120 tablets/30 days) |
| SECUADO - asenapine td patch 24 hr 3.8 mg/24hr, 5.7 mg/24hr, 7.6 mg/24hr | 5 | PA (>=65 yr), QL (30 patches/30 days) |
| <i>thioridazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg</i> | 3 | PA (>=65 yr) |
| <i>thiothixene cap 1 mg, 2 mg, 5 mg, 10 mg</i> | 4 | PA (>=65 yr) |
| <i>trifluoperazine hcl tab 1 mg (base equivalent), 2 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 3 | PA (>=65 yr) |
| VERSACLOZ - clozapine susp 50 mg/ml | 5 | PA (>=65 yr), QL (540 mls/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------------|
| VRAYLAR - cariprazine hcl cap 0.5 mg (base equivalent), 0.75 mg (base equivalent), 1.5 mg (base equivalent), 3 mg (base equivalent), 4.5 mg (base equivalent), 6 mg (base equivalent) | 4 | QL (30 capsules/30 days) |
| <i>ziprasidone hcl cap 20 mg, 40 mg</i> | 4 | QL (90 capsules/30 days) |
| <i>ziprasidone hcl cap 60 mg, 80 mg</i> | 4 | QL (60 capsules/30 days) |
| <i>ziprasidone mesylate for inj 20 mg (base equivalent)</i> | 4 | PA (>=65 yr), QL (60 vials/30 days) |
| Antispasticity Agents | | |
| <i>baclofen tab 10 mg, 20 mg</i> | 2 | |
| <i>dantrolene sodium cap 25 mg, 50 mg, 100 mg</i> | 4 | |
| <i>tizanidine hcl tab 2 mg (base equivalent), 4 mg (base equivalent)</i> | 2 | |
| Antivirals | | |
| <i>abacavir sulfate soln 20 mg/ml (base equiv)</i> | 4 | QL (960 mls/30 days) |
| <i>abacavir sulfate tab 300 mg (base equiv)</i> | 4 | QL (60 tablets/30 days) |
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>acyclovir cap 200 mg</i> | 2 | |
| <i>acyclovir oint 5%</i> | 4 | PA, QL (30 grams/30 days) |
| <i>acyclovir sodium iv soln 50 mg/ml</i> | 4 | BD |
| <i>acyclovir susp 200 mg/5ml</i> | 4 | |
| <i>acyclovir tab 400 mg, 800 mg</i> | 2 | |
| <i>adefovir dipivoxil tab 10 mg</i> | 4 | |
| APTIVUS - tipranavir cap 250 mg | 5 | QL (120 capsules/30 days) |
| <i>atazanavir sulfate cap 150 mg (base equiv), 300 mg (base equiv)</i> | 4 | QL (30 capsules/30 days) |
| <i>atazanavir sulfate cap 200 mg (base equiv)</i> | 4 | QL (60 capsules/30 days) |
| BARACLUDGE - entecavir oral soln 0.05 mg/ml | 4 | |
| BIKTARVY - bictegravir-emtricitabine-tenofovir af tab 30-120-15 mg, 50-200-25 mg | 5 | QL (30 tablets/30 days) |
| CIMDUO - lamivudine-tenofovir disoproxil fumarate tab 300-300 mg | 5 | QL (30 tablets/30 days) |
| <i>darunavir tab 600 mg</i> | 4 | QL (60 tablets/30 days) |
| <i>darunavir tab 800 mg</i> | 4 | QL (30 tablets/30 days) |
| DELSTRIGO - doravirine-lamivudine-tenofovir df tab 100-300-300 mg | 5 | QL (30 tablets/30 days) |
| DESCOVY - emtricitabine-tenofovir alafenamide fumarate tab 120-15 mg, 200-25 mg | 5 | QL (30 tablets/30 days) |
| DOVATO - dolutegravir sodium-lamivudine tab 50-300 mg (base eq) | 5 | QL (30 tablets/30 days) |
| EDURANT - rilpivirine hcl tab 25 mg (base equivalent) | 5 | QL (30 tablets/30 days) |
| EDURANT PED - rilpivirine hcl tab for oral susp 2.5 mg (base equivalent) | 5 | QL (180 tablets/30 days) |
| <i>efavirenz tab 600 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | 4 | QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| <i>efavirenz-lamivudine-tenofovir df tab 600-300-300 mg</i> | 5 | QL (30 tablets/30 days) |
| EFAVIRENZ/LAMIVUDINE/TENOFOVIR DISOPROXIL FUMARATE - efavirenz-lamivudine-tenofovir df tab 400-300-300 mg | 5 | QL (30 tablets/30 days) |
| <i>emtricitabine caps 200 mg</i> | 4 | QL (30 capsules/30 days) |
| <i>emtricitabine-rilpivirine-tenofovir df tab 200-25-300 mg</i> | 5 | QL (30 tablets/30 days) |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg, 167-250 mg, 200-300 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg</i> | 5 | QL (30 tablets/30 days) |
| EMTRIVA - emtricitabine soln 10 mg/ml | 4 | QL (850 mls/30 days) |
| <i>entecavir tab 0.5 mg, 1 mg</i> | 4 | |
| <i>etravirine tab 100 mg</i> | 5 | QL (60 tablets/30 days) |
| <i>etravirine tab 200 mg</i> | 4 | QL (60 tablets/30 days) |
| EVOTAZ - atazanavir sulfate-cobicistat tab 300-150 mg (base equiv) | 5 | QL (30 tablets/30 days) |
| <i>famciclovir tab 125 mg, 250 mg, 500 mg</i> | 3 | |
| <i>fosamprenavir calcium tab 700 mg (base equiv)</i> | 5 | QL (120 tablets/30 days) |
| GENVOYA - elvitegrav-cobic-emtricitab-tenofov af tab 150-150-200-10 mg | 5 | QL (30 tablets/30 days) |
| INTELENCE - etravirine tab 25 mg | 4 | QL (120 tablets/30 days) |
| ISENTRESS - raltegravir potassium chew tab 25 mg (base equiv) | 3 | QL (180 tablets/30 days) |
| ISENTRESS - raltegravir potassium chew tab 100 mg (base equiv) | 4 | QL (180 tablets/30 days) |
| ISENTRESS - raltegravir potassium packet for susp 100 mg (base equiv) | 5 | QL (60 packets/30 days) |
| ISENTRESS - raltegravir potassium tab 400 mg (base equiv) | 5 | QL (60 tablets/30 days) |
| ISENTRESS HD - raltegravir potassium tab 600 mg (base equiv) | 5 | QL (60 tablets/30 days) |
| JULUCA - dolutegravir sodium-rilpivirine hcl tab 50-25 mg (base eq) | 5 | QL (30 tablets/30 days) |
| KALETRA - lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml) | 5 | QL (480 mls/30 days) |
| <i>lamivudine oral soln 10 mg/ml</i> | 3 | QL (960 mls/30 days) |
| <i>lamivudine tab 100 mg (hbv)</i> | 3 | |
| <i>lamivudine tab 150 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>lamivudine tab 300 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>lamivudine-zidovudine tab 150-300 mg</i> | 4 | QL (60 tablets/30 days) |
| LIVTENCITY - maribavir tab 200 mg* | 5 | QL (120 tablets/30 days) |
| <i>lopinavir-ritonavir tab 100-25 mg</i> | 4 | QL (300 tablets/30 days) |
| <i>lopinavir-ritonavir tab 200-50 mg</i> | 4 | QL (120 tablets/30 days) |
| <i>maraviroc tab 150 mg</i> | 5 | QL (60 tablets/30 days) |
| <i>maraviroc tab 300 mg</i> | 5 | QL (120 tablets/30 days) |
| MAVYRET - glecaprevir-pibrentasvir pellet pack 50-20 mg | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| MAVYRET - glecaprevir-pibrentasvir tab 100-40 mg | 5 | PA |
| <i>nevirapine susp 50 mg/5ml</i> | 4 | QL (1200 mls/30 days) |
| <i>nevirapine tab er 24hr 400 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>nevirapine tab 200 mg</i> | 3 | QL (60 tablets/30 days) |
| NORVIR - ritonavir powder packet 100 mg | 4 | QL (360 packets/30 days) |
| ODEFSEY - emtricitabine- rilpivirine-tenofovir af tab 200-25-25 mg | 5 | QL (30 tablets/30 days) |
| <i>oseltamivir phosphate cap 30 mg (base equiv)</i> | 3 | QL (168 capsules/365 days) |
| <i>oseltamivir phosphate cap 45 mg (base equiv), 75 mg (base equiv)</i> | 3 | QL (84 capsules/365 days) |
| <i>oseltamivir phosphate for susp 6 mg/ml (base equiv)</i> | 3 | QL (1080 mls/365 days) |
| PAXLOVID - nirmatrelvir tab 6 x 150 mg & ritonavir tab 5 x 100 mg pak | 2 | QL (11 tablets/30 days) |
| PAXLOVID - nirmatrelvir tab 10 x 150 mg & ritonavir tab 10 x 100 mg pak | 2 | QL (20 tablets/30 days) |
| PAXLOVID - nirmatrelvir tab 20 x 150 mg & ritonavir tab 10 x 100 mg pak | 2 | QL (30 tablets/30 days) |
| PIFELTRO - doravirine tab 100 mg | 5 | QL (30 tablets/30 days) |
| PREVYMIS - letermovir tab 240 mg, 480 mg | 5 | QL (30 tablets/30 days) |
| PREZCOBIX - darunavir-cobicistat tab 675-150 mg, 800-150 mg | 5 | QL (30 tablets/30 days) |
| PREZISTA - darunavir oral susp 100 mg/ml | 5 | QL (400 mls/30 days) |
| PREZISTA - darunavir tab 75 mg | 4 | QL (300 tablets/30 days) |
| PREZISTA - darunavir tab 150 mg | 5 | QL (180 tablets/30 days) |
| RELENZA DISKHALER - zanamivir aerosol powder breath activated 5 mg/act | 4 | QL (6 boxes/365 days) |
| REYATAZ - atazanavir sulfate oral powder packet 50 mg (base equiv) | 5 | QL (240 packets/30 days) |
| <i>ribavirin cap 200 mg</i> | 3 | |
| <i>ribavirin tab 200 mg</i> | 3 | |
| <i>rilpivirine hcl tab 25 mg (base equivalent)</i> | 5 | QL (30 tablets/30 days) |
| <i>ritonavir tab 100 mg</i> | 3 | QL (360 tablets/30 days) |
| RUKOBIA - fostemsavir tromethamine tab er 12hr 600 mg | 5 | QL (60 tablets/30 days) |
| SELZENTRY - maraviroc oral soln 20 mg/ml | 5 | QL (1840 mls/30 days) |
| STRIBILD - elvitegrav-cobic-emtricitab-tenofovdv tab 150-150-200-300 mg | 5 | QL (30 tablets/30 days) |
| SUNLENCA - lenacapavir sodium tab therapy pack 4 x 300 mg | 5 | QL (4 tablets/28 days) |
| SUNLENCA - lenacapavir sodium tab therapy pack 5 x 300 mg | 5 | QL (5 tablets/28 days) |
| SUNLENCA - lenacapavir sodium tab 300 mg | 5 | QL (4 tablets/28 days) |
| SYMTUZA - darunavir-cobic-emtricitab-tenofov af tab 800-150-200-10 mg | 5 | QL (30 tablets/30 days) |
| <i>tenofovir disoproxil fumarate tab 300 mg</i> | 4 | QL (30 tablets/30 days) |
| TIVICAY - dolutegravir sodium tab 50 mg (base equiv) | 5 | QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--|
| TIVICAY PD - dolutegravir sodium tab for oral susp 5 mg (base equiv) | 5 | QL (360 tablets/30 days) |
| TRIUMEQ - abacavir-dolutegravir-lamivudine tab 600-50-300 mg | 5 | QL (30 tablets/30 days) |
| TRIUMEQ PD - abacavir-dolutegravir-lamivudine tab for oral sus 60-5-30 mg | 4 | QL (180 tablets/30 days) |
| <i>valacyclovir hcl tab 500 mg, 1 gm</i> | 2 | |
| <i>valganciclovir hcl for soln 50 mg/ml (base equiv)</i> | 5 | |
| <i>valganciclovir hcl tab 450 mg (base equivalent)</i> | 3 | |
| VIRACEPT - nelfinavir mesylate tab 250 mg | 5 | QL (270 tablets/30 days) |
| VIRACEPT - nelfinavir mesylate tab 625 mg | 5 | QL (120 tablets/30 days) |
| VIREAD - tenofovir disoproxil fumarate oral powder 40 mg/gm | 5 | QL (240 grams/30 days) |
| VIREAD - tenofovir disoproxil fumarate tab 150 mg, 200 mg, 250 mg | 5 | QL (30 tablets/30 days) |
| VOSEVI - sofosbuvir-velpatasvir-voxilaprevir tab 400-100-100 mg | 5 | PA |
| XOFLUZA - baloxavir marboxil tab therapy pack 1 x 40 mg (40 mg dose) | 4 | QL (4 tablets/365 days) |
| XOFLUZA - baloxavir marboxil tab therapy pack 1 x 80 mg (80 mg dose) | 4 | QL (2 tablets/365 days) |
| <i>zidovudine cap 100 mg</i> | 4 | QL (180 capsules/30 days) |
| <i>zidovudine syrup 10 mg/ml</i> | 4 | QL (1920 mls/30 days) |
| <i>zidovudine tab 300 mg</i> | 3 | QL (60 tablets/30 days) |
| Anxiolytics | | |
| <i>alprazolam tab 0.25 mg, 0.5 mg, 1 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>alprazolam tab 2 mg</i> | 2 | QL (150 tablets/30 days) |
| <i>buspirone hcl tab 5 mg, 7.5 mg, 10 mg, 15 mg, 30 mg</i> | 2 | |
| <i>clonazepam orally disintegrating tab 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 4 | QL (90 tablets/30 days) |
| <i>clonazepam orally disintegrating tab 2 mg</i> | 4 | QL (300 tablets/30 days) |
| <i>clonazepam tab 0.5 mg, 1 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>clonazepam tab 2 mg</i> | 2 | QL (300 tablets/30 days) |
| <i>clorazepate dipotassium tab 3.75 mg</i> | 4 | PA (≥ 65 yr), QL (120 tablets/30 days) |
| <i>clorazepate dipotassium tab 7.5 mg</i> | 4 | PA (≥ 65 yr), QL (360 tablets/30 days) |
| <i>clorazepate dipotassium tab 15 mg</i> | 4 | PA (≥ 65 yr), QL (180 tablets/30 days) |
| <i>diazepam conc 5 mg/ml</i> | 4 | PA (≥ 65 yr), QL (240 mls/30 days) |
| <i>diazepam intensol - diazepam conc 5 mg/ml</i> | 4 | PA (≥ 65 yr), QL (240 mls/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--|
| <i>diazepam oral soln 1 mg/ml</i> | 4 | PA (>=65 yr), QL (1200 mls/30 days) |
| <i>diazepam tab 2 mg, 5 mg, 10 mg</i> | 2 | PA (>=65 yr), QL (120 tablets/30 days) |
| <i>hydroxyzine hcl tab 10 mg, 25 mg, 50 mg#</i> | 3 | PA (>=65 yr) |
| <i>lorazepam conc 2 mg/ml</i> | 2 | PA (>=65 yr), QL (150 mls/30 days) |
| <i>lorazepam intensol - lorazepam conc 2 mg/ml</i> | 2 | PA (>=65 yr), QL (150 mls/30 days) |
| <i>lorazepam tab 0.5 mg, 1 mg</i> | 2 | PA (>=65 yr), QL (120 tablets/30 days) |
| <i>lorazepam tab 2 mg</i> | 2 | PA (>=65 yr), QL (150 tablets/30 days) |
| Bipolar Agents | | |
| <i>lithium carbonate cap 150 mg, 300 mg</i> | 2 | |
| <i>lithium carbonate cap 600 mg</i> | 2 | |
| <i>lithium carbonate tab er 300 mg, 450 mg</i> | 2 | |
| <i>lithium carbonate tab 300 mg</i> | 2 | |
| <i>lithium oral solution 8 meq/5ml</i> | 4 | |
| Blood Glucose Regulators | | |
| <i>acarbose tab 25 mg</i> | 2 | QL (360 tablets/30 days) |
| <i>acarbose tab 50 mg</i> | 2 | QL (180 tablets/30 days) |
| <i>acarbose tab 100 mg</i> | 2 | QL (90 tablets/30 days) |
| ALCOHOL SWABS | 3 | PA |
| <i>dapagliflozin tab 5 mg, 10 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>diazoxide susp 50 mg/ml</i> | 4 | |
| FARXIGA - dapagliflozin tab 5 mg, 10 mg | 3 | QL (30 tablets/30 days) |
| FIASP - insulin aspart (with niacinamide) inj 100 unit/ml | 3 | QL (6 vials/30 days) |
| FIASP FLEXTOUCH - insulin aspart (with niacinamide) sol pen-inj 100 unit/ml | 3 | QL (20 pens/30 days) |
| FIASP PENFILL - insulin aspart (with niacinamide) soln cartridge 100 unit/ml | 3 | QL (60 mls/30 days) |
| FIASP PUMPCART - insulin aspart (with niacinamide) soln cartridge 100 unit/ml | 3 | QL (60 mls/30 days) |
| GAUZE PADS 2" X 2" | 3 | PA |
| <i>glimepiride tab 1 mg#</i> | 1 | QL (240 tablets/30 days) |
| <i>glimepiride tab 2 mg#</i> | 1 | QL (120 tablets/30 days) |
| <i>glimepiride tab 4 mg#</i> | 1 | QL (60 tablets/30 days) |
| <i>glipizide tab er 24hr 2.5 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>glipizide tab er 24hr 5 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>glipizide tab er 24hr 10 mg</i> | 1 | QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| <i>glipizide tab 5 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>glipizide tab 10 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>glipizide-metformin hcl tab 2.5-500 mg, 5-500 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>glyburide tab 1.25 mg#</i> | 2 | QL (480 tablets/30 days) |
| <i>glyburide tab 2.5 mg#</i> | 2 | QL (240 tablets/30 days) |
| <i>glyburide tab 5 mg#</i> | 2 | QL (120 tablets/30 days) |
| <i>glyburide-metformin tab 1.25-250 mg#</i> | 2 | QL (240 tablets/30 days) |
| <i>glyburide-metformin tab 2.5-500 mg, 5-500 mg#</i> | 2 | QL (120 tablets/30 days) |
| GLYXAMBI - empagliflozin-linagliptin tab 10-5 mg, 25-5 mg | 4 | QL (30 tablets/30 days) |
| GVOKE HYOPEN 1-PACK - glucagon subcutaneous solution auto-injector 0.5 mg/0.1ml, 1 mg/0.2ml | 3 | QL (4 syringes/30 days) |
| GVOKE HYOPEN 2-PACK - glucagon subcutaneous solution auto-injector 0.5 mg/0.1ml, 1 mg/0.2ml | 3 | QL (4 syringes/30 days) |
| GVOKE KIT - glucagon subcutaneous soln 1 mg/0.2ml | 3 | QL (4 vials/30 days) |
| GVOKE PFS - glucagon subcutaneous soln pref syringe 1 mg/0.2ml | 3 | QL (4 syringes/30 days) |
| HUMALOG - insulin lispro inj soln 100 unit/ml | 3 | QL (60 mls/30 days) |
| HUMALOG - insulin lispro soln cartridge 100 unit/ml | 3 | QL (20 cartridges/30 days) |
| HUMALOG JUNIOR KWIKPEN - insulin lispro soln pen-injector 100 unit/ml (0.5 unit dial) | 3 | QL (20 pens/30 days) |
| HUMALOG KWIKPEN - insulin lispro soln pen-injector 100 unit/ml (1 unit dial), 200 unit/ml | 3 | QL (20 pens/30 days) |
| HUMALOG MIX 50/50 KWIKPEN - insulin lispro prot & lispro sus pen-inj 100 unit/ml (50-50) | 3 | QL (20 pens/30 days) |
| HUMALOG MIX 75/25 - insulin lispro prot & lispro inj 100 unit/ml (75-25) | 3 | QL (6 vials/30 days) |
| HUMALOG MIX 75/25 KWIKPEN - insulin lispro prot & lispro sus pen-inj 100 unit/ml (75-25) | 3 | QL (20 pens/30 days) |
| HUMALOG TEMPO PEN - insulin lispro soln pen-inj w/transmitter port 100 unit/ml | 3 | QL (20 pens/30 days) |
| HUMULIN N - insulin nph (human) (isophane) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| HUMULIN N KWIKPEN - insulin nph (human) (isophane) susp pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| HUMULIN R - insulin regular (human) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| HUMULIN R U-500 (CONCENTRATED) - insulin regular (human) inj 500 unit/ml | 3 | BD |
| HUMULIN R U-500 KWIKPEN - insulin regular (human) soln pen-injector 500 unit/ml | 3 | QL (20 pens/30 days) |
| HUMULIN 70/30 - insulin nph isophane & regular human inj 100 unit/ml (70-30) | 3 | QL (60 mls/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| HUMULIN 70/30 KWIKPEN - insulin nph & regular susp pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| INSULIN SYRINGE/NEEDLE | 3 | PA |
| JANUMET - sitagliptin phosphate-metformin hcl tab 50-500 mg, 50-1000 mg | 3 | QL (60 tablets/30 days) |
| JANUMET XR - sitagliptin phosphate-metformin hcl tab er 24hr 50-500 mg, 100-1000 mg | 3 | QL (30 tablets/30 days) |
| JANUMET XR - sitagliptin phosphate-metformin hcl tab er 24hr 50-1000 mg | 3 | QL (60 tablets/30 days) |
| JANUVIA - sitagliptin phosphate tab 25 mg (base equiv), 50 mg (base equiv), 100 mg (base equiv) | 3 | QL (30 tablets/30 days) |
| JARDIANCE - empagliflozin tab 10 mg, 25 mg | 3 | QL (30 tablets/30 days) |
| JENTADUETO - linagliptin-metformin hcl tab 2.5-500 mg, 2.5-850 mg, 2.5-1000 mg | 3 | QL (60 tablets/30 days) |
| JENTADUETO XR - linagliptin-metformin hcl tab er 24hr 2.5-1000 mg | 3 | QL (60 tablets/30 days) |
| JENTADUETO XR - linagliptin-metformin hcl tab er 24hr 5-1000 mg | 3 | QL (30 tablets/30 days) |
| LANTUS - insulin glargine inj 100 unit/ml | 3 | QL (6 vials/30 days) |
| LANTUS SOLOSTAR - insulin glargine soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| LYUMJEV - insulin lispro-aabc inj 100 unit/ml | 3 | QL (6 vials/30 days) |
| LYUMJEV KWIKPEN - insulin lispro-aabc soln pen-injector 200 unit/ml | 3 | QL (20 pens/30 days) |
| LYUMJEV KWIKPEN - insulin lispro-aabc soln pen-inj 100 unit/ml (1 unit dial) | 3 | QL (20 pens/30 days) |
| LYUMJEV TEMPO PEN - insulin lispro-aabc soln pen-inj w/transmit port 100 unit/ml | 3 | QL (20 pens/30 days) |
| <i>metformin hcl tab er 24hr 500 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>metformin hcl tab er 24hr 750 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>metformin hcl tab 500 mg</i> | 1 | QL (150 tablets/30 days) |
| <i>metformin hcl tab 850 mg</i> | 1 | QL (90 tablets/30 days) |
| <i>metformin hcl tab 1000 mg</i> | 1 | QL (75 tablets/30 days) |
| MOUNJARO - tirzepatide soln auto-injector 2.5 mg/0.5ml, 5 mg/0.5ml, 7.5 mg/0.5ml, 10 mg/0.5ml, 12.5 mg/0.5ml, 15 mg/0.5ml | 3 | PA, QL (4 pens/28 days) |
| <i>nateglinide tab 60 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>nateglinide tab 120 mg</i> | 3 | QL (90 tablets/30 days) |
| NOVOLIN N - insulin nph (human) (isophane) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| NOVOLIN N FLEXPEN - insulin nph (human) (isophane) susp pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLIN N FLEXPEN RELION - insulin nph (human) (isophane) susp pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLIN N RELION - insulin nph (human) (isophane) inj 100 unit/ml | 3 | QL (60 mls/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| NOVOLIN R - insulin regular (human) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| NOVOLIN R FLEXPEN - insulin regular (human) soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLIN R FLEXPEN RELION - insulin regular (human) soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLIN R RELION - insulin regular (human) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| NOVOLIN 70/30 - insulin nph isophane & regular human inj 100 unit/ml (70-30) | 3 | QL (60 mls/30 days) |
| NOVOLIN 70/30 FLEXPEN - insulin nph & regular susp pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| NOVOLIN 70/30 FLEXPEN RELION - insulin nph & regular susp pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| NOVOLIN 70/30 RELION - insulin nph isophane & regular human inj 100 unit/ml (70-30) | 3 | QL (60 mls/30 days) |
| NOVOLOG - insulin aspart inj soln 100 unit/ml | 3 | QL (6 vials/30 days) |
| NOVOLOG FLEXPEN - insulin aspart soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLOG FLEXPEN RELION - insulin aspart soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLOG MIX 70/30 - insulin aspart prot & aspart (human) inj 100 unit/ml (70-30) | 3 | QL (6 vials/30 days) |
| NOVOLOG MIX 70/30 PREFILLED FLEXPEN - insulin aspart prot & aspart sus pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| NOVOLOG MIX 70/30 PREFILLED FLEXPEN RELION - insulin aspart prot & aspart sus pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| NOVOLOG MIX 70/30 RELION - insulin aspart prot & aspart (human) inj 100 unit/ml (70-30) | 3 | QL (6 vials/30 days) |
| NOVOLOG PENFILL - insulin aspart soln cartridge 100 unit/ml | 3 | QL (20 cartridges/30 days) |
| NOVOLOG RELION - insulin aspart inj soln 100 unit/ml | 3 | QL (6 vials/30 days) |
| OMNIPOD 5 DEXCOM G7G6 INTRO KIT (GEN 5) - insulin infusion disposable pump kit | 3 | PA, QL (1 kit/720 days) |
| OMNIPOD 5 DEXCOM G7G6 PODS (GEN 5) - insulin infusion disposable pump reservoir | 3 | PA, QL (15 pods/30 days) |
| OMNIPOD 5 LIBRE2 PLUS G6 INTRO GEN 5 - insulin infusion disposable pump kit | 3 | PA, QL (1 kit/720 days) |
| OMNIPOD 5 LIBRE2 PLUS G6 PODS - insulin infusion disposable pump reservoir | 3 | PA, QL (15 pods/30 days) |
| OZEMPIC - semaglutide soln pen-inj 0.25 or 0.5 mg/dose (2 mg/3ml), 1 mg/dose (4 mg/3ml), 2 mg/dose (8 mg/3ml) | 3 | PA, QL (1 pen/28 days) |
| OZEMPIC - semaglutide tab 1.5 mg, 4 mg, 9 mg | 3 | PA, QL (30 tablets/30 days) |
| <i>pioglitazone hcl tab 15 mg (base equiv)</i> | 1 | QL (90 tablets/30 days) |
| <i>pioglitazone hcl tab 30 mg (base equiv), 45 mg (base equiv)</i> | 1 | QL (30 tablets/30 days) |
| <i>pioglitazone hcl-glimepiride tab 30-2 mg, 30-4 mg#</i> | 4 | QL (30 tablets/30 days) |
| <i>pioglitazone hcl-metformin hcl tab 15-500 mg, 15-850 mg</i> | 3 | QL (90 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>repaglinide tab 0.5 mg</i> | 1 | QL (960 tablets/30 days) |
| <i>repaglinide tab 1 mg</i> | 1 | QL (480 tablets/30 days) |
| <i>repaglinide tab 2 mg</i> | 1 | QL (240 tablets/30 days) |
| RYBELSUS - semaglutide tab 3 mg, 7 mg, 14 mg | 3 | PA, QL (30 tablets/30 days) |
| SOLIQUA 100/33 - insulin glargine-lixisenatide sol pen-inj 100-33 unit-mcg/ml | 3 | QL (6 pens/30 days) |
| SYNJARDY - empagliflozin-metformin hcl tab 5-500 mg, 5-1000 mg, 12.5-500 mg, 12.5-1000 mg | 3 | QL (60 tablets/30 days) |
| SYNJARDY XR - empagliflozin-metformin hcl tab er 24hr 5-1000 mg, 10-1000 mg, 12.5-1000 mg | 3 | QL (60 tablets/30 days) |
| SYNJARDY XR - empagliflozin-metformin hcl tab er 24hr 25-1000 mg | 3 | QL (30 tablets/30 days) |
| TOUJEO MAX SOLOSTAR - insulin glargine soln pen-injector 300 unit/ml (2 unit dial) | 3 | QL (60 mls/30 days) |
| TOUJEO SOLOSTAR - insulin glargine soln pen-injector 300 unit/ml (1 unit dial) | 3 | QL (60 mls/30 days) |
| TRADJENTA - linagliptin tab 5 mg | 3 | QL (30 tablets/30 days) |
| TRULICITY - dulaglutide soln auto-injector 0.75 mg/0.5ml, 1.5 mg/0.5ml, 3 mg/0.5ml, 4.5 mg/0.5ml | 3 | PA, QL (4 pens/28 days) |
| XIGDUO XR - dapagliflozin free bas-metformin hcl tab er 24hr 2.5-1000 mg | 3 | QL (60 tablets/30 days) |
| XIGDUO XR - dapagliflozin free base-metformin hcl tab er 24hr 5-500 mg, 10-500 mg, 10-1000 mg | 3 | QL (30 tablets/30 days) |
| XIGDUO XR - dapagliflozin free base-metformin hcl tab er 24hr 5-1000 mg | 3 | QL (60 tablets/30 days) |
| Blood Products and Modifiers | | |
| <i>anagrelide hcl cap 0.5 mg, 1 mg</i> | 3 | |
| <i>aspirin-dipyridamole cap er 12hr 25-200 mg</i> | 4 | |
| <i>cilostazol tab 50 mg, 100 mg</i> | 2 | |
| <i>clopidogrel bisulfate tab 75 mg (base equiv)</i> | 1 | |
| <i>dabigatran etexilate mesylate cap 75 mg (etexilate base eq), 150 mg (etexilate base eq)</i> | 4 | QL (60 capsules/30 days) |
| <i>dabigatran etexilate mesylate cap 110 mg (etexilate base eq)</i> | 4 | QL (120 capsules/30 days) |
| ELIQUIS - apixaban cap sprinkle 0.15 mg | 3 | QL (74 capsules/30 days) |
| ELIQUIS - apixaban tab for oral susp pack 3 x 0.5 mg (1.5 mg), 4 x 0.5 mg (2 mg) | 3 | QL (560 tablets/28 days) |
| ELIQUIS - apixaban tab for oral susp 0.5 mg | 3 | QL (560 tablets/28 days) |
| ELIQUIS - apixaban tab 2.5 mg | 3 | QL (60 tablets/30 days) |
| ELIQUIS - apixaban tab 5 mg | 3 | QL (74 tablets/30 days) |
| ELIQUIS STARTER PACK - apixaban tab starter pack 5 mg | 3 | QL (74 tablets/30 days) |
| <i>eltrombopag olamine powder pack for susp 25 mg (base equiv), 12.5 mg (base eq)</i> | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| <i>eltrombopag olamine tab 12.5 mg (base equiv), 25 mg (base equiv), 50 mg (base equiv), 75 mg (base equiv)</i> | 5 | PA |
| <i>enoxaparin sodium inj soln pref syr 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml, 100 mg/ml, 120 mg/0.8ml, 150 mg/ml</i> | 4 | QL (30 syringes/90 days) |
| GRANIX - tbo-filgrastim soln prefilled syringe 300 mcg/0.5ml, 480 mcg/0.8ml | 5 | PA |
| GRANIX - tbo-filgrastim subcutaneous inj 300 mcg/ml | 5 | PA |
| <i>heparin sodium (porcine) inj 1000 unit/ml, 5000 unit/ml, 10000 unit/ml, 20000 unit/ml</i> | 3 | |
| <i>heparin sodium (porcine) pf inj 5000 unit/ml</i> | 3 | |
| <i>heparin sodium (porcine) pf inj 1000 unit/ml</i> | 3 | |
| <i>jantoven - warfarin sodium tab 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg, 10 mg</i> | 1 | |
| <i>prasugrel hcl tab 5 mg (base equiv), 10 mg (base equiv)</i> | 3 | |
| PROCRT - epoetin alfa inj 2000 unit/ml, 3000 unit/ml, 4000 unit/ml, 10000 unit/ml | 4 | PA |
| PROCRT - epoetin alfa inj 20000 unit/ml, 40000 unit/ml | 5 | PA |
| RETACRIT - epoetin alfa-epbx inj 2000 unit/ml, 3000 unit/ml, 4000 unit/ml, 10000 unit/ml, 20000 unit/ml, 40000 unit/ml | 4 | PA |
| <i>rivaroxaban for susp 1 mg/ml</i> | 3 | QL (4 bottles/30 days) |
| <i>rivaroxaban tab 2.5 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>ticagrelor tab 60 mg, 90 mg</i> | 4 | |
| <i>tranexamic acid tab 650 mg</i> | 3 | |
| <i>warfarin sodium tab 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg, 10 mg</i> | 1 | |
| XARELTO - rivaroxaban tab 2.5 mg, 15 mg | 3 | QL (60 tablets/30 days) |
| XARELTO - rivaroxaban tab 10 mg, 20 mg | 3 | QL (30 tablets/30 days) |
| XARELTO STARTER PACK - rivaroxaban tab starter therapy pack 15 mg & 20 mg | 3 | QL (51 tablets/30 days) |
| Cardiovascular Agents | | |
| <i>acebutolol hcl cap 200 mg, 400 mg</i> | 2 | |
| <i>acetazolamide cap er 12hr 500 mg</i> | 4 | |
| <i>acetazolamide tab 125 mg, 250 mg</i> | 3 | |
| <i>aliskiren fumarate tab 150 mg (base equivalent), 300 mg (base equivalent)</i> | 4 | QL (30 tablets/30 days) |
| <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 2 | |
| <i>amiloride hcl tab 5 mg</i> | 2 | |
| <i>amiodarone hcl tab 100 mg</i> | 4 | |
| <i>amiodarone hcl tab 200 mg</i> | 2 | |
| <i>amlodipine besylate tab 2.5 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| <i>amlodipine besylate-atorvastatin calcium tab 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg, 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i> | 4 | |
| <i>amlodipine besylate-benazepril hcl cap 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg, 10-20 mg, 10-40 mg</i> | 1 | |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg, 5-40 mg, 10-20 mg, 10-40 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>amlodipine besylate-valsartan tab 5-160 mg, 5-320 mg, 10-160 mg, 10-320 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>amlodipine-valsartan-hydrochlorothiazide tab 5-160-12.5 mg, 5-160-25 mg, 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>atenolol & chlorthalidone tab 50-25 mg, 100-25 mg</i> | 1 | |
| <i>atenolol tab 25 mg, 50 mg, 100 mg</i> | 1 | |
| <i>atorvastatin calcium tab 10 mg (base equivalent), 20 mg (base equivalent), 40 mg (base equivalent)</i> | 1 | QL (45 tablets/30 days) |
| <i>atorvastatin calcium tab 80 mg (base equivalent)</i> | 1 | QL (30 tablets/30 days) |
| <i>benazepril & hydrochlorothiazide tab 5-6.25 mg, 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 1 | |
| <i>benazepril hcl tab 5 mg, 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>betaxolol hcl tab 10 mg, 20 mg</i> | 3 | |
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg, 5-6.25 mg, 10-6.25 mg</i> | 1 | |
| <i>bisoprolol fumarate tab 5 mg, 10 mg</i> | 2 | |
| <i>bumetanide inj 0.25 mg/ml</i> | 4 | |
| <i>bumetanide tab 0.5 mg, 1 mg</i> | 2 | |
| <i>bumetanide tab 2 mg</i> | 3 | |
| <i>candesartan cilexetil tab 4 mg, 8 mg, 16 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>candesartan cilexetil tab 32 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>captopril tab 12.5 mg, 25 mg, 50 mg, 100 mg</i> | 1 | |
| <i>cartia xt - diltiazem hcl coated beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 2 | |
| <i>carvedilol tab 3.125 mg, 6.25 mg, 12.5 mg, 25 mg</i> | 1 | |
| <i>chlorthalidone tab 25 mg, 50 mg</i> | 2 | |
| <i>cholestyramine light powder packets 4 gm</i> | 3 | |
| <i>cholestyramine light powder 4 gm/dose</i> | 3 | |
| <i>cholestyramine powder packets 4 gm</i> | 3 | |
| <i>cholestyramine powder 4 gm/dose</i> | 3 | |
| <i>choline fenofibrate cap dr 45 mg (fenofibric acid equiv)</i> | 3 | QL (60 capsules/30 days) |
| <i>choline fenofibrate cap dr 135 mg (fenofibric acid equiv)</i> | 3 | QL (30 capsules/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| <i>clonidine hcl tab 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | |
| <i>clonidine td patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i> | 4 | |
| <i>colestipol hcl granule packets 5 gm</i> | 4 | |
| <i>colestipol hcl granules 5 gm</i> | 4 | |
| <i>colestipol hcl tab 1 gm</i> | 3 | |
| CORLANOR - ivabradine hcl oral soln 5 mg/5ml (base equiv) | 4 | PA, QL (600 mls/30 days) |
| <i>digoxin oral soln 0.05 mg/ml#</i> | 4 | QL (150 mls/30 days) |
| <i>digoxin tab 125 mcg (0.125 mg), 250 mcg (0.25 mg)#</i> | 2 | QL (30 tablets/30 days) |
| <i>dilt-xr - diltiazem hcl cap er 24hr 120 mg, 180 mg, 240 mg</i> | 2 | |
| <i>diltiazem hcl cap er 24hr 120 mg, 180 mg, 240 mg</i> | 2 | |
| <i>diltiazem hcl coated beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> | 2 | |
| <i>diltiazem hcl extended release beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 2 | |
| <i>diltiazem hcl tab er 24hr 120 mg</i> | 3 | |
| <i>diltiazem hcl tab 30 mg, 60 mg, 90 mg, 120 mg</i> | 2 | |
| <i>dofetilide cap 125 mcg (0.125 mg), 250 mcg (0.25 mg), 500 mcg (0.5 mg)</i> | 4 | |
| <i>doxazosin mesylate tab 1 mg, 2 mg, 4 mg, 8 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>droxidopa cap 100 mg, 200 mg, 300 mg</i> | 4 | PA |
| <i>enalapril maleate & hydrochlorothiazide tab 5-12.5 mg, 10-25 mg</i> | 1 | |
| <i>enalapril maleate tab 2.5 mg, 5 mg, 10 mg, 20 mg</i> | 1 | |
| ENTRESTO - sacubitril-valsartan sprinkle cap 6-6 mg, 15-16 mg | 3 | QL (240 capsules/30 days) |
| <i>ezetimibe tab 10 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>ezetimibe-simvastatin tab 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>felodipine tab er 24hr 2.5 mg, 5 mg, 10 mg</i> | 2 | |
| <i>fenofibrate micronized cap 67 mg, 134 mg, 200 mg</i> | 3 | QL (30 capsules/30 days) |
| <i>fenofibrate tab 48 mg, 54 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>fenofibrate tab 145 mg, 160 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>flecainide acetate tab 50 mg, 100 mg, 150 mg</i> | 2 | |
| <i>fluvastatin sodium cap 20 mg (base equivalent), 40 mg (base equivalent)</i> | 4 | QL (60 capsules/30 days) |
| <i>fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg, 20-12.5 mg</i> | 1 | |
| <i>fosinopril sodium tab 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>furosemide inj 10 mg/ml</i> | 4 | |
| <i>furosemide oral soln 8 mg/ml</i> | 2 | |
| <i>furosemide oral soln 10 mg/ml</i> | 2 | |
| <i>furosemide tab 20 mg, 40 mg, 80 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>gemfibrozil tab 600 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>guanfacine hcl tab 1 mg, 2 mg#</i> | 3 | |
| <i>hydralazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg</i> | 2 | |
| <i>hydrochlorothiazide cap 12.5 mg</i> | 1 | |
| <i>hydrochlorothiazide tab 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>indapamide tab 1.25 mg, 2.5 mg</i> | 1 | |
| <i>irbesartan tab 75 mg, 150 mg, 300 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg, 300-12.5 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>isosorbide dinitrate tab 5 mg, 10 mg, 20 mg, 30 mg</i> | 3 | |
| <i>isosorbide mononitrate tab er 24hr 30 mg, 60 mg, 120 mg</i> | 2 | |
| <i>isosorbide mononitrate tab 10 mg, 20 mg</i> | 2 | |
| <i>ivabradine hcl tab 5 mg (base equiv), 7.5 mg (base equiv)</i> | 4 | PA, QL (60 tablets/30 days) |
| KERENDIA - finerenone tab 10 mg, 20 mg, 40 mg | 3 | PA, QL (30 tablets/30 days) |
| <i>labetalol hcl tab 100 mg, 200 mg, 300 mg</i> | 2 | |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 1 | |
| <i>lisinopril tab 2.5 mg, 5 mg, 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg, 100-12.5 mg, 100-25 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>losartan potassium tab 25 mg, 50 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>losartan potassium tab 100 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>lovastatin tab 10 mg, 20 mg, 40 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>methazolamide tab 25 mg, 50 mg</i> | 4 | |
| <i>metolazone tab 2.5 mg, 5 mg, 10 mg</i> | 3 | |
| <i>metoprolol & hydrochlorothiazide tab 50-25 mg, 100-25 mg, 100-50 mg</i> | 2 | |
| <i>metoprolol succinate tab er 24hr 25 mg (tartrate equiv), 50 mg (tartrate equiv), 100 mg (tartrate equiv), 200 mg (tartrate equiv)</i> | 1 | |
| <i>metoprolol tartrate tab 25 mg, 37.5 mg, 50 mg, 75 mg, 100 mg</i> | 1 | |
| <i>metyrosine cap 250 mg</i> | 5 | |
| <i>mexiletine hcl cap 150 mg, 200 mg, 250 mg</i> | 4 | |
| <i>midodrine hcl tab 2.5 mg, 5 mg, 10 mg</i> | 4 | |
| <i>minoxidil tab 2.5 mg, 10 mg</i> | 2 | |
| <i>moexipril hcl tab 7.5 mg, 15 mg</i> | 1 | |
| MULTAQ - dronedarone hcl tab 400 mg (base equivalent) | 4 | |
| <i>nebivolol hcl tab 2.5 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent), 20 mg (base equivalent)</i> | 4 | |
| <i>niacin tab er 500 mg (antihyperlipidemic)</i> | 4 | QL (30 tablets/30 days) |
| <i>niacin tab er 750 mg (antihyperlipidemic), 1000 mg (antihyperlipidemic)</i> | 4 | QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| <i>nifedipine tab er 24hr 30 mg, 60 mg, 90 mg</i> | 3 | |
| <i>nifedipine tab er 24hr osmotic release 30 mg, 60 mg, 90 mg</i> | 3 | |
| <i>nimodipine cap 30 mg</i> | 4 | |
| <i>nitro-bid - nitroglycerin oint 2%</i> | 4 | |
| <i>nitroglycerin oint 2%, 0.4%</i> | 4 | |
| <i>nitroglycerin sl tab 0.3 mg, 0.4 mg, 0.6 mg</i> | 2 | |
| <i>nitroglycerin td patch 24hr 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 2 | |
| <i>olmesartan medoxomil tab 5 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>olmesartan medoxomil tab 20 mg, 40 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg, 40-5-12.5 mg, 40-5-25 mg, 40-10-12.5 mg, 40-10-25 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>omega-3-acid ethyl esters cap 1 gm</i> | 3 | |
| <i>pacerone - amiodarone hcl tab 100 mg</i> | 4 | |
| <i>pacerone - amiodarone hcl tab 200 mg</i> | 2 | |
| <i>pentoxifylline tab er 400 mg</i> | 2 | |
| <i>perindopril erbumine tab 2 mg</i> | 1 | |
| <i>perindopril erbumine tab 4 mg</i> | 1 | |
| <i>perindopril erbumine tab 8 mg</i> | 1 | |
| <i>phenoxybenzamine hcl cap 10 mg</i> | 5 | |
| <i>pindolol tab 5 mg, 10 mg</i> | 3 | |
| <i>pravastatin sodium tab 10 mg, 20 mg, 40 mg</i> | 1 | QL (45 tablets/30 days) |
| <i>pravastatin sodium tab 80 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>prazosin hcl cap 1 mg, 2 mg, 5 mg</i> | 2 | |
| <i>prevalite - cholestyramine light powder packets 4 gm</i> | 4 | |
| <i>prevalite - cholestyramine light powder 4 gm/dose</i> | 4 | |
| <i>propafenone hcl cap er 12hr 225 mg, 325 mg, 425 mg</i> | 4 | |
| <i>propafenone hcl tab 150 mg, 225 mg, 300 mg</i> | 3 | |
| <i>propranolol hcl cap er 24hr 60 mg, 80 mg, 120 mg, 160 mg</i> | 4 | |
| <i>propranolol hcl oral soln 20 mg/5ml</i> | 2 | |
| <i>propranolol hcl oral soln 40 mg/5ml</i> | 2 | |
| <i>propranolol hcl tab 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 2 | |
| <i>quinapril hcl tab 5 mg, 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>quinapril-hydrochlorothiazide tab 10-12.5 mg</i> | 1 | |
| <i>quinapril-hydrochlorothiazide tab 20-12.5 mg</i> | 1 | |
| <i>quinapril-hydrochlorothiazide tab 20-25 mg</i> | 1 | |
| <i>quinidine sulfate tab 200 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>quinidine sulfate tab 300 mg</i> | 2 | |
| <i>ramipril cap 1.25 mg, 2.5 mg, 5 mg, 10 mg</i> | 1 | |
| <i>ranolazine tab er 12hr 500 mg, 1000 mg</i> | 4 | QL (60 tablets/30 days) |
| REPATHA - evolocumab subcutaneous soln prefilled syringe 140 mg/ml | 3 | PA, QL (6 syringes/28 days) |
| REPATHA SURECLICK - evolocumab subcutaneous soln auto-injector 140 mg/ml | 3 | PA, QL (6 pens/28 days) |
| <i>rosuvastatin calcium tab 5 mg, 10 mg, 20 mg</i> | 1 | QL (45 tablets/30 days) |
| <i>rosuvastatin calcium tab 40 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>sacubitril-valsartan tab 24-26 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>sacubitril-valsartan tab 49-51 mg, 97-103 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>simvastatin tab 5 mg, 10 mg, 40 mg</i> | 1 | QL (45 tablets/30 days) |
| <i>simvastatin tab 20 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>simvastatin tab 80 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>sotalol hcl (afib/af) tab 80 mg, 120 mg, 160 mg</i> | 2 | |
| <i>sotalol hcl tab 80 mg, 120 mg, 160 mg, 240 mg</i> | 2 | |
| <i>spironolactone & hydrochlorothiazide tab 25-25 mg</i> | 2 | |
| <i>spironolactone tab 25 mg, 50 mg, 100 mg</i> | 1 | |
| <i>telmisartan tab 20 mg, 40 mg, 80 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>telmisartan-amlodipine tab 40-10 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>telmisartan-amlodipine tab 40-5 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>telmisartan-amlodipine tab 80-10 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>telmisartan-amlodipine tab 80-5 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>telmisartan-hydrochlorothiazide tab 40-12.5 mg, 80-25 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>telmisartan-hydrochlorothiazide tab 80-12.5 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>terazosin hcl cap 1 mg (base equivalent)</i> | 1 | QL (90 capsules/30 days) |
| <i>terazosin hcl cap 2 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 1 | QL (60 capsules/30 days) |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 120 mg</i> | 2 | |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 180 mg</i> | 2 | |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 240 mg</i> | 2 | |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 300 mg</i> | 2 | |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 360 mg</i> | 2 | |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 420 mg</i> | 2 | |
| <i>timolol maleate tab 5 mg, 10 mg, 20 mg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------------|
| <i>toremide tab 5 mg, 10 mg, 20 mg, 100 mg</i> | 2 | |
| <i>trandolapril tab 1 mg, 2 mg, 4 mg</i> | 1 | |
| <i>trandolapril-verapamil hcl tab er 1-240 mg</i> | 1 | |
| <i>trandolapril-verapamil hcl tab er 2-180 mg</i> | 1 | |
| <i>trandolapril-verapamil hcl tab er 2-240 mg</i> | 1 | |
| <i>trandolapril-verapamil hcl tab er 4-240 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 37.5-25 mg, 75-50 mg</i> | 1 | |
| <i>valsartan tab 40 mg, 80 mg, 160 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>valsartan tab 320 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg, 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg</i> | 1 | QL (30 tablets/30 days) |
| VASCEPA - icosapent ethyl cap 0.5 gm | 3 | QL (240 capsules/30 days) |
| VASCEPA - icosapent ethyl cap 1 gm | 3 | QL (120 capsules/30 days) |
| <i>verapamil hcl cap er 24hr 120 mg, 180 mg, 240 mg</i> | 3 | |
| <i>verapamil hcl cap er 24hr 360 mg</i> | 4 | |
| <i>verapamil hcl tab er 120 mg, 180 mg, 240 mg</i> | 2 | |
| <i>verapamil hcl tab 40 mg, 80 mg, 120 mg</i> | 1 | |
| VERQUVO - vericiguat tab 2.5 mg, 5 mg, 10 mg | 3 | QL (30 tablets/30 days) |
| Central Nervous System Agents | | |
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 3 | QL (30 capsules/30 days) |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg</i> | 4 | QL (30 capsules/30 days) |
| <i>amphetamine-dextroamphetamine tab 5 mg, 7.5 mg, 10 mg, 12.5 mg, 15 mg, 30 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>amphetamine-dextroamphetamine tab 20 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>atomoxetine hcl cap 10 mg (base equiv), 18 mg (base equiv), 25 mg (base equiv), 40 mg (base equiv)</i> | 4 | QL (60 capsules/30 days) |
| <i>atomoxetine hcl cap 60 mg (base equiv), 80 mg (base equiv), 100 mg (base equiv)</i> | 4 | QL (30 capsules/30 days) |
| AUSTEDO - deutetrabenazine tab 6 mg* | 5 | PA, QL (60 tablets/30 days) |
| AUSTEDO - deutetrabenazine tab 9 mg, 12 mg* | 5 | PA, QL (120 tablets/30 days) |
| AUSTEDO XR - deutetrabenazine tab er 24hr 6 mg, 12 mg, 24 mg* | 5 | PA, QL (30 tablets/30 days) |
| AUSTEDO XR - deutetrabenazine tab er 24hr 18 mg, 30 mg, 36 mg, 42 mg, 48 mg | 5 | PA, QL (30 tablets/30 days) |
| AUSTEDO XR PATIENT TITRATION KIT - deutetrabenazine tab er titration pack 12 & 18 & 24 & 30 mg | 5 | PA, QL (1 kit/28 days) |
| AVONEX - interferon beta-1a im prefilled syringe kit 30 mcg/0.5ml | 5 | PA, QL (1 kit/28 days) |
| AVONEX PEN - interferon beta-1a im auto-injector kit 30 mcg/0.5ml | 5 | PA, QL (1 kit/28 days) |
| BETASERON - interferon beta-1b for inj kit 0.3 mg | 5 | PA, QL (15 vials/syringes/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| <i>clonidine hcl tab er 12hr 0.1 mg</i> | 4 | QL (120 tablets/30 days) |
| <i>dalfampridine tab er 12hr 10 mg†</i> | 3 | PA |
| <i>dexmethylphenidate hcl tab 2.5 mg, 5 mg, 10 mg</i> | 3 | PA, QL (60 tablets/30 days) |
| <i>dextroamphetamine sulfate tab 5 mg</i> | 4 | QL (90 tablets/30 days) |
| <i>dextroamphetamine sulfate tab 10 mg</i> | 4 | QL (180 tablets/30 days) |
| <i>dimethyl fumarate capsule delayed release 120 mg, 240 mg</i> | 4 | PA, QL (60 capsules/30 days) |
| <i>dimethyl fumarate capsule dr starter pack 120 mg & 240 mg</i> | 4 | PA, QL (60 capsules/30 days) |
| <i> fingolimod hcl cap 0.5 mg (base equiv)</i> | 4 | PA, QL (30 capsules/30 days) |
| <i>glatiramer acetate soln prefilled syringe 20 mg/ml</i> | 5 | PA, QL (30 syringes/30 days) |
| <i>glatiramer acetate soln prefilled syringe 40 mg/ml</i> | 5 | PA, QL (12 syringes/28 days) |
| <i>glatopa - glatiramer acetate soln prefilled syringe 20 mg/ml</i> | 5 | PA, QL (30 syringes/30 days) |
| <i>glatopa - glatiramer acetate soln prefilled syringe 40 mg/ml</i> | 5 | PA, QL (12 syringes/28 days) |
| <i>guanfacine hcl tab er 24hr 1 mg (base equiv), 2 mg (base equiv), 3 mg (base equiv), 4 mg (base equiv)#</i> | 3 | QL (30 tablets/30 days) |
| INGREZZA - valbenazine tosylate cap therapy pack 40 mg (7) & 80 mg (21) | 5 | PA, QL (1 pack/28 days) |
| INGREZZA - valbenazine tosylate cap 40 mg (base equiv), 60 mg (base equiv), 80 mg (base equiv) | 5 | PA, QL (30 capsules/30 days) |
| INGREZZA - valbenazine tosylate capsule sprinkle 40 mg (base equiv), 60 mg (base equiv), 80 mg (base equiv) | 5 | PA, QL (30 capsules/30 days) |
| KESIMPTA - ofatumumab soln auto-injector 20 mg/0.4ml | 5 | PA, QL (4 pens/28 days) |
| <i>methylphenidate hcl soln 5 mg/5ml</i> | 4 | PA, QL (450 mls/30 days) |
| <i>methylphenidate hcl soln 10 mg/5ml</i> | 4 | PA, QL (900 mls/30 days) |
| <i>methylphenidate hcl tab er 10 mg, 20 mg</i> | 4 | PA, QL (90 tablets/30 days) |
| <i>methylphenidate hcl tab 5 mg, 10 mg, 20 mg</i> | 3 | PA, QL (90 tablets/30 days) |
| NUEDEXTA - dextromethorphan hbr-quinidine sulfate cap 20-10 mg | 5 | PA, QL (60 capsules/30 days) |
| PLEGRIDY - peginterferon beta-1a soln auto-injector 125 mcg/0.5ml | 5 | PA, QL (2 pens/28 days) |
| PLEGRIDY - peginterferon beta-1a soln prefilled syringe 125 mcg/0.5ml | 5 | PA, QL (2 syringes/28 days) |
| PLEGRIDY - peginterferon beta-1a im soln prefilled syr 125 mcg/0.5ml | 5 | PA, QL (2 syringes/28 days) |
| PLEGRIDY STARTER PACK - peginterferon beta-1a soln auto-inj 63 & 94 mcg/0.5ml pack | 5 | PA, QL (2 pens/28 days) |
| PLEGRIDY STARTER PACK - peginterferon beta-1a soln pref syr 63 & 94 mcg/0.5ml pack | 5 | PA, QL (2 syringes/28 days) |
| <i>riluzole tab 50 mg</i> | 4 | |
| <i>tetrabenazine tab 12.5 mg</i> | 4 | PA, QL (240 tablets/30 days) |
| <i>tetrabenazine tab 25 mg</i> | 5 | PA, QL (120 tablets/30 days) |
| VEOZAH - fezolinetant tab 45 mg | 4 | PA, QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| VUMERITY - diroximel fumarate capsule delayed release 231 mg | 5 | PA, QL (120 capsules/30 days) |
| zenzedi - dextroamphetamine sulfate tab 5 mg | 4 | QL (90 tablets/30 days) |
| zenzedi - dextroamphetamine sulfate tab 10 mg | 4 | QL (180 tablets/30 days) |
| Dental and Oral Agents | | |
| chlorhexidine gluconate soln 0.12% | 2 | |
| kourzeq - triamcinolone acetonide dental paste 0.1% | 3 | |
| oralone dental paste - triamcinolone acetonide dental paste 0.1% | 3 | |
| periogard - chlorhexidine gluconate soln 0.12% | 2 | |
| pilocarpine hcl tab 5 mg, 7.5 mg | 4 | |
| triamcinolone acetonide dental paste 0.1% | 3 | |
| Dermatological Agents | | |
| accutane - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg | 4 | PA |
| acitretin cap 10 mg, 17.5 mg, 25 mg | 4 | |
| ala-cort - hydrocortisone cream 1% | 2 | |
| alclometasone dipropionate cream 0.05% | 3 | QL (120 grams/30 days) |
| alclometasone dipropionate oint 0.05% | 3 | QL (120 grams/30 days) |
| amnesteam - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg | 4 | PA |
| azelaic acid gel 15% | 4 | |
| benzoyl peroxide-erythromycin gel 5-3% | 4 | |
| BETAMETHASONE DIPROPIONATE AUGMENTED - betamethasone dipropionate augmented gel 0.05% | 4 | QL (200 grams/28 days) |
| betamethasone dipropionate augmented cream 0.05% | 3 | QL (200 grams/28 days) |
| betamethasone dipropionate augmented lotion 0.05% | 4 | QL (210 mls/30 days) |
| betamethasone dipropionate augmented oint 0.05% | 3 | QL (200 grams/28 days) |
| betamethasone dipropionate cream 0.05% | 3 | QL (135 grams/30 days) |
| betamethasone dipropionate lotion 0.05% | 3 | QL (120 mls/30 days) |
| betamethasone dipropionate oint 0.05% | 4 | QL (135 grams/30 days) |
| betamethasone valerate cream 0.1% (base equivalent) | 3 | QL (135 grams/30 days) |
| betamethasone valerate lotion 0.1% (base equivalent) | 3 | QL (120 mls/30 days) |
| betamethasone valerate oint 0.1% (base equivalent) | 3 | QL (135 grams/30 days) |
| calcipotriene cream 0.005% | 4 | QL (120 grams/30 days) |
| calcipotriene oint 0.005% | 4 | QL (120 grams/30 days) |
| calcipotriene soln 0.005% (50 mcg/ml) | 3 | QL (120 mls/30 days) |
| calcitrene - calcipotriene oint 0.005% | 4 | QL (120 grams/30 days) |
| claravis - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg | 4 | PA |
| clobetasol propionate cream 0.05% | 4 | QL (210 grams/28 days) |
| clobetasol propionate e - clobetasol propionate emollient base cream 0.05% | 4 | QL (210 grams/28 days) |
| clobetasol propionate emollient - clobetasol propionate emollient base cream 0.05% | 4 | QL (210 grams/28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| <i>clobetasol propionate emollient base cream 0.05%</i> | 4 | QL (210 grams/28 days) |
| <i>clobetasol propionate gel 0.05%</i> | 4 | QL (210 grams/28 days) |
| <i>clobetasol propionate oint 0.05%</i> | 4 | QL (210 grams/28 days) |
| <i>clobetasol propionate soln 0.05%</i> | 4 | QL (200 mls/28 days) |
| <i>clotrimazole w/ betamethasone cream 1-0.05%</i> | 3 | |
| <i>desonide oint 0.05%</i> | 4 | QL (120 grams/30 days) |
| <i>desoximetasone cream 0.25%</i> | 4 | QL (120 grams/30 days) |
| <i>diclofenac sodium (actinic keratoses) gel 3%</i> | 4 | PA |
| EUCRISA - crisaborole oint 2% | 4 | PA |
| FINACEA - azelaic acid foam 15% | 4 | |
| <i>fluocinolone acetonide cream 0.01%, 0.025%</i> | 4 | QL (120 grams/30 days) |
| <i>fluocinolone acetonide oil 0.01% (body oil), 0.01% (scalp oil)</i> | 4 | QL (118.28 mls/30 days) |
| <i>fluocinolone acetonide oint 0.025%</i> | 3 | QL (120 grams/30 days) |
| <i>fluocinolone acetonide soln 0.01%</i> | 4 | QL (120 mls/30 days) |
| <i>fluocinonide cream 0.05%</i> | 3 | QL (120 grams/30 days) |
| <i>fluocinonide emulsified base cream 0.05%</i> | 3 | QL (120 grams/30 days) |
| <i>fluocinonide gel 0.05%</i> | 4 | QL (120 grams/30 days) |
| <i>fluocinonide oint 0.05%</i> | 3 | QL (120 grams/30 days) |
| <i>fluocinonide soln 0.05%</i> | 3 | QL (120 mls/30 days) |
| FLUOROURACIL - fluorouracil soln 2% | 3 | QL (10 mls/30 days) |
| <i>fluorouracil cream 5%</i> | 3 | QL (40 grams/30 days) |
| <i>fluorouracil soln 5%</i> | 3 | QL (10 mls/30 days) |
| <i>fluticasone propionate cream 0.05%</i> | 2 | QL (120 grams/30 days) |
| <i>fluticasone propionate oint 0.005%</i> | 2 | QL (120 grams/30 days) |
| <i>gentamicin sulfate cream 0.1%</i> | 3 | |
| <i>gentamicin sulfate oint 0.1%</i> | 3 | |
| <i>halobetasol propionate cream 0.05%</i> | 4 | QL (200 grams/28 days) |
| <i>halobetasol propionate oint 0.05%</i> | 4 | QL (200 grams/28 days) |
| <i>hydrocortisone cream 1%</i> | 2 | |
| <i>hydrocortisone cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>hydrocortisone lotion 2.5%</i> | 2 | QL (118 mls/30 days) |
| <i>hydrocortisone oint 1%</i> | 2 | |
| <i>hydrocortisone oint 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>imiquimod cream 5%</i> | 3 | PA |
| <i>isotretinoin cap 10 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg</i> | 4 | PA |
| <i>lactic acid (ammonium lactate) cream 12%</i> | 2 | |
| <i>lactic acid (ammonium lactate) lotion 12%</i> | 3 | |
| <i>malathion lotion 0.5%</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>metronidazole cream 0.75%</i> | 4 | |
| <i>metronidazole gel 0.75%</i> | 3 | |
| <i>metronidazole gel 1%</i> | 4 | |
| <i>metronidazole lotion 0.75%</i> | 4 | |
| <i>mometasone furoate cream 0.1%</i> | 2 | QL (135 grams/30 days) |
| <i>mometasone furoate oint 0.1%</i> | 2 | QL (135 grams/30 days) |
| <i>mometasone furoate solution 0.1% (lotion)</i> | 2 | QL (120 mls/30 days) |
| <i>mupirocin oint 2%</i> | 2 | QL (30 grams/30 days) |
| OTEZLA - apremilast tab starter therapy pack 4 x 10 mg & 51 x 20 mg | 5 | PA, QL (1 pack/180 days) |
| OTEZLA - apremilast tab starter therapy pack 10 mg & 20 mg & 30 mg* | 5 | PA, QL (1 pack/180 days) |
| OTEZLA - apremilast tab 20 mg | 5 | PA, QL (60 tablets/30 days) |
| OTEZLA - apremilast tab 30 mg* | 5 | PA, QL (60 tablets/30 days) |
| OTEZLA XR - apremilast tab er 24hr 75 mg | 5 | PA, QL (30 tablets/30 days) |
| OTEZLA/OTEZLA XR 28 DAY TREATMENT INITIATION PACK - apremilast tab start pack 10 mg & 20 mg & 30 mg & (er) 75 mg | 5 | PA, QL (1 pack/180 days) |
| <i>permethrin cream 5%</i> | 3 | |
| <i>podofilox soln 0.5%</i> | 4 | |
| SANTYL - collagenase oint 250 unit/gm | 3 | QL (180 grams/30 days) |
| <i>selenium sulfide lotion 2.5%</i> | 2 | |
| <i>silver sulfadiazine cream 1%</i> | 2 | |
| <i>ssd - silver sulfadiazine cream 1%</i> | 2 | |
| <i>sulfacetamide sodium lotion 10% (acne)</i> | 4 | |
| <i>tacrolimus oint 0.03%, 0.1%</i> | 4 | PA |
| <i>tazarotene cream 0.05%, 0.1%</i> | 4 | PA, QL (60 grams/30 days) |
| <i>tretinoin cream 0.025%, 0.05%, 0.1%</i> | 4 | PA, QL (45 grams/30 days) |
| <i>tretinoin gel 0.01%, 0.025%</i> | 4 | PA, QL (45 grams/30 days) |
| <i>triamcinolone acetonide cream 0.025%, 0.1%, 0.5%</i> | 2 | QL (454 grams/30 days) |
| <i>triamcinolone acetonide lotion 0.025%, 0.1%</i> | 3 | QL (120 mls/30 days) |
| <i>triamcinolone acetonide oint 0.025%, 0.1%</i> | 2 | QL (454 grams/30 days) |
| <i>triamcinolone acetonide oint 0.5%</i> | 2 | QL (120 grams/30 days) |
| <i>triderm - triamcinolone acetonide cream 0.5%</i> | 2 | QL (454 grams/30 days) |
| <i>zenatane - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg</i> | 4 | PA |
| Electrolytes/Minerals/Metals/Vitamins | | |
| <i>carglumic acid soluble tab 200 mg</i> | 5 | PA |
| CHEMET - succimer cap 100 mg | 4 | |
| <i>deferasirox granules packet 90 mg, 180 mg, 360 mg†</i> | 5 | PA |
| <i>deferasirox tab for oral susp 125 mg†</i> | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>deferasirox tab for oral susp 250 mg, 500 mg†</i> | 5 | PA |
| <i>deferasirox tab 90 mg†</i> | 3 | PA |
| <i>deferasirox tab 180 mg, 360 mg†</i> | 4 | PA |
| <i>dextrose inj 10%</i> | 4 | |
| <i>dextrose inj 5%</i> | 4 | |
| <i>dextrose 2.5% w/ sodium chloride 0.45%</i> | 4 | |
| <i>dextrose 5% w/ sodium chloride 0.2%</i> | 4 | |
| <i>dextrose 5% w/ sodium chloride 0.45%</i> | 4 | |
| <i>dextrose 5% w/ sodium chloride 0.9%</i> | 4 | |
| INTRALIPID - fat emulsion plant based (soy) iv emulsion 20% | 4 | BD |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i> | 4 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2% inj</i> | 4 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 4 | |
| <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | 4 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.225% inj</i> | 4 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj</i> | 4 | |
| <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj</i> | 4 | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | 4 | |
| <i>kionex - sodium polystyrene sulfonate susp 15 gm/60ml</i> | 3 | |
| <i>klor-con m10 - potassium chloride microencapsulated crys ertab 10 meq</i> | 2 | |
| <i>klor-con m15 - potassium chloride microencapsulated crys ertab 15 meq</i> | 2 | |
| <i>klor-con m20 - potassium chloride microencapsulated crys ertab 20 meq</i> | 2 | |
| <i>klor-con 8 - potassium chloride tab er 8 meq (600 mg)</i> | 2 | |
| <i>klor-con 10 - potassium chloride tab er 10 meq</i> | 2 | |
| LOKELMA - sodium zirconium cyclosilicate for susp packet 5 gm, 10 gm | 3 | |
| <i>magnesium sulfate inj 50%</i> | 4 | |
| NUTRILIPID - fat emulsion plant based (soy) iv emulsion 20% | 4 | BD |
| <i>potassium chloride cap er 8 meq, 10 meq</i> | 2 | |
| <i>potassium chloride inj 2 meq/ml</i> | 4 | |
| <i>potassium chloride microencapsulated crys er tab 10 meq, 15 meq, 20 meq</i> | 2 | |
| <i>potassium chloride oral soln 10% (20 meq/15ml), 20% (40 meq/15ml)</i> | 4 | |
| <i>potassium chloride tab er 8 meq (600 mg), 10 meq, 20 meq (1500 mg)</i> | 2 | |
| <i>potassium chloride 20 meq/l (0.15%) in dextrose 5% inj</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| <i>potassium citrate tab er 5 meq (540 mg), 10 meq (1080 mg), 15 meq (1620 mg)</i> | 4 | |
| <i>sodium chloride iv soln 0.45%, 0.9%</i> | 4 | |
| <i>sodium chloride preservative free (pf) inj 0.9%</i> | 4 | |
| <i>sodium polystyrene sulfonate powder</i> | 3 | |
| <i>sodium polystyrene sulfonate susp 15 gm/60ml</i> | 3 | |
| <i>sps - sodium polystyrene sulfonate rectal susp 30 gm/120ml</i> | 3 | |
| <i>sps - sodium polystyrene sulfonate susp 15 gm/60ml</i> | 3 | |
| <i>tolvaptan tab therapy pack 15 mg, 30 & 15 mg, 45 & 15 mg, 60 & 30 mg, 90 & 30 mg</i> | 5 | PA |
| <i>tolvaptan tab 15 mg, 30 mg</i> | 5 | PA |
| TRAVASOL - amino acid infusion 10% | 4 | BD |
| <i>trientine hcl cap 250 mg†</i> | 5 | PA, QL (240 capsules/30 days) |
| TROPHAMINE - amino acid infusion 10% | 4 | BD |
| Gastrointestinal Agents | | |
| <i>alosetron hcl tab 0.5 mg (base equiv), 1 mg (base equiv)</i> | 4 | PA, QL (60 tablets/30 days) |
| <i>cimetidine tab 200 mg, 300 mg, 400 mg, 800 mg</i> | 3 | |
| <i>constulose - lactulose solution 10 gm/15ml</i> | 2 | |
| <i>dicyclomine hcl cap 10 mg#</i> | 2 | PA (>=65 yr) |
| <i>dicyclomine hcl oral soln 10 mg/5ml#</i> | 4 | PA (>=65 yr) |
| <i>dicyclomine hcl tab 20 mg#</i> | 2 | PA (>=65 yr) |
| <i>diphenoxylate w/ atropine tab 2.5-0.025 mg#</i> | 4 | PA (>=65 yr) |
| <i>enulose - lactulose (encephalopathy) solution 10 gm/15ml</i> | 2 | |
| <i>esomeprazole magnesium cap delayed release 20 mg (base eq), 40 mg (base eq)</i> | 3 | QL (30 capsules/30 days) |
| <i>famotidine for susp 40 mg/5ml</i> | 4 | |
| <i>famotidine tab 20 mg, 40 mg</i> | 2 | |
| <i>gavilyte-c - peg 3350-kcl-na bicarb-nacl-na sulfate for soln 240 gm</i> | 2 | |
| <i>gavilyte-g - peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | 2 | |
| <i>gavilyte-n/ flavor pack - peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 2 | |
| <i>generlac - lactulose (encephalopathy) solution 10 gm/15ml</i> | 2 | |
| <i>glycopyrrolate tab 1 mg, 2 mg</i> | 3 | |
| <i>lactulose (encephalopathy) solution 10 gm/15ml</i> | 2 | |
| <i>lactulose solution 10 gm/15ml</i> | 2 | |
| <i>lansoprazole cap delayed release 15 mg, 30 mg</i> | 2 | QL (30 capsules/30 days) |
| LINZESS - linaclotide cap 72 mcg, 145 mcg, 290 mcg | 3 | QL (30 capsules/30 days) |
| <i>loperamide hcl cap 2 mg</i> | 2 | |
| <i>lubiprostone cap 8 mcg</i> | 3 | QL (120 capsules/30 days) |
| <i>lubiprostone cap 24 mcg</i> | 3 | QL (60 capsules/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| <i>metoclopramide hcl soln 5 mg/5ml (10 mg/10ml) (base equiv)</i> | 3 | |
| <i>metoclopramide hcl tab 5 mg (base equivalent), 10 mg (base equivalent)</i> | 1 | |
| <i>misoprostol tab 100 mcg, 200 mcg</i> | 3 | |
| MOVANTIK - naloxegol oxalate tab 12.5 mg (base equivalent), 25 mg (base equivalent) | 3 | QL (30 tablets/30 days) |
| <i>nizatidine cap 150 mg</i> | 4 | |
| <i>nizatidine cap 300 mg</i> | 3 | |
| <i>omeprazole cap delayed release 10 mg</i> | 1 | QL (30 capsules/30 days) |
| <i>omeprazole cap delayed release 20 mg, 40 mg</i> | 1 | QL (60 capsules/30 days) |
| <i>pantoprazole sodium ec tab 20 mg (base equiv)</i> | 1 | QL (30 tablets/30 days) |
| <i>pantoprazole sodium ec tab 40 mg (base equiv)</i> | 1 | QL (60 tablets/30 days) |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 2 | |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | 2 | |
| <i>rabeprazole sodium ec tab 20 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>sod sulfate-pot sulf-mg sulf oral sol 17.5-3.13-1.6 gm/177ml</i> | 4 | |
| <i>sucralfate tab 1 gm</i> | 2 | |
| SUTAB - sod sulfate-mg sulfate-pot chloride tab 1479-225-188 mg | 4 | |
| <i>ursodiol cap 300 mg</i> | 3 | |
| <i>ursodiol tab 250 mg, 500 mg</i> | 4 | |
| VOWST - fecal microbiota spores, live-brpk caps | 5 | PA, QL (12 capsules/56 days) |
| XERMELO - telotristat ethyl tab 250 mg (as telotristat etiprate) | 5 | PA, QL (90 tablets/30 days) |
| XIFAXAN - rifaximin tab 550 mg | 5 | PA, QL (90 tablets/30 days) |
| Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment | | |
| ATTRUBY - acoramidis hcl tab pack 356 mg (712 mg twice daily) | 5 | PA, QL (112 tablets/28 days) |
| <i>betaine powder for oral solution</i> | 5 | |
| CEREZYME - imiglucerase for inj 400 unit* | 5 | PA |
| CREON - pancrelipase (lip-prot-amyl) dr cap 3000-9500-15000 unit, 6000-19000-30000 unit, 12000-38000-60000 unit, 24000-76000-120000 unit, 36000-114000-180000 unit | 3 | |
| <i>cromolyn sodium oral conc 100 mg/5ml</i> | 4 | |
| CRYSVITA - burosumab-twza inj 10 mg/ml, 20 mg/ml, 30 mg/ml | 5 | PA |
| CYSTAGON - cysteamine bitartrate cap 50 mg, 150 mg* | 4 | PA |
| ELELYSO - taliglucerase alfa for inj 200 unit* | 5 | PA |
| <i>glutamine (sickle cell) powd pack 5 gm</i> | 5 | PA, QL (180 packets/30 days) |
| <i>levocarnitine oral soln 1 gm/10ml (10%)</i> | 4 | |
| <i>levocarnitine tab 330 mg</i> | 4 | |
| <i>miglustat cap 100 mg*</i> | 5 | PA, QL (180 capsules/30 days) |
| <i>nitisinone cap 2 mg, 5 mg, 10 mg, 20 mg</i> | 5 | |
| ORFADIN - nitisinone susp 4 mg/ml* | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| PROLASTIN-C - alpha1-proteinase inhibitor (human) inj 1000 mg/20ml* | 5 | PA |
| PYRUKYND - mitapivat sulfate tab 5 mg, 20 mg, 50 mg* | 5 | PA, QL (56 tablets/28 days) |
| PYRUKYND TAPER PACK - mitapivat sulfate tab therapy pack 5 mg* | 5 | PA, QL (7 tablets/28 days) |
| PYRUKYND TAPER PACK - mitapivat sulfate tab therapy pack 7 x 20 mg & 7 x 5 mg, 7 x 50 mg & 7 x 20 mg* | 5 | PA, QL (14 tablets/28 days) |
| REVCIVI - elapegademase-lvlr im soln 2.4 mg/1.5ml (1.6 mg/ml)* | 5 | PA |
| REZDIFFRA - resmetirom 60 mg tab | 5 | PA, QL (30 tablets/30 days) |
| REZDIFFRA - resmetirom 80 mg tab | 5 | PA, QL (30 tablets/30 days) |
| REZDIFFRA - resmetirom 100 mg tab | 5 | PA, QL (30 tablets/30 days) |
| sapropterin dihydrochloride powder packet 100 mg, 500 mg† | 5 | PA |
| sapropterin dihydrochloride tab 100 mg† | 5 | PA |
| sodium phenylbutyrate oral powder 3 gm/teaspoonful | 5 | PA |
| sodium phenylbutyrate tab 500 mg | 5 | PA |
| STRENSIQ - asfotase alfa subcutaneous inj 18 mg/0.45ml, 28 mg/0.7ml, 40 mg/ml, 80 mg/0.8ml* | 5 | PA |
| VPRIV - velaglucerase alfa for inj 400 unit | 5 | PA |
| WELIREG - belzutifan tab 40 mg*† | 5 | PA, QL (90 tablets/30 days) |
| yargesa - miglustat cap 100 mg* | 5 | PA, QL (180 capsules/30 days) |
| zelvysia - sapropterin dihydrochloride powder packet 100 mg, 500 mg† | 5 | PA |
| ZENPEP - pancrelipase (lip-prot-amyl) dr cap 3000-10000-14000 unit, 5000-17000-24000 unit, 10000-32000-42000 unit, 15000-47000-63000 unit, 20000-63000-84000 unit, 25000-79000-105000 unit, 40000-126000-168000 unit, 60000-189600-252600 unit | 3 | |
| ZOKINVY - lonafarnib cap 50 mg, 75 mg | 5 | PA, QL (120 capsules/30 days) |
| Genitourinary Agents | | |
| alfuzosin hcl tab er 24hr 10 mg | 2 | QL (30 tablets/30 days) |
| bethanechol chloride tab 5 mg, 10 mg, 25 mg, 50 mg | 3 | |
| dutasteride cap 0.5 mg | 2 | QL (30 capsules/30 days) |
| finasteride tab 5 mg | 1 | QL (30 tablets/30 days) |
| LILETTA - levonorgestrel iud 20.1 mcg/day (initial) (52 mg total) | 3 | |
| MYRBETRIQ - mirabegron granules for oral extended release susp 8 mg/ml | 3 | QL (3 bottles/28 days) |
| MYRBETRIQ - mirabegron tab er 24 hr 25 mg, 50 mg | 3 | QL (30 tablets/30 days) |
| NEXPLANON - etonogestrel subdermal implant 68 mg | 3 | |
| oxybutynin chloride solution 5 mg/5ml | 3 | QL (600 mls/30 days) |
| oxybutynin chloride tab er 24hr 5 mg | 3 | QL (30 tablets/30 days) |
| oxybutynin chloride tab er 24hr 10 mg | 3 | QL (90 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| <i>oxybutynin chloride tab er 24hr 15 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>oxybutynin chloride tab 5 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>penicillamine tab 250 mg</i> | 5 | |
| SKYLA - levonorgestrel releasing iud 14 mcg/day (13.5 mg total) | 4 | |
| <i>solifenacin succinate tab 5 mg, 10 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>tadalafil tab 2.5 mg, 5 mg</i> | 4 | PA, QL (30 tablets/30 days) |
| <i>tamsulosin hcl cap 0.4 mg</i> | 2 | QL (60 capsules/30 days) |
| <i>tolterodine tartrate cap er 24hr 2 mg, 4 mg</i> | 4 | QL (30 capsules/30 days) |
| <i>tolterodine tartrate tab 1 mg, 2 mg</i> | 4 | QL (60 tablets/30 days) |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| <i>dexamethasone elixir 0.5 mg/5ml</i> | 3 | |
| <i>dexamethasone soln 0.5 mg/5ml</i> | 3 | |
| <i>dexamethasone tab 0.5 mg, 0.75 mg, 1 mg, 2 mg, 4 mg, 6 mg</i> | 2 | |
| <i>fludrocortisone acetate tab 0.1 mg</i> | 2 | |
| <i>hydrocortisone tab 5 mg, 10 mg, 20 mg</i> | 2 | |
| <i>methylprednisolone tab therapy pack 4 mg (21)</i> | 2 | |
| <i>methylprednisolone tab 4 mg, 8 mg, 16 mg, 32 mg</i> | 2 | |
| <i>prednisolone sod phosphate oral soln 15 mg/5ml (base equiv), 5 mg/5ml (base equiv)</i> | 2 | |
| <i>prednisolone sodium phosphate oral soln 25 mg/5ml (base eq)</i> | 2 | |
| <i>prednisolone soln 15 mg/5ml</i> | 2 | |
| <i>prednisone oral soln 5 mg/5ml</i> | 4 | |
| <i>prednisone tab therapy pack 5 mg (21), 5 mg (48), 10 mg (21), 10 mg (48)</i> | 2 | |
| <i>prednisone tab 1 mg</i> | 1 | |
| <i>prednisone tab 2.5 mg, 5 mg, 10 mg, 20 mg, 50 mg</i> | 2 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| CHORIONIC GONADOTROPIN - chorionic gonadotropin for im inj 10000 unit | 4 | PA |
| <i>desmopressin acetate inj 4 mcg/ml</i> | 4 | |
| <i>desmopressin acetate nasal spray soln 0.01%</i> | 4 | |
| <i>desmopressin acetate nasal spray soln 0.01% (refrigerated)</i> | 4 | |
| <i>desmopressin acetate preservative free (pf) inj 4 mcg/ml</i> | 4 | |
| <i>desmopressin acetate tab 0.1 mg, 0.2 mg</i> | 3 | |
| INCRELEX - mecasermin inj 40 mg/4ml (10 mg/ml)* | 5 | |
| OMNITROPE - somatropin for inj 5.8 mg | 5 | PA |
| OMNITROPE - somatropin solution cartridge 5 mg/1.5ml, 10 mg/1.5ml | 5 | PA |
| PREGNYL - chorionic gonadotropin for im inj 10000 unit | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers) | | |
| <i>abigale - estradiol & norethindrone acetate tab 1-0.5 mg#</i> | 4 | |
| <i>afirmelle - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>altavera - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>alyacen 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg#</i> | 4 | |
| <i>alyacen 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 4 | |
| <i>apri - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>aranelle - norethindrone-eth estradiol tab 0.5-35/1-35/0.5-35 mg- mcg</i> | 4 | |
| <i>aubra eq - levonorgestrel & ethinyl estradiol tab 0.1 mg-20mcg</i> | 4 | |
| <i>aurovela fe 1/20 - norethindrone ace & ethinyl estradiol-fetab 1 mg-20 mcg</i> | 4 | |
| <i>aurovela fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>aurovela 1/20 - norethindrone ace & ethinyl estradiol tab 1mg-20 mcg</i> | 4 | |
| <i>aurovela 1.5/30 - norethindrone ace & ethinyl estradiol tab1.5 mg-30 mcg</i> | 4 | |
| <i>aurovela 24 fe - norethindrone ace-ethinyl estradiol-fe tab1 mg-20 mcg (24)</i> | 4 | |
| <i>aviane - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>ayuna - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>azurette - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>balziva - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 4 | |
| <i>blisovi fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>blisovi fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>blisovi 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 4 | |
| <i>briellyn - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 4 | |
| <i>camila - norethindrone tab 0.35 mg</i> | 3 | |
| <i>camrese lo - levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 4 | |
| <i>chateal eq - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>COMBIPATCH - estradiol-norethindrone ace td pttw 0.05-0.14 mg/ day, 0.05-0.25 mg/day#</i> | 4 | |
| <i>cryselle - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 4 | |
| <i>cryselle-28 - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 4 | |
| <i>cyred eq - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| danazol cap 50 mg, 100 mg, 200 mg | 4 | PA |
| dasetta 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg# | 4 | |
| dasetta 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg | 4 | |
| deblitane - norethindrone tab 0.35 mg | 3 | |
| delyla - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg | 4 | |
| DEPO-SUBQ PROVERA 104 - medroxyprogesterone acetate susp pref syr 104 mg/0.65ml | 3 | |
| depo-testosterone - testosterone cypionate im inj in oil 100 mg/ml | 3 | PA |
| depo-testosterone - testosterone cypionate im inj in oil 200 mg/ml | 3 | PA |
| desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5) | 4 | |
| desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg | 4 | |
| dotti - estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr# | 3 | |
| drospirenone-ethinyl estradiol tab 3-0.02 mg | 4 | |
| drospirenone-ethinyl estradiol tab 3-0.03 mg# | 4 | |
| DUAVEE - conjugated estrogens-bazedoxifene tab 0.45-20 mg# | 4 | |
| elinest - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg | 4 | |
| eluryng - etonogestrel-ethinyl estradiol va ring 0.12-0.015mg/24hr | 3 | |
| emzahh - norethindrone tab 0.35 mg | 3 | |
| enilloring - etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr | 3 | |
| enskyce - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg | 4 | |
| errin - norethindrone tab 0.35 mg | 3 | |
| estarylla - norgestimate & ethinyl estradiol tab 0.25 mg-35mcg | 4 | |
| estradiol & norethindrone acetate tab 1-0.5 mg# | 4 | |
| estradiol tab 0.5 mg, 1 mg, 2 mg# | 1 | |
| estradiol td gel 0.25 mg/0.25gm (0.1%), 0.5 mg/0.5gm (0.1%), 0.75 mg/0.75gm (0.1%), 1 mg/gm (0.1%), 1.25 mg/1.25gm (0.1%)# | 4 | |
| estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr# | 3 | |
| estradiol td patch weekly 0.025 mg/24hr, 0.0375 mg/24hr (37.5 mcg/24hr), 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr# | 3 | |
| estradiol vaginal cream 0.01% | 3 | |
| estradiol vaginal tab 10 mcg | 4 | |
| estradiol valerate im in oil 10 mg/ml, 20 mg/ml | 3 | |
| estradiol valerate im in oil 40 mg/ml | 4 | |
| ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg | 4 | |
| ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | 3 | |
| <i>falmina - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>feirza 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>feirza 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>gallifrey - norethindrone acetate tab 5 mg</i> | 3 | |
| <i>hailey fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>hailey fe 1.5/30 - norethindrone ace & ethinyl estradiol-fetab 1.5 mg-30 mcg</i> | 4 | |
| <i>hailey 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>hailey 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1mg-20 mcg (24)</i> | 4 | |
| <i>heather - norethindrone tab 0.35 mg</i> | 3 | |
| <i>iclevia - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>incassia - norethindrone tab 0.35 mg</i> | 3 | |
| <i>introvale - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>isibloom - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>jasmiel - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>jencycla - norethindrone tab 0.35 mg</i> | 3 | |
| <i>jolessa - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>juleber - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>junel fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>junel fe 24 - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 4 | |
| <i>junel fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>junel 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 4 | |
| <i>junel 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>kalliga - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>kariva - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>kelnor 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 4 | |
| <i>kurvelo - levonorgestrel & ethinyl estradiol tab 0.15 mg-30mcg</i> | 4 | |
| <i>larin fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>larin fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>larin 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 4 | |
| <i>larin 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>larin 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 4 | |
| <i>leena - norethindrone-eth estradiol tab 0.5-35/1-35/0.5-35 mg-mcg</i> | 4 | |
| <i>lessina - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>levonest - levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 4 | |
| <i>levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 4 | |
| <i>levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg, 0.15 mg-30 mcg</i> | 4 | |
| <i>levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 4 | |
| <i>lo-zumandimine - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>loestrin fe 1/20 - norethindrone ace & ethinyl estradiol-fetab 1 mg-20 mcg</i> | 4 | |
| <i>loestrin fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>loestrin 1/20-21 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 4 | |
| <i>loestrin 1.5/30-21 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>lojaimiess - levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 4 | |
| <i>loryna - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>low-ogestrel - norgestrel & ethinyl estradiol tab 0.3 mg-30mcg</i> | 4 | |
| <i>luizza 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 4 | |
| <i>luizza 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>lutra - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>lyleq - norethindrone tab 0.35 mg</i> | 3 | |
| <i>lyllana - estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr#</i> | 3 | |
| <i>lyza - norethindrone tab 0.35 mg</i> | 3 | |
| <i>marlissa - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>medroxyprogesterone acetate im susp prefilled syr 150 mg/ml</i> | 3 | |
| <i>medroxyprogesterone acetate im susp 150 mg/ml</i> | 3 | |
| <i>medroxyprogesterone acetate tab 2.5 mg, 5 mg, 10 mg</i> | 2 | |
| <i>megestrol acetate susp 40 mg/ml#</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>megestrol acetate tab 20 mg, 40 mg#</i> | 3 | |
| <i>meleya - norethindrone tab 0.35 mg</i> | 3 | |
| <i>microgestin fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>microgestin fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>microgestin 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 4 | |
| <i>microgestin 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>mili - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>mimvey - estradiol & norethindrone acetate tab 1-0.5 mg#</i> | 4 | |
| <i>mono-lynyah - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>necon 0.5/35-28 - norethindrone & ethinyl estradiol tab 0.5mg-35 mcg</i> | 4 | |
| <i>nikki - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>nora-be - norethindrone tab 0.35 mg</i> | 3 | |
| <i>norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 3 | |
| <i>norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg, 0.5 mg-35 mcg</i> | 4 | |
| <i>norethindrone & ethinyl estradiol tab 1 mg-35 mcg#</i> | 4 | |
| <i>norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> | 4 | |
| <i>norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg, 1.5 mg-30 mcg</i> | 4 | |
| <i>norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 4 | |
| <i>norethindrone acetate tab 5 mg</i> | 3 | |
| <i>norethindrone tab 0.35 mg</i> | 3 | |
| <i>norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg, 0.5-35/1-35/0.5-35 mg-mcg</i> | 4 | |
| <i>norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg, 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 4 | |
| <i>norlyroc - norethindrone tab 0.35 mg</i> | 3 | |
| <i>nortrel 0.5/35 (28) - norethindrone & ethinyl estradiol tab 0.5 mg-35 mcg</i> | 4 | |
| <i>nortrel 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg#</i> | 4 | |
| <i>nortrel 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 4 | |
| <i>nylia 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg#</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------|
| <i>nylia 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 4 | |
| <i>orquidea - norethindrone tab 0.35 mg</i> | 3 | |
| <i>philith - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 4 | |
| <i>pimtrea - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>portia-28 - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| PREMARIN - estrogens, conjugated vaginal cream 0.625 mg/gm | 3 | |
| <i>progesterone cap 100 mg, 200 mg</i> | 2 | |
| <i>raloxifene hcl tab 60 mg</i> | 3 | |
| <i>reclipsen - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>setlakin - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>sharobel - norethindrone tab 0.35 mg</i> | 3 | |
| <i>simliya - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>sprintec 28 - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>syeda - drospirenone-ethinyl estradiol tab 3-0.03 mg#</i> | 4 | |
| <i>tarina fe 1/20 eq - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>tarina 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1mg-20 mcg (24)</i> | 4 | |
| <i>testosterone cypionate im inj in oil 100 mg/ml, 200 mg/ml</i> | 3 | PA |
| TESTOSTERONE ENANTHATE - testosterone enanthate im inj in oil 200 mg/ml | 3 | PA |
| <i>testosterone td gel 20.25 mg/1.25gm (1.62%)</i> | 4 | PA, QL (30 packets/30 days) |
| <i>testosterone td gel 25 mg/2.5gm (1%)</i> | 4 | PA, QL (90 packets/30 days) |
| <i>testosterone td gel 50 mg/5gm (1%)</i> | 4 | PA, QL (60 units/30 days) |
| <i>testosterone td gel 12.5 mg/act (1%)</i> | 4 | PA, QL (4 pump bottles/30 days) |
| <i>testosterone td gel 40.5 mg/2.5gm (1.62%)</i> | 4 | PA, QL (60 packets/30 days) |
| <i>testosterone td gel 20.25 mg/act (1.62%)</i> | 4 | PA, QL (2 pump bottles/30 days) |
| <i>tilia fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 4 | |
| <i>tri-estarylla - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-legest fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 4 | |
| <i>tri-linyah - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-lo-estarylla - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>tri-lo-marzia - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |
| <i>tri-lo-mili - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |
| <i>tri-lo-sprintec - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |
| <i>tri-mili - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-sprintec - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-vylibra - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-vylibra lo - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |
| <i>turqoz - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 4 | |
| <i>valtya 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 4 | |
| <i>valtya 1/50 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 3 | |
| <i>velivet - desogest-ethin est tab 0.1-0.025/0.125-0.025/0.15-0.025mg-mg</i> | 4 | |
| <i>vestura - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>vienva - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>viorele - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>volnea - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>vyfemla - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 4 | |
| <i>vylibra - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>wera - norethindrone & ethinyl estradiol tab 0.5 mg-35 mcg</i> | 4 | |
| <i>wymzya fe - norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> | 4 | |
| <i>xarah fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 4 | |
| <i>xelria fe - norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> | 4 | |
| <i>xulane - norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 3 | |
| <i>yuvaferm - estradiol vaginal tab 10 mcg</i> | 4 | |
| <i>zafemy - norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 3 | |
| <i>zovia 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1mg-35 mcg</i> | 4 | |
| <i>zumandimine - drospirenone-ethinyl estradiol tab 3-0.03 mg#</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| <i>levo-t - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 3 | |
| <i>levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 1 | |
| <i>levoxyl - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg</i> | 3 | |
| <i>liomny - liothyronine sodium tab 5 mcg, 25 mcg, 50 mcg</i> | 2 | |
| <i>liothyronine sodium tab 5 mcg, 25 mcg, 50 mcg</i> | 2 | |
| SYNTHROID - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg | 4 | |
| <i>unithroid - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 3 | |
| Hormonal Agents, Suppressant (Adrenal or Pituitary) | | |
| <i>cabergoline tab 0.5 mg</i> | 3 | |
| ELIGARD - leuprolide acetate (3 month) for subcutaneous inj kit 22.5mg | 4 | PA, QL (1 kit/84 days) |
| ELIGARD - leuprolide acetate (4 month) for subcutaneous inj kit 30 mg | 4 | PA, QL (1 kit/112 days) |
| ELIGARD - leuprolide acetate (6 month) for subcutaneous inj kit 45 mg | 4 | PA, QL (1 kit/168 days) |
| ELIGARD - leuprolide acetate for subcutaneous inj kit 7.5 mg | 4 | PA, QL (1 kit/28 days) |
| FIRMAGON - degarelix acetate for inj 80 mg (base equiv) | 4 | PA |
| FIRMAGON - degarelix acetate for inj 120 mg/vial (240 mg dose) | 5 | PA |
| LEUPROLIDE ACETATE - leuprolide acetate (3 month) for inj 22.5 mg | 4 | PA, QL (1 kit/84 days) |
| <i>leuprolide acetate inj kit 1 mg/0.2ml (5 mg/ml)</i> | 4 | PA, QL (2 kits/28 days) |
| LUPRON DEPOT (1-MONTH) - leuprolide acetate for inj kit 3.75 mg, 7.5 mg | 5 | PA, QL (1 kit/28 days) |
| LUPRON DEPOT-PED (1-MONTH) - leuprolide acetate for inj pediatric kit 7.5 mg | 5 | PA, QL (1 kit/28 days) |
| LUPRON DEPOT-PED (3-MONTH) - leuprolide acetate (3 month) for inj pediatric kit 11.25 mg | 5 | PA, QL (1 kit/84 days) |
| LUPRON DEPOT-PED (6-MONTH) - leuprolide acet (6 month) for im inj pediatric kit 45 mg | 5 | PA, QL (1 kit/168 days) |
| <i>mifepristone tab 300 mg</i> | 5 | PA, QL (120 tablets/30 days) |
| <i>octreotide acetate inj 50 mcg/ml (0.05 mg/ml), 100 mcg/ml (0.1 mg/ml), 200 mcg/ml (0.2 mg/ml), 500 mcg/ml (0.5 mg/ml), 1000 mcg/ml (1 mg/ml)</i> | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| <i>octreotide acetate subcutaneous soln pref syr 100 mcg/ml</i> | 4 | PA |
| <i>octreotide acetate subcutaneous soln pref syr 50 mcg/ml</i> | 4 | PA |
| <i>octreotide acetate subcutaneous soln pref syr 500 mcg/ml</i> | 4 | PA |
| SIGNIFOR - pasireotide diaspertate inj 0.3 mg/ml (base equiv), 0.6 mg/ml (base equiv), 0.9 mg/ml (base equiv)* | 5 | PA |
| SOMATULINE DEPOT - lanreotide acetate extended release inj 60 mg/0.2ml, 90 mg/0.3ml, 120 mg/0.5ml | 5 | PA |
| SOMAVERT - pegvisomant for inj 10 mg (as protein), 15 mg (as protein), 20 mg (as protein), 25 mg (as protein), 30 mg (as protein)* | 5 | PA |
| SYNAREL - nafarelin acetate nasal soln 2 mg/ml (200 mcg/act) (base eq) | 5 | |
| TRELSTAR MIXJECT - triptorelin pamoate for im susp 3.75 mg, 11.25 mg, 22.5 mg | 4 | PA |
| Hormonal Agents, Suppressant (Thyroid) | | |
| <i>methimazole tab 5 mg, 10 mg</i> | 1 | |
| <i>propylthiouracil tab 50 mg</i> | 2 | |
| Immunological Agents | | |
| ABRYSSO - rsv pre-fusion f a&b vac recomb for im soln 120 mcg/0.5ml | 1 | QL (1 vaccine/lifetime) |
| ACTEMRA - tocilizumab subcutaneous soln prefilled syringe 162 mg/0.9ml | 5 | PA, QL (4 syringes/28 days) |
| ACTEMRA ACTPEN - tocilizumab subcutaneous soln auto-injector 162 mg/0.9ml | 5 | PA, QL (4 pens/28 days) |
| ACTHIB - haemophilus b polysaccharide conjugate vaccine for inj | 1 | |
| ACTIMMUNE - interferon gamma-1b inj 100 mcg/0.5ml (2000000 unit/0.5ml)* | 5 | PA |
| ADACEL - tet tox-diph-acell pertuss ad inj 5-2-15.5 lf-lf-mcg/0.5ml | 1 | |
| ADACEL - tet-diph-acell pertuss ad pref syr 5-2-15.5 lf-mcg/0.5ml | 1 | |
| ARCALYST - riloncept for inj 220 mg* | 5 | PA, QL (8 vials/28 days) |
| AREXVY - rsvpref3 vaccine recomb adjuvanted for im susp 120 mcg/0.5ml | 1 | QL (1 vaccine/lifetime; >=18 yr) |
| <i>azathioprine tab 50 mg</i> | 2 | BD |
| BCG VACCINE - bcg vaccine for inj soln 50 mg | 1 | |
| BENLYSTA - belimumab subcutaneous solution auto-injector 200 mg/ml | 5 | PA, QL (8 pens/28 days) |
| BENLYSTA - belimumab subcutaneous solution prefilled syringe 200 mg/ml | 5 | PA, QL (8 syringes/28 days) |
| BESREMI - ropeginterferon alfa-2b-njft soln prefilled syr 500 mcg/ml | 5 | PA, QL (2 syringes/28 days) |
| BEXSERO - meningococcal vac b (recomb omv adjuv) inj prefilled syringe | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| BOOSTRIX - tet tox-diph-acell pertuss ad inj 5-2.5-18.5 lf-lf-mcg/0.5ml | 1 | |
| BOOSTRIX - tet-diph-acell pertuss ad pref syr 5-2.5-18.5 lf-mcg/0.5ml | 1 | |
| COSENTYX - secukinumab subcutaneous pref syr 150 mg/ml (300 mg dose)* | 5 | PA, QL (8 syringes/28 days) |
| COSENTYX - secukinumab subcutaneous soln prefilled syringe 75 mg/0.5ml | 5 | PA, QL (4 syringes/28 days) |
| COSENTYX - secukinumab subcutaneous soln prefilled syringe 150 mg/ml* | 5 | PA, QL (8 syringes/28 days) |
| COSENTYX SENSOREADY PEN - secukinumab subcutaneous auto-inj 150 mg/ml (300 mg dose)* | 5 | PA, QL (8 pens/28 days) |
| COSENTYX SENSOREADY PEN - secukinumab subcutaneous soln auto-injector 150 mg/ml* | 5 | PA, QL (8 pens/28 days) |
| COSENTYX UNOREADY - secukinumab subcutaneous soln auto-injector 300 mg/2ml* | 5 | PA, QL (4 pens/28 days) |
| <i>cyclosporine cap 25 mg, 100 mg</i> | 4 | BD |
| <i>cyclosporine modified cap 25 mg, 50 mg, 100 mg</i> | 4 | BD |
| <i>cyclosporine modified oral soln 100 mg/ml</i> | 4 | BD |
| DAPTACEL - diph, acellular pert & tet tox inj 15 lf-23 mcg-5 lf/0.5ml | 1 | |
| DENGVAXIA - dengue virus vaccine live tetravalent for subcutaneous susp | 1 | |
| DUPIXENT - dupilumab subcutaneous soln auto-injector 200 mg/1.14ml | 5 | PA, QL (3 pens/28 days) |
| DUPIXENT - dupilumab subcutaneous soln auto-injector 300 mg/2ml | 5 | PA, QL (4 pens/28 days) |
| DUPIXENT - dupilumab subcutaneous soln prefilled syringe 200 mg/1.14ml | 5 | PA, QL (3 syringes/28 days) |
| DUPIXENT - dupilumab subcutaneous soln prefilled syringe 300 mg/2ml | 5 | PA, QL (4 syringes/28 days) |
| ENBREL - etanercept subcutaneous inj 25 mg/0.5ml | 5 | PA, QL (8 vials/28 days) |
| ENBREL - etanercept subcutaneous soln prefilled syringe 25 mg/0.5ml | 5 | PA, QL (4 syringes/28 days) |
| ENBREL - etanercept subcutaneous soln prefilled syringe 50 mg/ml | 5 | PA, QL (8 syringes/28 days) |
| ENBREL MINI - etanercept subcutaneous solution cartridge 50 mg/ml | 5 | PA, QL (8 cartridges/28 days) |
| ENBREL SURECLICK - etanercept subcutaneous solution auto-injector 50 mg/ml | 5 | PA, QL (8 pens/28 days) |
| ENGERIX-B - hepatitis b vaccine (recombinant) susp pref syr 10 mcg/0.5ml, 20 mcg/ml | 1 | BD |
| ENGERIX-B - hepatitis b vaccine (recombinant) susp 20 mcg/ml | 1 | BD |
| ENTYVIO PEN - vedolizumab soln auto-injector 108 mg/0.68ml | 5 | PA, QL (2 pens/28 days) |
| ENVARUSUS XR - tacrolimus tab er 24hr 0.75 mg, 1 mg | 4 | BD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| ENVARUSUS XR - tacrolimus tab er 24hr 4 mg | 5 | BD |
| ERVEBO - ebola zaire virus vaccine live im susp | 1 | |
| <i>everolimus tab 0.25 mg, 0.5 mg</i> | 4 | BD |
| <i>everolimus tab 0.75 mg, 1 mg</i> | 5 | BD |
| GAMMAGARD LIQUID - immune globulin (human) iv or subcutaneous soln 1 gm/10ml, 2.5 gm/25ml, 5 gm/50ml, 10 gm/100ml, 20 gm/200ml, 30 gm/300ml | 5 | BD, PA |
| GAMMAGARD LIQUID ERC - immune globulin (human) iv or subcutaneous soln 5 gm/50ml, 10 gm/100ml | 5 | BD, PA |
| GAMUNEX-C - immune globulin (human) iv or subcutaneous soln 1 gm/10ml, 2.5 gm/25ml, 5 gm/50ml, 10 gm/100ml, 20 gm/200ml, 40 gm/400ml | 5 | BD, PA |
| GARDASIL 9 - human papillomavirus (hpv) 9-valent recomb vac im susp | 1 | |
| GARDASIL 9 - human papillomavirus (hpv) 9-valent recomb vac susp pref syr | 1 | |
| <i>gengraf - cyclosporine modified cap 25 mg, 100 mg</i> | 4 | BD |
| HADLIMA - adalimumab-bwwd soln prefilled syringe 40 mg/0.4ml, 40 mg/0.8ml | 5 | PA, QL (6 syringes/28 days) |
| HADLIMA PUSHTOUCH - adalimumab-bwwd soln auto-injector 40 mg/0.4ml, 40 mg/0.8ml | 5 | PA, QL (6 pens/28 days) |
| HAEGARDA - c1 esterase inhibitor (human) for subcutaneous inj 2000 unit* | 5 | PA, QL (27 vials/28 days) |
| HAEGARDA - c1 esterase inhibitor (human) for subcutaneous inj 3000 unit* | 5 | PA, QL (18 vials/28 days) |
| HAVRIX - hepatitis a vaccine susp prefilled syr 720 el unit/0.5ml, 1440 el unit/ml | 1 | |
| HEPLISAV-B - hepatitis b vaccine recomb adjuvanted pref syr 20 mcg/0.5ml | 1 | BD |
| HIBERIX - haemophilus b polysaccharide conjugate vac for inj 10 mcg | 1 | |
| <i>icatibant acetate subcutaneous soln pref syr 30 mg/3ml</i> | 5 | PA, QL (6 syringes/30 days) |
| IMOVAX RABIES (H.D.C.V.) - rabies virus vaccine, hdc for inj susp | 1 | BD |
| INFANRIX - diph, acellular pert & tet tox inj 25 lf-58 mcg-10 lf/0.5ml | 1 | |
| IPOL INACTIVATED IPV - poliovirus vaccine, ipv inj susp | 1 | |
| IXIARO - japanese encephalitis vaccine inactivated adsorbed inj | 1 | |
| JYNNEOS - smallpox & monkeypox vac, live, non-replicating inj 0.5 ml | 1 | BD |
| KINRIX - diph-tetanus-acell pert-polio, ipv vacc susp pref syr 0.5 ml | 1 | |
| <i>leflunomide tab 10 mg, 20 mg</i> | 3 | |
| M-M-R II - measles-mumps-rubella virus vaccines for inj soln | 1 | |
| MENQUADFI - meningococcal (a, c, y, and w-135) tetanus conjugate vaccine | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| MENVEO - meningococcal (a, c, y, and w-135) oligo conj vac for inj | 1 | |
| MENVEO - meningococcal (a, c, y, and w-135) oligo conj vac im soln | 1 | |
| <i>methotrexate sodium for inj 1 gm</i> | 3 | |
| <i>methotrexate sodium inj pf 50 mg/2ml (25 mg/ml), 250 mg/10ml (25 mg/ml), 1000 mg/40ml (25 mg/ml)</i> | 2 | |
| <i>methotrexate sodium inj 250 mg/10ml (25 mg/ml)</i> | 1 | |
| <i>methotrexate sodium inj 50 mg/2ml (25 mg/ml)</i> | 1 | |
| <i>methotrexate sodium tab 2.5 mg (base equiv)</i> | 2 | |
| MRESVIA - rsv mrna pre-f vaccine im susp pref syr 50 mcg/0.5ml | 1 | QL (1 vaccine/lifetime; >=18 yr) |
| <i>mycophenolate mofetil cap 250 mg</i> | 3 | BD |
| <i>mycophenolate mofetil for oral susp 200 mg/ml</i> | 5 | BD |
| <i>mycophenolate mofetil tab 500 mg</i> | 3 | BD |
| <i>mycophenolate sodium tab dr 180 mg (mycophenolic acid equiv), 360 mg (mycophenolic acid equiv)</i> | 4 | BD |
| MYHIBBIN - mycophenolate mofetil oral susp 200 mg/ml | 5 | BD |
| ORENCIA - abatacept subcutaneous soln prefilled syringe 50 mg/0.4ml, 87.5 mg/0.7ml, 125 mg/ml | 5 | PA, QL (4 syringes/28 days) |
| ORENCIA CLICKJECT - abatacept subcutaneous soln auto-injector 125 mg/ml | 5 | PA, QL (4 pens/28 days) |
| PEDIARIX - diph-tet tox-acell pert-hep b-polio ipv vac susp pref syr | 1 | |
| PEDVAX HIB - haemophilus b polysaccharide conj vac im susp 7.5 mcg/0.5 ml | 1 | |
| PEGASYS - peginterferon alfa-2a inj 180 mcg/ml | 5 | PA |
| PEGASYS - peginterferon alfa-2a soln prefilled syr 180 mcg/0.5ml | 5 | PA |
| PENBRAYA - meningococcal acyw (tet conj)-mening b (rcmb) vacc for inj | 1 | |
| PENMENVY - meningococcal acwy (oligo conj)-mening b (rcmb) vacc for inj | 1 | |
| PENTACEL - diph-ac per-tet tox ad-poliov-haemoph b poly vac for im susp | 1 | |
| PRIORIX - measles-mumps-rubella virus vaccines for subcutaneous susp | 1 | |
| PROGRAF - tacrolimus packet for susp 0.2 mg, 1 mg | 4 | BD |
| PROQUAD - measles-mumps-rubella-varicella virus vaccines for susp | 1 | |
| PYZCHIVA - ustekinumab-ttwe iv soln 130 mg/26ml (5 mg/ml) (for iv inf) | 5 | PA, QL (4 vials/180 days) |
| PYZCHIVA - ustekinumab-ttwe soln prefilled syringe 45 mg/0.5ml | 4 | PA, QL (3 syringes/84 days) |
| PYZCHIVA - ustekinumab-ttwe soln prefilled syringe 90 mg/ml | 5 | PA, QL (3 syringes/84 days) |
| PYZCHIVA - ustekinumab-ttwe subcutaneous soln 45 mg/0.5ml | 4 | PA, QL (3 vials/84 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| QUADRACEL - diph-tetanus tox ad-acell pert & polio virus, ipv vac inj | 1 | |
| QUADRACEL - diph-tetanus-acell pert-polio, ipv vacc susp pref syr 0.5 ml | 1 | |
| RABAVERT - rabies vaccine, pcec for inj | 1 | BD |
| RECOMBIVAX HB - hepatitis b vaccine (recombinant) susp pref syr 5 mcg/0.5ml, 10 mcg/ml | 1 | BD |
| RECOMBIVAX HB - hepatitis b vaccine (recombinant) susp 5 mcg/0.5ml, 10 mcg/ml, 40 mcg/ml | 1 | BD |
| RIDAURA - auranofin cap 3 mg | 3 | |
| RINVOQ - upadacitinib tab er 24hr 15 mg, 30 mg | 5 | PA, QL (30 tablets/30 days) |
| RINVOQ - upadacitinib tab er 24hr 45 mg | 5 | PA, QL (84 tablets/180 days) |
| RINVOQ LQ - upadacitinib oral soln 1 mg/ml | 5 | PA, QL (2 bottles/30 days) |
| ROTARIX - rotavirus vaccine, live oral susp | 1 | |
| ROTATEQ - rotavirus vaccine, live oral pentavalent soln | 1 | |
| <i>sajazir - icatibant acetate subcutaneous soln pref syr 30 mg/3ml</i> | 5 | PA, QL (6 syringes/30 days) |
| SHINGRIX - zoster vac recomb adjuvanted im susp pref syr 50 mcg/0.5ml | 1 | QL (2 vaccines/lifetime; >=18 yr) |
| SHINGRIX - zoster vac recombinant adjuvanted for im inj 50 mcg/0.5ml | 1 | QL (2 vaccines/lifetime; >=18 yr) |
| SIMLANDI - adalimumab-ryvk prefilled syringe kit 20 mg/0.2ml | 5 | PA, QL (2 syringes/28 days) |
| SIMLANDI - adalimumab-ryvk prefilled syringe kit 40 mg/0.4ml | 5 | PA, QL (4 syringes/28 days) |
| SIMLANDI 1-PEN KIT - adalimumab-ryvk auto-injector kit 40 mg/0.4ml | 5 | PA, QL (4 pens/28 days) |
| SIMLANDI 1-PEN KIT - adalimumab-ryvk auto-injector kit 80 mg/0.8ml | 5 | PA, QL (3 pens/28 days) |
| SIMLANDI 2-PEN KIT - adalimumab-ryvk auto-injector kit 40 mg/0.4ml | 5 | PA, QL (4 pens/28 days) |
| <i>sirolimus oral soln 1 mg/ml</i> | 4 | BD |
| <i>sirolimus tab 0.5 mg, 1 mg, 2 mg</i> | 4 | BD |
| SKYRIZI - risankizumab-rzaa iv soln 600 mg/10ml (60 mg/ml) | 5 | PA, QL (6 vials/180 days) |
| SKYRIZI - risankizumab-rzaa soln prefilled syringe 150 mg/ml | 5 | PA, QL (6 syringes/365 days) |
| SKYRIZI - risankizumab-rzaa subcutaneous soln cartridge 180 mg/1.2ml, 360 mg/2.4ml | 5 | PA, QL (7 cartridges/365 days) |
| SKYRIZI PEN - risankizumab-rzaa soln auto-injector 150 mg/ml | 5 | PA, QL (6 pens/365 days) |
| STEQEYMA - ustekinumab-stba iv soln 130 mg/26ml (5 mg/ml) (for iv inf) | 5 | PA, QL (4 vials/180 days) |
| STEQEYMA - ustekinumab-stba soln prefilled syringe 45 mg/0.5ml | 4 | PA, QL (3 syringes/84 days) |
| STEQEYMA - ustekinumab-stba soln prefilled syringe 90 mg/ml | 5 | PA, QL (3 syringes/84 days) |
| STEQEYMA - ustekinumab-stba subcutaneous soln 45 mg/0.5ml | 4 | PA, QL (3 vials/84 days) |
| <i>tacrolimus cap 0.5 mg, 1 mg, 5 mg</i> | 4 | BD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| TENIVAC - tetanus-diphtheria toxoids (td) inj 5-2 lf/0.5ml | 1 | BD |
| THYMOGLOBULIN - anti-thymocyte globulin for iv soln 25 mg (lymphocyte ig) | 5 | BD |
| TICOVAC - tick-borne encephalitis vac inact susp pref syr 1.2 mcg/0.25ml, 2.4 mcg/0.5ml | 1 | |
| TREMFYA - guselkumab soln auto-injector 200 mg/2ml | 5 | PA, QL (1 pen/28 days) |
| TREMFYA - guselkumab soln pen-injector 100 mg/ml | 5 | PA, QL (3 pens/56 days) |
| TREMFYA - guselkumab soln prefilled syringe 100 mg/ml | 5 | PA, QL (3 syringes/56 days) |
| TREMFYA - guselkumab soln prefilled syringe 200 mg/2ml | 5 | PA, QL (1 syringe/28 days) |
| TREMFYA INDUCTION PACK FOR CROHNS DISEASE/ ULCERATIVE COLITIS - guselkumab soln auto-injector 200 mg/2ml | 5 | PA, QL (6 pens/180 days) |
| TREMFYA PEN - guselkumab soln auto-injector 100 mg/ml | 5 | PA, QL (3 pens/56 days) |
| TRUMENBA - meningococcal group b vac (recomb) im susp prefilled syr | 1 | |
| TWINRIX - hep a-hep b vaccine susp pref syr 720-20 elu-mcg/ml | 1 | |
| TYENNE - tocilizumab-aazg subcutaneous soln auto-inj 162 mg/0.9ml | 5 | PA, QL (4 pens/28 days) |
| TYENNE - tocilizumab-aazg subcutaneous soln pref syr 162 mg/0.9ml | 5 | PA, QL (4 syringes/28 days) |
| TYPHIM VI - typhoid vi polysaccharide intramuscular vac inj 25 mcg/0.5ml | 1 | |
| TYPHIM VI - typhoid vi polysaccharide vacc im soln pref syr 25 mcg/0.5ml | 1 | |
| USTEKINUMAB-AEKN - ustekinumab-ae kn soln prefilled syringe 45 mg/0.5ml | 4 | PA, QL (3 syringes/84 days) |
| USTEKINUMAB-AEKN - ustekinumab-ae kn soln prefilled syringe 90 mg/ml | 5 | PA, QL (3 syringes/84 days) |
| VAQTA - hepatitis a vaccine inj susp 25 unit/0.5ml, 50 unit/ml | 1 | |
| VAQTA - hepatitis a vaccine susp prefilled syr 25 unit/0.5ml, 50 unit/ml | 1 | |
| VARIVAX - varicella virus vac live for inj 1350 pfu/0.5ml | 1 | |
| VAXCHORA - cholera vaccine live attenuated for oral susp | 1 | |
| VIMKUNYA - chikungunya virus vac rcmb vlp im susp pref syr 40 mcg/0.8ml | 1 | |
| VIVOTIF - typhoid vaccine cap delayed release | 1 | |
| XATMEP - methotrexate oral soln 2.5 mg/ml | 4 | BD |
| XOLAIR - omalizumab for inj 150 mg* | 5 | PA |
| XOLAIR - omalizumab subcutaneous soln auto-injector 75 mg/0.5ml, 150 mg/ml, 300 mg/2ml* | 5 | PA |
| XOLAIR - omalizumab subcutaneous soln prefilled syringe 75 mg/0.5ml, 150 mg/ml, 300 mg/2ml* | 5 | PA |
| YF-VAX - yellow fever vaccine for subcutaneous suspension | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| Inflammatory Bowel Disease Agents | | |
| <i>balsalazide disodium cap 750 mg</i> | 4 | |
| <i>budesonide delayed release particles cap 3 mg</i> | 4 | PA, QL (90 capsules/30 days) |
| <i>budesonide tab er 24hr 9 mg</i> | 5 | PA, QL (30 tablets/30 days) |
| <i>hydrocortisone enema 100 mg/60ml</i> | 4 | |
| <i>hydrocortisone perianal cream 1%</i> | 2 | |
| <i>hydrocortisone perianal cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>mesalamine cap er 24hr 0.375 gm</i> | 4 | QL (120 capsules/30 days) |
| <i>mesalamine enema 4 gm</i> | 4 | |
| <i>mesalamine rectal enema 4 gm & cleanser wipe kit</i> | 4 | |
| <i>mesalamine suppos 1000 mg</i> | 4 | |
| <i>mesalamine tab delayed release 1.2 gm</i> | 4 | QL (120 tablets/30 days) |
| <i>procto-med hc - hydrocortisone perianal cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>proctocort - hydrocortisone perianal cream 1%</i> | 2 | |
| <i>proctosol hc - hydrocortisone perianal cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>proctozone-hc - hydrocortisone perianal cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>sulfasalazine tab delayed release 500 mg</i> | 3 | |
| <i>sulfasalazine tab 500 mg</i> | 2 | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate sodium tab 10 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>alendronate sodium tab 35 mg, 70 mg</i> | 1 | QL (4 tablets/28 days) |
| BONSITY - teriparatide soln pen-inj 560 mcg/2.24ml | 5 | PA |
| <i>calcitonin (salmon) nasal soln 200 unit/act</i> | 3 | |
| <i>calcitriol cap 0.25 mcg, 0.5 mcg</i> | 2 | |
| <i>calcitriol oral soln 1 mcg/ml</i> | 4 | |
| <i>cinacalcet hcl tab 30 mg (base equiv), 60 mg (base equiv), 90 mg (base equiv)</i> | 4 | PA |
| <i>ibandronate sodium tab 150 mg (base equivalent)</i> | 2 | QL (1 tablet/28 days) |
| JUBBONTI - denosumab-bbdz inj soln prefilled syringe 60 mg/ml | 4 | PA |
| OSENVELT - denosumab-bmwo inj 120 mg/1.7ml | 5 | PA |
| <i>paricalcitol cap 1 mcg, 2 mcg, 4 mcg</i> | 4 | |
| <i>risedronate sodium tab delayed release 35 mg</i> | 4 | QL (4 tablets/28 days) |
| <i>risedronate sodium tab 5 mg, 30 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>risedronate sodium tab 35 mg</i> | 3 | QL (4 tablets/28 days) |
| <i>risedronate sodium tab 150 mg</i> | 3 | QL (1 tablet/28 days) |
| STOBOCLO - denosumab-bmwo inj soln prefilled syringe 60 mg/ml | 4 | PA |
| TERIPARATIDE - teriparatide soln pen-inj 560 mcg/2.24ml (Alvogen) | 5 | PA |
| TYMLOS - abaloparatide subcutaneous soln pen-injector 3120 mcg/1.56ml | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| WYOST - denosumab-bbdz inj 120 mg/1.7ml | 5 | PA |
| Ophthalmic Agents | | |
| <i>atropine sulfate ophth soln 1%</i> | 3 | |
| <i>azelastine hcl ophth soln 0.05%</i> | 3 | |
| <i>bacitracin-polymyxin b ophth oint</i> | 2 | |
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 3 | |
| <i>betaxolol hcl ophth soln 0.5%</i> | 3 | |
| <i>bimatoprost ophth soln 0.03%</i> | 3 | QL (15 mls/75 days) |
| <i>brimonidine tartrate ophth soln 0.15%</i> | 4 | |
| <i>brimonidine tartrate ophth soln 0.2%</i> | 2 | |
| <i>carteolol hcl ophth soln 1%</i> | 2 | |
| <i>ciprofloxacin hcl ophth soln 0.3% (base equivalent)</i> | 2 | |
| <i>cromolyn sodium ophth soln 4%</i> | 2 | |
| <i>cyclosporine (ophth) emulsion 0.05% (pf)</i> | 3 | QL (60 vials/30 days) |
| CYSTARAN - cysteamine hcl ophth soln 0.44% (base equivalent)* | 5 | PA, QL (4 bottles/28 days) |
| <i>dexamethasone sodium phosphate ophth soln 0.1%</i> | 3 | |
| <i>diclofenac sodium ophth soln 0.1%</i> | 2 | |
| <i>dorzolamide hcl ophth soln 2%</i> | 2 | |
| <i>dorzolamide hcl-timolol maleate ophth soln 2-0.5%</i> | 1 | |
| <i>epinastine hcl ophth soln 0.05%</i> | 3 | |
| <i>erythromycin ophth oint 5 mg/gm</i> | 2 | |
| <i>fluorometholone ophth susp 0.1%</i> | 3 | |
| <i>flurbiprofen sodium ophth soln 0.03%</i> | 3 | |
| <i>gentamicin sulfate ophth soln 0.3%</i> | 2 | |
| <i>ketorolac tromethamine ophth soln 0.4%</i> | 3 | |
| <i>ketorolac tromethamine ophth soln 0.5%</i> | 2 | |
| <i>latanoprost ophth soln 0.005%</i> | 1 | QL (15 mls/75 days) |
| <i>levobunolol hcl ophth soln 0.5%</i> | 2 | |
| LUMIGAN - bimatoprost ophth soln 0.01% | 3 | QL (15 mls/75 days) |
| MIEBO - perfluorohexyloctane ophth soln 1.338 gm/ml | 3 | PA, QL (1 bottle/30 days) |
| <i>moxifloxacin hcl ophth soln 0.5% (base eq) (2 times daily)(generic for Moxeza)</i> | 4 | |
| <i>moxifloxacin hcl ophth soln 0.5% (base equiv)(generic for Vigamox)</i> | 4 | |
| NATACYN - natamycin ophth susp 5% | 4 | |
| <i>neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin</i> | 3 | |
| <i>neomycin-polymyxin-dexamethasone ophth oint 0.1%</i> | 2 | |
| <i>neomycin-polymyxin-dexamethasone ophth susp 0.1%</i> | 2 | |
| NEOMYCIN/POLYMYXIN/GRAMICIDIN - neomycin-polymyxin-gramicid op sol 1.75-10000-0.025mg-unt-mg/ml | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------------|
| <i>ofloxacin ophth soln 0.3%</i> | 2 | |
| <i>pilocarpine hcl ophth soln 1%, 2%, 4%</i> | 3 | |
| <i>polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%</i> | 2 | |
| <i>prednisolone acetate ophth susp 1%</i> | 3 | |
| <i>prednisolone sodium phosphate ophth soln 1%</i> | 3 | |
| RESTASIS - cyclosporine (ophth) emulsion 0.05% (pf) | 3 | QL (60 vials/30 days) |
| <i>sulfacetamide sodium ophth soln 10%</i> | 2 | |
| <i>sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%</i> | 2 | |
| <i>timolol maleate ophth gel forming soln 0.25%, 0.5%</i> | 4 | |
| <i>timolol maleate ophth soln 0.25%, 0.5%</i> | 1 | |
| <i>tobramycin ophth soln 0.3%</i> | 2 | |
| <i>tobramycin-dexamethasone ophth susp 0.3-0.1%</i> | 3 | |
| <i>travoprost ophth soln 0.004% (benzalkonium free) (bak free)</i> | 4 | QL (15 mls/75 days) |
| TRIFLURIDINE - trifluridine ophth soln 1% | 3 | |
| XDEMY - lotilaner ophth soln 0.25% | 5 | PA |
| XIIDRA - lifitegrast ophth soln 5% | 3 | PA, QL (60 containers/30 days) |
| Otic Agents | | |
| <i>acetic acid otic soln 2%</i> | 2 | |
| <i>fluocinolone acetonide (otic) oil 0.01%</i> | 4 | |
| <i>hydrocortisone w/ acetic acid otic soln 1-2%</i> | 4 | |
| <i>neomycin-polymyxin-hc otic soln 1%</i> | 3 | |
| <i>neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%</i> | 3 | |
| <i>ofloxacin otic soln 0.3%</i> | 3 | |
| Respiratory Tract/Pulmonary Agents | | |
| <i>acetylcysteine inhal soln 10%, 20%</i> | 3 | BD |
| ADEMPAS - riociguat tab 0.5 mg, 1 mg, 1.5 mg, 2 mg, 2.5 mg* | 5 | PA, QL (90 tablets/30 days) |
| ADVAIR HFA - fluticasone-salmeterol inhal aerosol 45-21 mcg/act, 115-21 mcg/act, 230-21 mcg/act | 3 | QL (1 inhaler/30 days) |
| <i>albuterol sulfate inhal aero 108 mcg/act (90mcg base equiv) (generics for ProAir HFA and Proventil HFA)</i> | 3 | QL (2 inhalers/30 days) |
| <i>albuterol sulfate soln nebu 0.083% (2.5 mg/3ml)</i> | 2 | BD |
| <i>albuterol sulfate soln nebu 0.5% (5 mg/ml), 0.63 mg/3ml (base equiv), 1.25 mg/3ml (base equiv)</i> | 3 | BD |
| <i>albuterol sulfate syrup 2 mg/5ml</i> | 2 | |
| <i>albuterol sulfate tab 2 mg, 4 mg</i> | 4 | |
| <i>ambrisentan tab 5 mg, 10 mg*</i> | 4 | PA, QL (30 tablets/30 days) |
| ANORO ELLIPTA - umeclidinium-vilanterol aero powd ba 62.5-25 mcg/act | 3 | QL (1 package/30 days) |
| ARNUITY ELLIPTA - fluticasone furoate aerosol powder breath activ 50 mcg/act, 100 mcg/act, 200 mcg/act | 3 | QL (30 blisters/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| ASMANEX HFA - mometasone furoate inhal aerosol suspension 50 mcg/act, 100 mcg/act, 200 mcg/act | 3 | QL (1 inhaler/30 days) |
| ASMANEX TWISTHALER 120 METERED DOSES - mometasone furoate inhal powd 220 mcg/act (breath activated) | 3 | QL (1 inhaler/30 days) |
| ASMANEX TWISTHALER 14 METERED DOSES - mometasone furoate inhal powd 220 mcg/act (breath activated) | 3 | QL (1 inhaler/30 days) |
| ASMANEX TWISTHALER 30 METERED DOSES - mometasone furoate inhal powd 110 mcg/act (breath activated), 220 mcg/act (breath activated) | 3 | QL (1 inhaler/30 days) |
| ASMANEX TWISTHALER 60 METERED DOSES - mometasone furoate inhal powd 220 mcg/act (breath activated) | 3 | QL (1 inhaler/30 days) |
| <i>azelastine hcl nasal spray 0.1% (137 mcg/spray)</i> | 2 | QL (2 bottles/30 days) |
| <i>bosentan tab for oral susp 32 mg</i> | 5 | PA, QL (120 tablets/30 days) |
| <i>bosentan tab 62.5 mg, 125 mg*</i> | 5 | PA, QL (60 tablets/30 days) |
| BREO ELLIPTA - fluticasone furoate-vilanterol aero powd ba 50-25 mcg/act, 100-25 mcg/act, 200-25 mcg/act | 3 | QL (1 package/30 days) |
| <i>breyna - budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act</i> | 4 | QL (3 inhalers/30 days) |
| <i>breyna - budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act</i> | 4 | QL (3 inhalers/30 days) |
| BREZTRI AEROSPHERE - budesonide-glycopyrrolate-formoterol aers 160-9-4.8 mcg/act | 3 | QL (1 inhaler/30 days) |
| <i>budesonide inhalation susp 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml</i> | 4 | BD |
| <i>budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act, 160-4.5 mcg/act</i> | 4 | QL (3 inhalers/30 days) |
| CAYSTON - aztreonam lysine for inhal soln 75 mg (base equivalent)* | 5 | PA |
| COMBIVENT RESPIMAT - ipratropium-albuterol inhal aerosol soln 20-100 mcg/act | 4 | QL (2 inhalers/30 days) |
| <i>cromolyn sodium soln nebu 20 mg/2ml</i> | 3 | BD |
| <i>cyproheptadine hcl tab 4 mg#</i> | 4 | PA (>=65 yr) |
| DULERA - mometasone furoate-formoterol fumarate aerosol 50-5 mcg/act, 100-5 mcg/act, 200-5 mcg/act | 3 | QL (3 inhalers/30 days) |
| EPINEPHRINE - epinephrine solution auto-injector 0.15 mg/0.15ml (1:1000) | 3 | |
| EPINEPHRINE - epinephrine solution auto-injector 0.3 mg/0.3ml (1:1000)(authorized generic for Adrenaclick 0.3 mg/0.3 mL) | 3 | |
| <i>epinephrine solution auto-injector 0.15 mg/0.3ml (1:2000)</i> | 3 | |
| <i>epinephrine solution auto-injector 0.3 mg/0.3ml (1:1000)(generic for EpiPen 2-Pak)</i> | 3 | |
| <i>flunisolide nasal soln 25 mcg/act (0.025%)</i> | 3 | QL (3 bottles/30 days) |
| <i>fluticasone propionate nasal susp 50 mcg/act</i> | 2 | QL (1 bottle/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| FLUTICASONE PROPIONATE/SALMETEROL - fluticasone-salmeterol aer powder ba 55-14 mcg/act, 113-14 mcg/act, 232-14 mcg/act | 3 | QL (1 inhaler/30 days) |
| <i>fluticasone-salmeterol aer powder ba 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 3 | QL (1 inhaler/30 days) |
| INCRUSE ELLIPTA - umeclidinium br aero powd breath act 62.5 mcg/act (base eq) | 3 | QL (30 blisters/30 days) |
| <i>ipratropium bromide inhal soln 0.02%</i> | 2 | BD |
| <i>ipratropium bromide nasal soln 0.03% (21 mcg/spray)</i> | 2 | QL (2 bottles/30 days) |
| <i>ipratropium bromide nasal soln 0.06% (42 mcg/spray)</i> | 2 | QL (3 bottles/30 days) |
| <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | 2 | BD |
| KALYDECO - ivacaftor packet 5.8 mg, 13.4 mg, 25 mg, 50 mg, 75 mg* | 5 | PA, QL (60 packets/30 days) |
| KALYDECO - ivacaftor tab 150 mg* | 5 | PA, QL (60 tablets/30 days) |
| <i>levocetirizine dihydrochloride tab 5 mg</i> | 2 | |
| <i>montelukast sodium chew tab 4 mg (base equiv), 5 mg (base equiv)</i> | 2 | |
| <i>montelukast sodium oral granules packet 4 mg (base equiv)</i> | 4 | |
| <i>montelukast sodium tab 10 mg (base equiv)</i> | 2 | |
| OFEV - nintedanib esylate cap 100 mg (base equivalent), 150 mg (base equivalent)*† | 5 | PA, QL (60 capsules/30 days) |
| ORENITRAM - treprostinil diolamine tab er 0.125 mg (base equiv) | 4 | PA |
| ORENITRAM - treprostinil diolamine tab er 0.25 mg (base equiv), 1 mg (base equiv), 2.5 mg (base equiv), 5 mg (base equiv) | 5 | PA |
| ORENITRAM TITRATION KIT MONTH 1 - treprostinil tab er titr pk (mo1) 126 x0.125mg & 42 x0.25mg | 5 | PA |
| ORENITRAM TITRATION KIT MONTH 2 - treprostinil tab er titr pk (mo2) 126 x0.125mg & 210 x0.25mg | 5 | PA |
| ORENITRAM TITRATION KIT MONTH 3 - treprostinil tab er titr pk(mo3)126x0.125mg&42x0.25mg&84x1mg | 5 | PA |
| ORKAMBI - lumacaftor-ivacaftor granules packet 75-94 mg, 100-125 mg, 150-188 mg* | 5 | PA, QL (60 packets/30 days) |
| ORKAMBI - lumacaftor-ivacaftor tab 100-125 mg, 200-125 mg* | 5 | PA, QL (120 tablets/30 days) |
| <i>pirfenidone cap 267 mg</i> | 5 | PA, QL (270 capsules/30 days) |
| <i>pirfenidone tab 267 mg</i> | 4 | PA, QL (270 tablets/30 days) |
| <i>pirfenidone tab 801 mg</i> | 5 | PA, QL (90 tablets/30 days) |
| PULMOZYME - dornase alfa inhal soln 2.5 mg/2.5ml | 5 | BD |
| <i>roflumilast tab 250 mcg, 500 mcg</i> | 4 | PA, QL (30 tablets/30 days) |
| SEREVENT DISKUS - salmeterol xinafoate aer pow ba 50 mcg/act (base equiv) | 3 | QL (1 inhaler/30 days) |
| <i>sildenafil citrate tab 20 mg</i> | 3 | PA, QL (90 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| SPIRIVA RESPIMAT - tiotropium bromide inhal aerosol 1.25 mcg/act, 2.5 mcg/act | 3 | QL (1 inhaler/30 days) |
| STIOLTO RESPIMAT - tiotropium br-olodaterol inhal aero soln 2.5-2.5 mcg/act | 3 | QL (1 canister/30 days) |
| <i>tadalafil tab 20 mg (pah)</i> | 4 | PA, QL (60 tablets/30 days) |
| <i>theophylline tab er 12hr 300 mg, 450 mg</i> | 4 | |
| <i>theophylline tab er 24hr 400 mg, 600 mg</i> | 3 | |
| <i>tobramycin nebu soln 300 mg/5ml</i> | 5 | BD, PA |
| TRELEGY ELLIPTA - fluticasone-umeclidinium-vilanterol aepb 100-62.5-25 mcg/act, 200-62.5-25 mcg/act | 3 | QL (60 blisters/30 days) |
| TRIKAFTA - elexacaf-tezacaf-ivacaf 80-40-60 mg& ivacaf 59.5mg thpk gran | 5 | PA, QL (60 packets/30 days) |
| TRIKAFTA - elexacaf-tezacaf-ivacaf 100-50-75 mg& ivacaf 75mg thpk gran | 5 | PA, QL (60 packets/30 days) |
| TRIKAFTA - elexacaf-tezacaf-ivacaf 50-25-37.5 mg & ivacaftor 75 mg tbpk | 5 | PA, QL (90 tablets/30 days) |
| TRIKAFTA - elexacaf-tezacaf-ivacaf 100-50-75 mg & ivacaftor 150 mg tbpk | 5 | PA, QL (90 tablets/30 days) |
| VENTOLIN HFA - albuterol sulfate inhal aero 108 mcg/act (90mcg base equiv) | 3 | QL (2 inhalers/30 days) |
| WINREVAIR - sotatercept-csrk for subcutaneous soln kit 45 mg, 60 mg, 2 x 45 mg, 2 x 60 mg | 5 | PA, QL (1 kit/21 days) |
| <i>wixela inhub - fluticasone-salmeterol aer powder ba 100-50 mcg/act</i> | 3 | QL (1 inhaler/30 days) |
| <i>wixela inhub - fluticasone-salmeterol aer powder ba 250-50 mcg/act</i> | 3 | QL (1 inhaler/30 days) |
| <i>wixela inhub - fluticasone-salmeterol aer powder ba 500-50 mcg/act</i> | 3 | QL (1 inhaler/30 days) |
| <i>zafirlukast tab 10 mg, 20 mg</i> | 4 | |
| Skeletal Muscle Relaxants | | |
| <i>cyclobenzaprine hcl tab 5 mg, 10 mg#</i> | 2 | |
| <i>methocarbamol tab 500 mg, 750 mg#</i> | 2 | |
| Sleep Disorder Agents | | |
| <i>armodafinil tab 50 mg, 150 mg, 200 mg, 250 mg</i> | 4 | PA, QL (30 tablets/30 days) |
| <i>modafinil tab 100 mg, 200 mg</i> | 3 | PA, QL (30 tablets/30 days) |
| <i>ramelteon tab 8 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>sodium oxybate oral solution 500 mg/ml</i> | 5 | PA, QL (540 mls/30 days) |
| <i>tasimelteon capsule 20 mg</i> | 5 | PA, QL (30 capsules/30 days) |
| <i>temazepam cap 15 mg, 30 mg</i> | 2 | QL (30 capsules/30 days) |
| <i>zaleplon cap 5 mg#</i> | 3 | QL (30 capsules/30 days) |
| <i>zaleplon cap 10 mg#</i> | 3 | QL (60 capsules/30 days) |
| <i>zolpidem tartrate tab 5 mg, 10 mg#</i> | 2 | QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

INDEX

A

| | | | |
|---|----|---|----|
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 27 | AIMOVIG..... | 14 |
| <i>abacavir sulfate soln 20 mg/ml (base equiv)</i> | 27 | AKEEGA..... | 15 |
| <i>abacavir sulfate tab 300 mg (base equiv)</i> | 27 | <i>ala-cort - hydrocortisone cream 1%</i> | 44 |
| <i>abigale - estradiol & norethindrone acetate tab 1-0.5 mg</i> | 52 | <i>albendazole tab 200 mg</i> | 23 |
| ABILIFY ASIMTUFII..... | 24 | <i>albuterol sulfate inhal aero 108 mcg/act (90mcg base equiv)(generics for ProAir HFA and Proventil HFA)</i> | 68 |
| ABILIFY MAINTENA..... | 24 | <i>albuterol sulfate soln nebu 0.083% (2.5 mg/3ml)</i> | 68 |
| <i>abiraterone acetate tab 250 mg</i> | 15 | <i>albuterol sulfate soln nebu 0.5% (5 mg/ml), 0.63 mg/3ml (base equiv), 1.25 mg/3ml (base equiv)</i> | 68 |
| <i>abirtega - abiraterone acetate tab 250 mg</i> | 15 | <i>albuterol sulfate syrup 2 mg/5ml</i> | 68 |
| ABRYSCO..... | 60 | <i>albuterol sulfate tab 2 mg, 4 mg</i> | 68 |
| <i>acamprosate calcium tab delayed release 333 mg</i> | 2 | <i>alclometasone dipropionate cream 0.05%</i> | 44 |
| <i>acarbose tab 100 mg</i> | 31 | <i>alclometasone dipropionate oint 0.05%</i> | 44 |
| <i>acarbose tab 25 mg</i> | 31 | ALCOHOL SWABS..... | 31 |
| <i>acarbose tab 50 mg</i> | 31 | ALECENSA..... | 15 |
| <i>accutane - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg</i> | 44 | <i>alendronate sodium tab 10 mg</i> | 66 |
| <i>acebutolol hcl cap 200 mg, 400 mg</i> | 36 | <i>alendronate sodium tab 35 mg, 70 mg</i> | 66 |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 1 | <i>alfuzosin hcl tab er 24hr 10 mg</i> | 50 |
| <i>acetaminophen w/ codeine tab 300-15 mg, 300-30 mg</i> | 1 | <i>aliskiren fumarate tab 150 mg (base equivalent), 300 mg (base equivalent)</i> | 36 |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 1 | <i>allopurinol tab 100 mg, 300 mg</i> | 14 |
| <i>acetazolamide cap er 12hr 500 mg</i> | 36 | <i>alosetron hcl tab 0.5 mg (base equiv), 1 mg (base equiv)</i> | 48 |
| <i>acetazolamide tab 125 mg, 250 mg</i> | 36 | <i>alprazolam tab 0.25 mg, 0.5 mg, 1 mg</i> | 30 |
| <i>acetic acid otic soln 2%</i> | 68 | <i>alprazolam tab 2 mg</i> | 30 |
| <i>acetylcysteine inhal soln 10%, 20%</i> | 68 | <i>altavera - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 52 |
| <i>acitretin cap 10 mg, 17.5 mg, 25 mg</i> | 44 | ALUNBRIG..... | 15 |
| ACTEMRA..... | 60 | <i>alyacen 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg</i> | 52 |
| ACTEMRA ACTPEN..... | 60 | <i>alyacen 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 52 |
| ACTHIB..... | 60 | <i>amantadine hcl cap 100 mg</i> | 23 |
| ACTIMMUNE..... | 60 | <i>amantadine hcl soln 50 mg/5ml</i> | 23 |
| <i>acyclovir cap 200 mg</i> | 27 | <i>ambrisentan tab 5 mg, 10 mg</i> | 68 |
| <i>acyclovir oint 5%</i> | 27 | <i>amikacin sulfate inj 500 mg/2ml (250 mg/ml), 1 gm/4ml (250 mg/ml)</i> | 3 |
| <i>acyclovir sodium iv soln 50 mg/ml</i> | 27 | <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 36 |
| <i>acyclovir susp 200 mg/5ml</i> | 27 | <i>amiloride hcl tab 5 mg</i> | 36 |
| <i>acyclovir tab 400 mg, 800 mg</i> | 27 | <i>amiodarone hcl tab 100 mg</i> | 36 |
| ADACEL..... | 60 | <i>amiodarone hcl tab 200 mg</i> | 36 |
| <i>adefovir dipivoxil tab 10 mg</i> | 27 | <i>amitriptyline hcl tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg</i> | 11 |
| ADEMPAS..... | 68 | <i>amlodipine besylate-atorvastatin calcium tab 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40</i> | |
| ADVAIR HFA..... | 68 | | |
| <i>afirmelle - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 52 | | |

| | | | |
|--|----|---|----|
| mg, 5-80 mg, 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg..... | 37 | anagrelide hcl cap 0.5 mg, 1 mg..... | 35 |
| amlodipine besylate-benazepril hcl cap 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg, 10-20 mg, 10-40 mg..... | 37 | anastrozole tab 1 mg..... | 16 |
| amlodipine besylate-olmesartan medoxomil tab 5-20 mg, 5-40 mg, 10-20 mg, 10-40 mg..... | 37 | ANORO ELLIPTA..... | 68 |
| amlodipine besylate tab 2.5 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)..... | 36 | aprepitant capsule 40 mg, 80 mg, 125 mg..... | 13 |
| amlodipine besylate-valsartan tab 5-160 mg, 5-320 mg, 10-160 mg, 10-320 mg..... | 37 | aprepitant capsule therapy pack 80 & 125 mg..... | 13 |
| amlodipine-valsartan-hydrochlorothiazide tab 5-160-12.5 mg, 5-160-25 mg, 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg..... | 37 | apri - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg..... | 52 |
| amnesteem - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg..... | 44 | APTIVUS..... | 27 |
| amoxapine tab 25 mg, 50 mg, 100 mg, 150 mg..... | 11 | aranelle - norethindrone-eth estradiol tab 0.5-35/1-35/0.5-35 mg-mcg..... | 52 |
| amoxicillin (trihydrate) cap 250 mg, 500 mg..... | 3 | ARCALYST..... | 60 |
| amoxicillin (trihydrate) chew tab 125 mg..... | 3 | AREXVY..... | 60 |
| amoxicillin (trihydrate) chew tab 250 mg..... | 3 | ARIKAYCE..... | 4 |
| amoxicillin (trihydrate) for susp 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml..... | 3 | aripiprazole orally disintegrating tab 10 mg, 15 mg..... | 24 |
| amoxicillin (trihydrate) tab 500 mg, 875 mg..... | 3 | aripiprazole oral solution 1 mg/ml..... | 24 |
| amoxicillin & k clavulanate for susp 200-28.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml..... | 3 | aripiprazole tab 10 mg, 15 mg, 20 mg, 30 mg..... | 24 |
| amoxicillin & k clavulanate for susp 250-62.5 mg/5ml..... | 3 | aripiprazole tab 2 mg, 5 mg..... | 24 |
| amoxicillin & k clavulanate tab 250-125 mg, 500-125 mg, 875-125 mg..... | 3 | armodafinil tab 50 mg, 150 mg, 200 mg, 250 mg..... | 71 |
| amphetamine-dextroamphetamine cap er 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg..... | 42 | ARNUIITY ELLIPTA..... | 68 |
| amphetamine-dextroamphetamine cap er 24hr 5 mg..... | 42 | asenapine maleate sl tab 2.5 mg (base equiv), 5 mg (base equiv), 10 mg (base equiv)..... | 24 |
| amphetamine-dextroamphetamine tab 20 mg..... | 42 | ASMANEX HFA..... | 69 |
| amphetamine-dextroamphetamine tab 5 mg, 7.5 mg, 10 mg, 12.5 mg, 15 mg, 30 mg..... | 42 | ASMANEX TWISTHALER 120 METERED DOSES..... | 69 |
| AMPHOTERICIN B..... | 13 | ASMANEX TWISTHALER 14 METERED DOSES..... | 69 |
| amphotericin b liposome iv for susp 50 mg..... | 13 | ASMANEX TWISTHALER 30 METERED DOSES..... | 69 |
| ampicillin & sulbactam sodium for inj 3 (2-1) gm..... | 3 | ASMANEX TWISTHALER 60 METERED DOSES..... | 69 |
| ampicillin & sulbactam sodium for iv soln 3 (2-1) gm..... | 3 | aspirin-dipyridamole cap er 12hr 25-200 mg..... | 35 |
| ampicillin cap 500 mg..... | 3 | atazanavir sulfate cap 150 mg (base equiv), 300 mg (base equiv)..... | 27 |
| ampicillin sodium for inj 1 gm..... | 3 | atazanavir sulfate cap 200 mg (base equiv)..... | 27 |
| ampicillin sodium for iv soln 1 gm..... | 3 | atenolol & chlorthalidone tab 50-25 mg, 100-25 mg..... | 37 |
| | | atenolol tab 25 mg, 50 mg, 100 mg..... | 37 |
| | | atomoxetine hcl cap 10 mg (base equiv), 18 mg (base equiv), 25 mg (base equiv), 40 mg (base equiv)..... | 42 |
| | | atomoxetine hcl cap 60 mg (base equiv), 80 mg (base equiv), 100 mg (base equiv)..... | 42 |
| | | atorvastatin calcium tab 10 mg (base equivalent), 20 mg (base equivalent), 40 mg (base equivalent)..... | 37 |

| | | | |
|--|----|---|----|
| <i>atorvastatin calcium tab 80 mg (base equivalent)</i> | 37 | <i>bacitracin-polymyxin b ophth oint</i> | 67 |
| <i>atovaquone-proguanil hcl tab 62.5-25 mg, 250-100 mg</i> | 23 | <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 67 |
| <i>atovaquone susp 750 mg/5ml</i> | 23 | <i>baclofen tab 10 mg, 20 mg</i> | 27 |
| <i>atropine sulfate ophth soln 1%</i> | 67 | <i>balsalazide disodium cap 750 mg</i> | 66 |
| ATTRUBY..... | 49 | BALVERSA..... | 16 |
| <i>abra eq - levonorgestrel & ethinyl estradiol tab 0.1 mg-20mcg</i> | 52 | <i>balziva - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 52 |
| AUGTYRO..... | 16 | BARACLUDE..... | 27 |
| <i>aurovela 1/20 - norethindrone ace & ethinyl estradiol tab 1mg-20 mcg</i> | 52 | BCG VACCINE..... | 60 |
| <i>aurovela 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 52 | <i>benazepril & hydrochlorothiazide tab 5-6.25 mg, 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 37 |
| <i>aurovela 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 52 | <i>benazepril hcl tab 5 mg, 10 mg, 20 mg, 40 mg</i> | 37 |
| <i>aurovela fe 1/20 - norethindrone ace & ethinyl estradiol-fetab 1 mg-20 mcg</i> | 52 | BENLYSTA..... | 60 |
| <i>aurovela fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 52 | <i>benzoyl peroxide-erythromycin gel 5-3%</i> | 44 |
| AUSTEDO..... | 42 | <i>benztropine mesylate tab 0.5 mg, 1 mg, 2 mg</i> | 23 |
| AUSTEDO XR..... | 42 | BESREMI..... | 60 |
| AUSTEDO XR PATIENT TITRATION KIT..... | 42 | <i>betaine powder for oral solution</i> | 49 |
| AUVELITY..... | 11 | BETAMETHASONE DIPROPIONATE AUGMENTED..... | 44 |
| <i>aviane - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 52 | <i>betamethasone dipropionate augmented cream 0.05%</i> | 44 |
| <i>avidoxy - doxycycline monohydrate tab 100 mg</i> | 4 | <i>betamethasone dipropionate augmented lotion 0.05%</i> | 44 |
| AVMAPKI FAKZYNJA CO-PACK..... | 16 | <i>betamethasone dipropionate augmented oint 0.05%</i> | 44 |
| AVONEX..... | 42 | <i>betamethasone dipropionate cream 0.05%</i> | 44 |
| AVONEX PEN..... | 42 | <i>betamethasone dipropionate lotion 0.05%</i> | 44 |
| <i>ayuna - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 52 | <i>betamethasone dipropionate oint 0.05%</i> | 44 |
| AYVAKIT..... | 16 | <i>betamethasone valerate cream 0.1% (base equivalent)</i> | 44 |
| <i>azathioprine tab 50 mg</i> | 60 | <i>betamethasone valerate lotion 0.1% (base equivalent)</i> | 44 |
| <i>azelaic acid gel 15%</i> | 44 | <i>betamethasone valerate oint 0.1% (base equivalent)</i> | 44 |
| <i>azelastine hcl nasal spray 0.1% (137 mcg/spray)</i> | 69 | BETASERON..... | 42 |
| <i>azelastine hcl ophth soln 0.05%</i> | 67 | <i>betaxolol hcl ophth soln 0.5%</i> | 67 |
| <i>azithromycin for susp 100 mg/5ml, 200 mg/5ml</i> | 4 | <i>betaxolol hcl tab 10 mg, 20 mg</i> | 37 |
| <i>azithromycin iv for soln 500 mg</i> | 4 | <i>bethanechol chloride tab 5 mg, 10 mg, 25 mg, 50 mg</i> | 50 |
| <i>azithromycin tab 250 mg, 500 mg, 600 mg</i> | 4 | <i>bexarotene cap 75 mg</i> | 16 |
| <i>aztreonam for inj 1 gm, 2 gm</i> | 4 | <i>bexarotene gel 1%</i> | 16 |
| <i>azurette - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 52 | BEXSERO..... | 60 |
| B | | <i>bicalutamide tab 50 mg</i> | 16 |
| <i>bac - butalbital-acetaminophen-caffeine tab 50-325-40 mg</i> | 1 | BICILLIN L-A..... | 4 |
| | | BIKTARVY..... | 27 |

| | | | |
|---|----|---|----|
| <i>bimatoprost ophth soln 0.03%</i> | 67 | <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 3 |
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg, 5-6.25 mg, 10-6.25 mg</i> | 37 | <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 3 |
| <i>bisoprolol fumarate tab 5 mg, 10 mg</i> | 37 | <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 3 |
| <i>blisovi 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 52 | <i>buprenorphine hcl sl tab 2 mg (base equiv)</i> | 3 |
| <i>blisovi fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 52 | <i>buprenorphine hcl sl tab 8 mg (base equiv)</i> | 3 |
| <i>blisovi fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 52 | <i>bupropion hcl (smoking deterrent) tab er 12hr 150 mg</i> | 3 |
| BONSITY..... | 66 | <i>bupropion hcl tab 100 mg</i> | 11 |
| BOOSTRIX..... | 61 | <i>bupropion hcl tab 75 mg</i> | 11 |
| <i>bosentan tab 62.5 mg, 125 mg</i> | 69 | <i>bupropion hcl tab er 12hr 100 mg</i> | 11 |
| <i>bosentan tab for oral susp 32 mg</i> | 69 | <i>bupropion hcl tab er 12hr 150 mg, 200 mg</i> | 11 |
| BOSULIF..... | 16 | <i>bupropion hcl tab er 24hr 150 mg</i> | 11 |
| BRAFTOVI..... | 16 | <i>bupropion hcl tab er 24hr 300 mg</i> | 11 |
| BREO ELLIPTA..... | 69 | <i>bupirone hcl tab 5 mg, 7.5 mg, 10 mg, 15 mg, 30 mg</i> | 30 |
| <i>breyna - budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act</i> | 69 | <i>butalbital-acetaminophen-caffeine tab 50-325-40 mg</i> | 1 |
| <i>breyna - budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act</i> | 69 | <i>butalbital-aspirin-caffeine cap 50-325-40 mg</i> | 1 |
| BREZTRI AEROSPHERE..... | 69 | C | |
| <i>briellyn - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 52 | <i>cabergoline tab 0.5 mg</i> | 59 |
| <i>brimonidine tartrate ophth soln 0.15%</i> | 67 | CABOMETYX..... | 16 |
| <i>brimonidine tartrate ophth soln 0.2%</i> | 67 | <i>calcipotriene cream 0.005%</i> | 44 |
| <i>brivaracetam oral soln 10 mg/ml</i> | 8 | <i>calcipotriene oint 0.005%</i> | 44 |
| <i>brivaracetam tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg</i> | 8 | <i>calcipotriene soln 0.005% (50 mcg/ml)</i> | 44 |
| BRIVIACT..... | 8 | <i>calcitonin (salmon) nasal soln 200 unit/act</i> | 66 |
| <i>bromocriptine mesylate cap 5 mg (base equivalent)</i> | 23 | <i>calcitrene - calcipotriene oint 0.005%</i> | 44 |
| <i>bromocriptine mesylate tab 2.5 mg (base equivalent)</i> | 23 | <i>calcitriol cap 0.25 mcg, 0.5 mcg</i> | 66 |
| BRUKINSA..... | 16 | <i>calcitriol oral soln 1 mcg/ml</i> | 66 |
| <i>budesonide delayed release particles cap 3 mg</i> | 66 | CALQUENCE..... | 16 |
| <i>budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act, 160-4.5 mcg/act</i> | 69 | <i>camila - norethindrone tab 0.35 mg</i> | 52 |
| <i>budesonide inhalation susp 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml</i> | 69 | <i>camrese lo - levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 52 |
| <i>budesonide tab er 24hr 9 mg</i> | 66 | <i>candesartan cilexetil-hydrochlorothiazide tab 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> | 37 |
| <i>bumetanide inj 0.25 mg/ml</i> | 37 | <i>candesartan cilexetil tab 32 mg</i> | 37 |
| <i>bumetanide tab 0.5 mg, 1 mg</i> | 37 | <i>candesartan cilexetil tab 4 mg, 8 mg, 16 mg</i> | 37 |
| <i>bumetanide tab 2 mg</i> | 37 | CAPLYTA..... | 24 |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 3 | CAPRELSA..... | 16 |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 3 | <i>captopril tab 12.5 mg, 25 mg, 50 mg, 100 mg</i> | 37 |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 3 | <i>carbamazepine cap er 12hr 100 mg, 200 mg, 300 mg</i> | 8 |

| | | | |
|--|----|---|----|
| carbamazepine chew tab 100 mg..... | 8 | cefpodoxime proxetil tab 100 mg, 200 | |
| carbamazepine susp 100 mg/5ml..... | 8 | mg..... | 4 |
| carbamazepine tab 200 mg..... | 8 | cefprozil tab 250 mg, 500 mg..... | 4 |
| carbamazepine tab er 12hr 100 mg, 200 mg, 400 | | ceftaroline fosamil for iv soln 400 mg, 600 | |
| mg..... | 8 | mg..... | 4 |
| carbidopa & levodopa orally disintegrating tab | | ceftazidime for inj 1 gm..... | 4 |
| 10-100 mg, 25-100 mg, 25-250 mg..... | 23 | ceftazidime for inj 6 gm..... | 4 |
| carbidopa & levodopa tab 10-100 mg, 25-100 mg, | | ceftazidime for iv soln 2 gm..... | 4 |
| 25-250 mg..... | 23 | ceftriaxone sodium (bulk) for inj 100 gm..... | 4 |
| carbidopa & levodopa tab er 25-100 mg, 50-200 | | ceftriaxone sodium for inj 250 mg, 500 mg, 1 gm, 2 | |
| mg..... | 23 | gm, 10 gm..... | 4 |
| carglumic acid soluble tab 200 mg..... | 46 | ceftriaxone sodium for iv soln 1 gm, 2 | |
| carteolol hcl ophth soln 1%..... | 67 | gm..... | 5 |
| cartia xt - diltiazem hcl coated beads cap er 24hr 120 | | ceftriaxone sodium for iv soln 1 gm and dextrose | |
| mg, 180 mg, 240 mg, 300 mg..... | 37 | 3.74% 50 ml..... | 5 |
| carvedilol tab 3.125 mg, 6.25 mg, 12.5 mg, 25 | | ceftriaxone sodium for iv soln 2 gm and dextrose | |
| mg..... | 37 | 2.22% 50 ml..... | 5 |
| casprofing acetate for iv soln 50 mg, 70 | | ceftriaxone sodium in dextrose inj 20 mg/ | |
| mg..... | 13 | ml..... | 5 |
| CAYSTON..... | 69 | ceftriaxone sodium in dextrose inj 40 mg/ | |
| cefaclor cap 250 mg..... | 4 | ml..... | 5 |
| cefaclor cap 500 mg..... | 4 | cefuroxime axetil tab 250 mg, 500 mg..... | 5 |
| cefadroxil cap 500 mg..... | 4 | cefuroxime sodium for inj 750 mg..... | 5 |
| cefadroxil for susp 250 mg/5ml, 500 | | cefuroxime sodium for iv soln 1.5 gm..... | 5 |
| mg/5ml..... | 4 | celecoxib cap 400 mg..... | 1 |
| cefazolin sodium-dextrose iv solution 1 | | celecoxib cap 50 mg, 100 mg, 200 mg..... | 1 |
| gm/50ml-4%..... | 4 | cephalexin cap 250 mg, 500 mg..... | 5 |
| cefazolin sodium for inj 500 mg, 1 gm..... | 4 | cephalexin for susp 125 mg/5ml, 250 | |
| cefazolin sodium for iv soln 1 gm..... | 4 | mg/5ml..... | 5 |
| cefazolin sodium for iv soln 1 gm and dextrose 4% | | CEREZYME..... | 49 |
| (50 ml)..... | 4 | chateal eq - levonorgestrel & ethinyl estradiol tab | |
| cefdinir cap 300 mg..... | 4 | 0.15 mg-30 mcg..... | 52 |
| cefdinir for susp 125 mg/5ml, 250 | | CHEMET..... | 46 |
| mg/5ml..... | 4 | chlorhexidine gluconate soln 0.12%..... | 44 |
| cefepime hcl for inj 1 gm..... | 4 | chloroquine phosphate tab 250 mg..... | 23 |
| cefepime hcl for iv soln 1 gm and dextrose 5% (50 | | chloroquine phosphate tab 500 mg..... | 23 |
| ml)..... | 4 | chlorpromazine hcl conc 30 mg/ml, 100 mg/ | |
| cefepime hcl for iv soln 2 gm..... | 4 | ml..... | 13 |
| cefepime hcl for iv soln 2 gm and dextrose 5% (50 | | chlorpromazine hcl tab 10 mg, 25 mg, 50 mg, 100 | |
| ml)..... | 4 | mg, 200 mg..... | 13 |
| cefepime hcl iv soln 1 gm/50ml..... | 4 | chlorthalidone tab 25 mg, 50 mg..... | 37 |
| cefepime hcl iv soln 2 gm/100ml..... | 4 | cholestyramine light powder 4 gm/ | |
| cefixime cap 400 mg..... | 4 | dose..... | 37 |
| cefoxitin sodium for iv soln 1 gm, 2 gm..... | 4 | cholestyramine light powder packets 4 | |
| cefoxitin sodium iv for soln 1 gm and dextrose 4% | | gm..... | 37 |
| (50 ml)..... | 4 | cholestyramine powder 4 gm/dose..... | 37 |
| cefoxitin sodium iv for soln 2 gm and dextrose 2.2% | | cholestyramine powder packets 4 gm..... | 37 |
| (50 ml)..... | 4 | choline fenofibrate cap dr 135 mg (fenofibric acid | |
| cefpodoxime proxetil for susp 100 | | equiv)..... | 37 |
| mg/5ml..... | 4 | choline fenofibrate cap dr 45 mg (fenofibric acid | |
| cefpodoxime proxetil for susp 50 | | equiv)..... | 37 |
| mg/5ml..... | 4 | CHORIONIC GONADOTROPIN..... | 51 |

| | | | |
|--|----|---|----|
| <i>ciclodan - ciclopirox solution 8%</i> | 13 | <i>clobetasol propionate e - clobetasol propionate emollient base cream 0.05%</i> | 44 |
| <i>ciclopirox gel 0.77%</i> | 13 | <i>clobetasol propionate emollient base cream 0.05%</i> | 45 |
| <i>ciclopirox olamine cream 0.77% (base equiv)</i> | 13 | <i>clobetasol propionate emollient - clobetasol propionate emollient base cream 0.05%</i> | 44 |
| <i>ciclopirox olamine susp 0.77% (base equiv)</i> | 13 | <i>clobetasol propionate gel 0.05%</i> | 45 |
| <i>ciclopirox solution 8%</i> | 13 | <i>clobetasol propionate oint 0.05%</i> | 45 |
| <i>cilostazol tab 50 mg, 100 mg</i> | 35 | <i>clobetasol propionate soln 0.05%</i> | 45 |
| <i>CIMDUO</i> | 27 | <i>clomipramine hcl cap 25 mg, 50 mg, 75 mg</i> | 11 |
| <i>cimetidine tab 200 mg, 300 mg, 400 mg, 800 mg</i> | 48 | <i>clonazepam orally disintegrating tab 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 30 |
| <i>cinacalcet hcl tab 30 mg (base equiv), 60 mg (base equiv), 90 mg (base equiv)</i> | 66 | <i>clonazepam orally disintegrating tab 2 mg</i> | 30 |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | 5 | <i>clonazepam tab 0.5 mg, 1 mg</i> | 30 |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | 5 | <i>clonazepam tab 2 mg</i> | 30 |
| <i>ciprofloxacin hcl ophth soln 0.3% (base equivalent)</i> | 67 | <i>clonidine hcl tab 0.1 mg, 0.2 mg, 0.3 mg</i> | 38 |
| <i>ciprofloxacin hcl tab 250 mg (base equiv), 500 mg (base equiv), 750 mg (base equiv)</i> | 5 | <i>clonidine hcl tab er 12hr 0.1 mg</i> | 43 |
| <i>citalopram hydrobromide oral soln 10 mg/5ml</i> | 11 | <i>clonidine td patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i> | 38 |
| <i>citalopram hydrobromide tab 10 mg (base equiv), 20 mg (base equiv)</i> | 11 | <i>clopidogrel bisulfate tab 75 mg (base equiv)</i> | 35 |
| <i>citalopram hydrobromide tab 40 mg (base equiv)</i> | 11 | <i>clorazepate dipotassium tab 15 mg</i> | 30 |
| <i>claravis - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg</i> | 44 | <i>clorazepate dipotassium tab 3.75 mg</i> | 30 |
| <i>CLARITHROMYCIN</i> | 5 | <i>clorazepate dipotassium tab 7.5 mg</i> | 30 |
| <i>clarithromycin tab 250 mg, 500 mg</i> | 5 | <i>clotrimazole cream 1%</i> | 13 |
| <i>clindamycin hcl cap 75 mg, 150 mg, 300 mg</i> | 5 | <i>clotrimazole troche 10 mg</i> | 13 |
| <i>clindamycin palmitate hcl for soln 75 mg/5ml (base equiv)</i> | 5 | <i>clotrimazole w/ betamethasone cream 1-0.05%</i> | 45 |
| <i>clindamycin phosphate gel 1% (once-daily), 1% (twice-daily)</i> | 5 | <i>clozapine orally disintegrating tab 12.5 mg</i> | 24 |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i> | 5 | <i>clozapine orally disintegrating tab 150 mg</i> | 24 |
| <i>clindamycin phosphate inj 300 mg/2ml, 600 mg/4ml, 900 mg/6ml</i> | 5 | <i>clozapine orally disintegrating tab 200 mg</i> | 24 |
| <i>clindamycin phosphate in nacl 0.9% iv soln 300 mg/50ml</i> | 5 | <i>clozapine orally disintegrating tab 25 mg, 100 mg</i> | 24 |
| <i>clindamycin phosphate in nacl 0.9% iv soln 600 mg/50ml</i> | 5 | <i>clozapine tab 100 mg</i> | 24 |
| <i>clindamycin phosphate in nacl 0.9% iv soln 900 mg/50ml</i> | 5 | <i>clozapine tab 200 mg</i> | 24 |
| <i>clindamycin phosphate soln 1%</i> | 5 | <i>clozapine tab 25 mg, 50 mg</i> | 24 |
| <i>clindamycin phosphate vaginal cream 2%</i> | 5 | <i>COARTEM</i> | 23 |
| <i>clobazam suspension 2.5 mg/ml</i> | 8 | <i>COBENFY</i> | 24 |
| <i>clobazam tab 10 mg, 20 mg</i> | 8 | <i>COBENFY STARTER PACK</i> | 24 |
| <i>clobetasol propionate cream 0.05%</i> | 44 | <i>colchicine tab 0.6 mg</i> | 14 |
| | | <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 14 |
| | | <i>colestipol hcl granule packets 5 gm</i> | 38 |
| | | <i>colestipol hcl granules 5 gm</i> | 38 |
| | | <i>colestipol hcl tab 1 gm</i> | 38 |

| | | | |
|--|----|---|----|
| <i>colistimethate sod for inj 150 mg (colistin base activity)</i> | 5 | <i>dapagliflozin tab 5 mg, 10 mg</i> | 31 |
| COMBIPATCH..... | 52 | <i>dapsone tab 25 mg, 100 mg</i> | 15 |
| COMBIVENT RESPIMAT..... | 69 | DAPTACEL..... | 61 |
| COMETRIQ..... | 16 | <i>daptomycin for iv soln 500 mg</i> | 5 |
| <i>compro - prochlorperazine suppos 25 mg</i> | 13 | <i>darunavir tab 600 mg</i> | 27 |
| <i>constulose - lactulose solution 10 gm/15ml</i> | 48 | <i>darunavir tab 800 mg</i> | 27 |
| COPIKTRA..... | 16 | <i>dasatinib tab 20 mg</i> | 16 |
| CORLANOR..... | 38 | <i>dasatinib tab 50 mg, 70 mg, 80 mg, 100 mg, 140 mg</i> | 16 |
| COSENTYX..... | 61 | <i>dasetta 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg</i> | 53 |
| COSENTYX SENSOREADY PEN..... | 61 | <i>dasetta 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 53 |
| COSENTYX UNOREADY..... | 61 | DAURISMO..... | 17 |
| COTELLIC..... | 16 | <i>deblitane - norethindrone tab 0.35 mg</i> | 53 |
| CREON..... | 49 | <i>deferasirox granules packet 90 mg, 180 mg, 360 mg</i> | 46 |
| CRESEMBA..... | 13 | <i>deferasirox tab 180 mg, 360 mg</i> | 47 |
| <i>cromolyn sodium ophth soln 4%</i> | 67 | <i>deferasirox tab 90 mg</i> | 47 |
| <i>cromolyn sodium oral conc 100 mg/5ml</i> | 49 | <i>deferasirox tab for oral susp 125 mg</i> | 46 |
| <i>cromolyn sodium soln nebu 20 mg/2ml</i> | 69 | <i>deferasirox tab for oral susp 250 mg, 500 mg</i> | 47 |
| <i>cryselle-28 - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 52 | DELSTRIGO..... | 27 |
| <i>cryselle - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 52 | <i>delyla - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 53 |
| CRYSVITA..... | 49 | DENG VAXIA..... | 61 |
| <i>cyclobenzaprine hcl tab 5 mg, 10 mg</i> | 71 | DEPO-SUBQ PROVERA 104..... | 53 |
| CYCLOPHOSPHAMIDE..... | 16 | <i>depo-testosterone - testosterone cypionate im inj in oil 100 mg/ml</i> | 53 |
| <i>cyclophosphamide cap 25 mg, 50 mg</i> | 16 | <i>depo-testosterone - testosterone cypionate im inj in oil 200 mg/ml</i> | 53 |
| <i>cyclosporine (ophth) emulsion 0.05% (pf)</i> | 67 | DESCOVY..... | 27 |
| <i>cyclosporine cap 25 mg, 100 mg</i> | 61 | <i>desipramine hcl tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg</i> | 11 |
| <i>cyclosporine modified cap 25 mg, 50 mg, 100 mg</i> | 61 | <i>desmopressin acetate inj 4 mcg/ml</i> | 51 |
| <i>cyclosporine modified oral soln 100 mg/ml</i> | 61 | <i>desmopressin acetate nasal spray soln 0.01%</i> | 51 |
| <i>cyproheptadine hcl tab 4 mg</i> | 69 | <i>desmopressin acetate nasal spray soln 0.01% (refrigerated)</i> | 51 |
| <i>cyred eq - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 52 | <i>desmopressin acetate preservative free (pf) inj 4 mcg/ml</i> | 51 |
| CYSTAGON..... | 49 | <i>desmopressin acetate tab 0.1 mg, 0.2 mg</i> | 51 |
| CYSTARAN..... | 67 | <i>desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 53 |
| D | | <i>desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 53 |
| <i>dabigatran etexilate mesylate cap 110 mg (etexilate base eq)</i> | 35 | <i>desonide oint 0.05%</i> | 45 |
| <i>dabigatran etexilate mesylate cap 75 mg (etexilate base eq), 150 mg (etexilate base eq)</i> | 35 | <i>desoximetasone cream 0.25%</i> | 45 |
| <i>dalfampridine tab er 12hr 10 mg</i> | 43 | <i>desvenlafaxine succinate tab er 24hr 25 mg (base equiv), 50 mg (base equiv), 100 mg (base equiv)</i> | 11 |
| <i>danazol cap 50 mg, 100 mg, 200 mg</i> | 53 | | |
| <i>dantrolene sodium cap 25 mg, 50 mg, 100 mg</i> | 27 | | |
| DANZITEN..... | 16 | | |

| | | | |
|--|----|--|----|
| dexamethasone elixir 0.5 mg/5ml..... | 51 | diltiazem hcl cap er 24hr 120 mg, 180 mg, 240 mg..... | 38 |
| dexamethasone sodium phosphate ophth soln 0.1%..... | 67 | diltiazem hcl coated beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg..... | 38 |
| dexamethasone soln 0.5 mg/5ml..... | 51 | diltiazem hcl extended release beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg..... | 38 |
| dexamethasone tab 0.5 mg, 0.75 mg, 1 mg, 2 mg, 4 mg, 6 mg..... | 51 | diltiazem hcl tab 30 mg, 60 mg, 90 mg, 120 mg..... | 38 |
| dexmethylphenidate hcl tab 2.5 mg, 5 mg, 10 mg..... | 43 | diltiazem hcl tab er 24hr 120 mg..... | 38 |
| dextroamphetamine sulfate tab 10 mg..... | 43 | dilt-xr - diltiazem hcl cap er 24hr 120 mg, 180 mg, 240 mg..... | 38 |
| dextroamphetamine sulfate tab 5 mg..... | 43 | dimethyl fumarate capsule delayed release 120 mg, 240 mg..... | 43 |
| dextrose 2.5% w/ sodium chloride 0.45%..... | 47 | dimethyl fumarate capsule dr starter pack 120 mg & 240 mg..... | 43 |
| dextrose 5% w/ sodium chloride 0.2%..... | 47 | diphenoxylate w/ atropine tab 2.5-0.025 mg..... | 48 |
| dextrose 5% w/ sodium chloride 0.45%..... | 47 | disulfiram tab 250 mg..... | 3 |
| dextrose 5% w/ sodium chloride 0.9%..... | 47 | disulfiram tab 500 mg..... | 3 |
| dextrose inj 10%..... | 47 | divalproex sodium cap delayed release sprinkle 125 mg..... | 8 |
| dextrose inj 5%..... | 47 | divalproex sodium tab delayed release 125 mg, 250 mg, 500 mg..... | 8 |
| DIACOMIT..... | 8 | divalproex sodium tab er 24 hr 250 mg, 500 mg..... | 8 |
| diazepam conc 5 mg/ml..... | 30 | dofetilide cap 125 mcg (0.125 mg), 250 mcg (0.25 mg), 500 mcg (0.5 mg)..... | 38 |
| diazepam intensol - diazepam conc 5 mg/ml..... | 30 | donepezil hydrochloride orally disintegrating tab 5 mg, 10 mg..... | 10 |
| diazepam oral soln 1 mg/ml..... | 31 | donepezil hydrochloride tab 5 mg, 10 mg..... | 10 |
| diazepam rectal gel delivery system 2.5 mg, 10 mg, 20 mg..... | 8 | dorzolamide hcl ophth soln 2%..... | 67 |
| diazepam tab 2 mg, 5 mg, 10 mg..... | 31 | dorzolamide hcl-timolol maleate ophth soln 2-0.5%..... | 67 |
| diazoxide susp 50 mg/ml..... | 31 | dotti - estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr..... | 53 |
| diclofenac potassium tab 50 mg..... | 1 | DOVATO..... | 27 |
| diclofenac sodium (actinic keratoses) gel 3%..... | 45 | doxazosin mesylate tab 1 mg, 2 mg, 4 mg, 8 mg..... | 38 |
| diclofenac sodium ophth soln 0.1%..... | 67 | doxepin hcl cap 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg..... | 11 |
| diclofenac sodium soln 1.5%..... | 1 | doxepin hcl conc 10 mg/ml..... | 11 |
| diclofenac sodium tab delayed release 25 mg..... | 1 | doxy 100 - doxycycline hyclate for inj 100 mg..... | 6 |
| diclofenac sodium tab delayed release 50 mg..... | 1 | doxycycline hyclate cap 50 mg, 100 mg..... | 5 |
| diclofenac sodium tab delayed release 75 mg..... | 1 | doxycycline hyclate for inj 100 mg..... | 5 |
| diclofenac sodium tab er 24hr 100 mg..... | 1 | doxycycline hyclate tab 100 mg..... | 5 |
| dicloxacillin sodium cap 250 mg..... | 5 | doxycycline hyclate tab 20 mg..... | 5 |
| dicloxacillin sodium cap 500 mg..... | 5 | doxycycline monohydrate cap 50 mg, 100 mg..... | 5 |
| dicyclomine hcl cap 10 mg..... | 48 | | |
| dicyclomine hcl oral soln 10 mg/5ml..... | 48 | | |
| dicyclomine hcl tab 20 mg..... | 48 | | |
| DIFICID..... | 5 | | |
| digoxin oral soln 0.05 mg/ml..... | 38 | | |
| digoxin tab 125 mcg (0.125 mg), 250 mcg (0.25 mg)..... | 38 | | |
| dihydroergotamine mesylate nasal spray 4 mg/ml..... | 14 | | |
| DILANTIN..... | 8 | | |

| | | | |
|---|----|---|----|
| <i>doxycycline monohydrate tab 50 mg, 75 mg, 100 mg</i> | 6 | <i>emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg</i> | 28 |
| DRIZALMA SPRINKLE..... | 11 | EMTRIVA..... | 28 |
| <i>dronabinol cap 2.5 mg, 5 mg, 10 mg</i> | 13 | <i>emzahh - norethindrone tab 0.35 mg</i> | 53 |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 53 | <i>enalapril maleate & hydrochlorothiazide tab 5-12.5 mg, 10-25 mg</i> | 38 |
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | 53 | <i>enalapril maleate tab 2.5 mg, 5 mg, 10 mg, 20 mg</i> | 38 |
| <i>droxidopa cap 100 mg, 200 mg, 300 mg</i> | 38 | ENBREL..... | 61 |
| DUAVEE..... | 53 | ENBREL MINI..... | 61 |
| DULERA..... | 69 | ENBREL SURECLICK..... | 61 |
| <i>duloxetine hcl enteric coated pellets cap 20 mg (base eq), 60 mg (base eq)</i> | 11 | <i>endocet - oxycodone w/ acetaminophen tab 10-325 mg</i> | 1 |
| <i>duloxetine hcl enteric coated pellets cap 30 mg (base eq)</i> | 11 | <i>endocet - oxycodone w/ acetaminophen tab 2.5-325 mg, 5-325 mg</i> | 1 |
| DUPIXENT..... | 61 | <i>endocet - oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 1 |
| <i>dutasteride cap 0.5 mg</i> | 50 | ENGERIX-B..... | 61 |
| E | | <i>enilloring - etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | 53 |
| <i>econazole nitrate cream 1%</i> | 13 | <i>enoxaparin sodium inj soln pref syr 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml, 100 mg/ml, 120 mg/0.8ml, 150 mg/ml</i> | 36 |
| EDURANT..... | 27 | ENSACOVE..... | 17 |
| EDURANT PED..... | 27 | <i>enskyce - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 53 |
| EFAVIRENZ/LAMIVUDINE/TENOFOVIR | | <i>entacapone tab 200 mg</i> | 23 |
| DISOPROXIL FUMARATE..... | 28 | <i>entecavir tab 0.5 mg, 1 mg</i> | 28 |
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | 27 | ENTRESTO..... | 38 |
| <i>efavirenz-lamivudine-tenofovir df tab 600-300-300 mg</i> | 28 | ENTYVIO PEN..... | 61 |
| <i>efavirenz tab 600 mg</i> | 27 | <i>enulose - lactulose (encephalopathy) solution 10 gm/15ml</i> | 48 |
| ELELYSO..... | 49 | ENVARUSUS XR..... | 61 |
| ELIGARD..... | 59 | EPIDIOLEX..... | 8 |
| <i>elinest - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 53 | <i>epinastine hcl ophth soln 0.05%</i> | 67 |
| ELIQUIS..... | 35 | EPINEPHRINE..... | 69 |
| ELIQUIS STARTER PACK..... | 35 | <i>epinephrine solution auto-injector 0.15 mg/0.3ml (1:2000)</i> | 69 |
| <i>eltrombopag olamine powder pack for susp 25 mg (base equiv), 12.5 mg (base eq)</i> | 35 | <i>epinephrine solution auto-injector 0.3 mg/0.3ml (1:1000)(generic for EpiPen 2-Pak)</i> | 69 |
| <i>eltrombopag olamine tab 12.5 mg (base equiv), 25 mg (base equiv), 50 mg (base equiv), 75 mg (base equiv)</i> | 36 | <i>ergotamine w/ caffeine tab 1-100 mg</i> | 15 |
| <i>eluryng - etonogestrel-ethinyl estradiol va ring 0.12-0.015mg/24hr</i> | 53 | ERIVEDGE..... | 17 |
| EMGALITY..... | 14 | ERLEADA..... | 17 |
| EMSAM..... | 11 | <i>erlotinib hcl tab 100 mg (base equivalent), 150 mg (base equivalent)</i> | 17 |
| <i>emtricitabine caps 200 mg</i> | 28 | <i>erlotinib hcl tab 25 mg (base equivalent)</i> | 17 |
| <i>emtricitabine-riopivirine-tenofovir df tab 200-25-300 mg</i> | 28 | <i>errin - norethindrone tab 0.35 mg</i> | 53 |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg, 167-250 mg, 200-300 mg</i> | 28 | <i>ertapenem sodium for inj 1 gm (base equivalent)</i> | 6 |
| | | ERVEBO..... | 62 |

| | | | |
|---|----|---|----|
| erythrocin lactobionate - erythromycin lactobionate for inj 500 mg..... | 6 | etodolac tab er 24hr 600 mg..... | 1 |
| erythromycin ophth oint 5 mg/gm..... | 67 | etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr..... | 54 |
| erythromycin soln 2%..... | 6 | etravirine tab 100 mg..... | 28 |
| erythromycin tab 250 mg, 500 mg..... | 6 | etravirine tab 200 mg..... | 28 |
| erythromycin tab delayed release 250 mg, 333 mg, 500 mg..... | 6 | EUCRISA..... | 45 |
| erythromycin w/ delayed release particles cap 250 mg..... | 6 | EULEXIN..... | 17 |
| escitalopram oxalate soln 5 mg/5ml (base equiv)..... | 11 | everolimus tab 0.25 mg, 0.5 mg..... | 62 |
| escitalopram oxalate tab 20 mg (base equiv)..... | 11 | everolimus tab 0.75 mg, 1 mg..... | 62 |
| escitalopram oxalate tab 5 mg (base equiv), 10 mg (base equiv)..... | 11 | everolimus tab 2.5 mg, 7.5 mg, 10 mg..... | 17 |
| eslicarbazepine acetate tab 200 mg, 400 mg..... | 8 | everolimus tab 5 mg..... | 17 |
| eslicarbazepine acetate tab 600 mg, 800 mg..... | 8 | everolimus tab for oral susp 2 mg, 5 mg..... | 17 |
| esomeprazole magnesium cap delayed release 20 mg (base eq), 40 mg (base eq)..... | 48 | everolimus tab for oral susp 3 mg..... | 17 |
| estarylla - norgestimate & ethinyl estradiol tab 0.25 mg-35mcg..... | 53 | EVOTAZ..... | 28 |
| estradiol & norethindrone acetate tab 1-0.5 mg..... | 53 | exemestane tab 25 mg..... | 17 |
| estradiol tab 0.5 mg, 1 mg, 2 mg..... | 53 | EXXUA..... | 11 |
| estradiol td gel 0.25 mg/0.25gm (0.1%), 0.5 mg/0.5gm (0.1%), 0.75 mg/0.75gm (0.1%), 1 mg/ gm (0.1%), 1.25 mg/1.25gm (0.1%)..... | 53 | EXXUA TITRATION PACK..... | 11 |
| estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr..... | 53 | ezetimibe-simvastatin tab 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg..... | 38 |
| estradiol td patch weekly 0.025 mg/24hr, 0.0375 mg/24hr (37.5 mcg/24hr), 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr..... | 53 | ezetimibe tab 10 mg..... | 38 |
| estradiol vaginal cream 0.01%..... | 53 | F | |
| estradiol vaginal tab 10 mcg..... | 53 | falmina - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg..... | 54 |
| estradiol valerate im in oil 10 mg/ml, 20 mg/ ml..... | 53 | famciclovir tab 125 mg, 250 mg, 500 mg..... | 28 |
| estradiol valerate im in oil 40 mg/ml..... | 53 | famotidine for susp 40 mg/5ml..... | 48 |
| ethambutol hcl tab 100 mg, 400 mg..... | 15 | famotidine tab 20 mg, 40 mg..... | 48 |
| ethosuximide cap 250 mg..... | 8 | FANAPT..... | 24 |
| ethosuximide soln 250 mg/5ml..... | 8 | FANAPT TITRATION PACK A..... | 24 |
| ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg..... | 53 | FANAPT TITRATION PACK C..... | 24 |
| ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg..... | 53 | FARXIGA..... | 31 |
| etodolac cap 200 mg..... | 1 | feirza 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg..... | 54 |
| etodolac cap 300 mg..... | 1 | feirza 1.5/30 - norethindrone ace & ethinyl estradiol- fe tab 1.5 mg-30 mcg..... | 54 |
| etodolac tab 400 mg, 500 mg..... | 1 | felbamate susp 600 mg/5ml..... | 8 |
| etodolac tab er 24hr 400 mg, 500 mg..... | 1 | felbamate tab 400 mg, 600 mg..... | 8 |
| | | felodipine tab er 24hr 2.5 mg, 5 mg, 10 mg..... | 38 |
| | | fenofibrate micronized cap 67 mg, 134 mg, 200 mg..... | 38 |
| | | fenofibrate tab 145 mg, 160 mg..... | 38 |
| | | fenofibrate tab 48 mg, 54 mg..... | 38 |
| | | fentanyl td patch 72hr 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hr, 50 mcg/hr, 62.5 mcg/hr, 75 mcg/hr, 87.5 mcg/hr, 100 mcg/hr..... | 1 |
| | | FETZIMA..... | 12 |
| | | FETZIMA TITRATION PACK..... | 12 |
| | | FIASP..... | 31 |
| | | FIASP FLEXTOUCH..... | 31 |

| | | | |
|---|----|--|----|
| FIASP PENFILL..... | 31 | <i>fluticasone propionate nasal susp 50 mcg/</i> | |
| FIASP PUMPCART..... | 31 | <i>act</i> | 69 |
| <i>fidaxomicin tab 200 mg</i> | 6 | <i>fluticasone propionate oint 0.005%</i> | 45 |
| FINACEA..... | 45 | <i>fluticasone-salmeterol aer powder ba 100-50 mcg/</i> | |
| <i>finasteride tab 5 mg</i> | 50 | <i>act, 250-50 mcg/act, 500-50 mcg/act</i> | 70 |
| <i> fingolimod hcl cap 0.5 mg (base equiv)</i> | 43 | <i>fluvastatin sodium cap 20 mg (base equivalent), 40</i> | |
| FINTEPLA..... | 8 | <i>mg (base equivalent)</i> | 38 |
| FIRMAGON..... | 59 | <i>fluvoxamine maleate tab 100 mg</i> | 12 |
| <i>flecainide acetate tab 50 mg, 100 mg, 150</i> | | <i>fluvoxamine maleate tab 25 mg, 50</i> | |
| <i>mg</i> | 38 | <i>mg</i> | 12 |
| <i>fluconazole for susp 10 mg/ml, 40 mg/</i> | | <i>fosamprenavir calcium tab 700 mg (base</i> | |
| <i>ml</i> | 13 | <i>equiv)</i> | 28 |
| <i>fluconazole in nacl 0.9% inj 200 mg/100ml, 400</i> | | <i>fosfomycin tromethamine powd pack 3 gm (base</i> | |
| <i>mg/200ml</i> | 13 | <i>equivalent)</i> | 6 |
| <i>fluconazole tab 50 mg, 100 mg, 150 mg, 200</i> | | <i>fosinopril sodium & hydrochlorothiazide tab 10-12.5</i> | |
| <i>mg</i> | 13 | <i>mg, 20-12.5 mg</i> | 38 |
| <i>flucytosine cap 250 mg</i> | 14 | <i>fosinopril sodium tab 10 mg, 20 mg, 40</i> | |
| <i>flucytosine cap 500 mg</i> | 14 | <i>mg</i> | 38 |
| <i>fludrocortisone acetate tab 0.1 mg</i> | 51 | FOTIVDA..... | 17 |
| <i>flunisolide nasal soln 25 mcg/act</i> | | FRUZAQLA..... | 17 |
| <i>(0.025%)</i> | 69 | <i>furosemide inj 10 mg/ml</i> | 38 |
| <i>fluocinolone acetonide (otic) oil 0.01%</i> | 68 | <i>furosemide oral soln 10 mg/ml</i> | 38 |
| <i>fluocinolone acetonide cream 0.01%,</i> | | <i>furosemide oral soln 8 mg/ml</i> | 38 |
| <i>0.025%</i> | 45 | <i>furosemide tab 20 mg, 40 mg, 80 mg</i> | 38 |
| <i>fluocinolone acetonide oil 0.01% (body oil), 0.01%</i> | | | |
| <i>(scalp oil)</i> | 45 | G | |
| <i>fluocinolone acetonide oint 0.025%</i> | 45 | <i>gabapentin cap 100 mg</i> | 8 |
| <i>fluocinolone acetonide soln 0.01%</i> | 45 | <i>gabapentin cap 300 mg</i> | 8 |
| <i>fluocinonide cream 0.05%</i> | 45 | <i>gabapentin cap 400 mg</i> | 8 |
| <i>fluocinonide emulsified base cream</i> | | <i>gabapentin oral soln 250 mg/5ml</i> | 9 |
| <i>0.05%</i> | 45 | <i>gabapentin tab 600 mg</i> | 9 |
| <i>fluocinonide gel 0.05%</i> | 45 | <i>gabapentin tab 800 mg</i> | 9 |
| <i>fluocinonide oint 0.05%</i> | 45 | GALANTAMINE HYDROBROMIDE..... | 10 |
| <i>fluocinonide soln 0.05%</i> | 45 | <i>galantamine hydrobromide cap er 24hr 8 mg, 16 mg,</i> | |
| <i>fluorometholone ophth susp 0.1%</i> | 67 | <i>24 mg</i> | 10 |
| FLUOROURACIL..... | 45 | <i>galantamine hydrobromide tab 4 mg, 8 mg, 12</i> | |
| <i>fluorouracil cream 5%</i> | 45 | <i>mg</i> | 10 |
| <i>fluorouracil soln 5%</i> | 45 | <i>gallifrey - norethindrone acetate tab 5</i> | |
| <i>fluoxetine hcl cap 10 mg</i> | 12 | <i>mg</i> | 54 |
| <i>fluoxetine hcl cap 20 mg</i> | 12 | GAMMAGARD LIQUID..... | 62 |
| <i>fluoxetine hcl cap 40 mg</i> | 12 | GAMMAGARD LIQUID ERC..... | 62 |
| <i>fluoxetine hcl solution 20 mg/5ml</i> | 12 | GAMUNEX-C..... | 62 |
| <i>fluphenazine decanoate inj 25 mg/ml</i> | 25 | GARDASIL 9..... | 62 |
| FLUPHENAZINE HCL..... | 25 | GAUZE PADS 2" X 2"..... | 31 |
| <i>fluphenazine hcl tab 1 mg, 2.5 mg, 5 mg, 10</i> | | <i>gavilyte-c - peg 3350-kcl-na bicarb-nacl-na sulfat</i> | |
| <i>mg</i> | 25 | <i>for soln 240 gm</i> | 48 |
| FLUPHENAZINE HYDROCHLORIDE..... | 25 | <i>gavilyte-g - peg 3350-kcl-na bicarb-nacl-na sulfat</i> | |
| <i>flurbiprofen sodium ophth soln 0.03%</i> | 67 | <i>for soln 236 gm</i> | 48 |
| <i>flurbiprofen tab 100 mg</i> | 1 | <i>gavilyte-n/ flavor pack - peg 3350-kcl-sod bicarb-nacl</i> | |
| FLUTICASONE PROPIONATE/ SALMETEROL..... | 70 | <i>for soln 420 gm</i> | 48 |
| <i>fluticasone propionate cream 0.05%</i> | 45 | GAVRETO..... | 17 |
| | | <i>gefitinib tab 250 mg</i> | 17 |

| | | | |
|--|----|--|----|
| gemfibrozil tab 600 mg..... | 39 | GVOKE KIT..... | 32 |
| generlac - lactulose (encephalopathy) solution 10 gm/15ml..... | 48 | GVOKE PFS..... | 32 |
| gengraf - cyclosporine modified cap 25 mg, 100 mg..... | 62 | H | |
| gentamicin sulfate cream 0.1%..... | 45 | HADLIMA..... | 62 |
| gentamicin sulfate inj 40 mg/ml..... | 6 | HADLIMA PUSH TOUCH..... | 62 |
| gentamicin sulfate oint 0.1%..... | 45 | HAEGARDA..... | 62 |
| gentamicin sulfate ophth soln 0.3%..... | 67 | hailey 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg..... | 54 |
| GENVOYA..... | 28 | hailey 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1mg-20 mcg (24)..... | 54 |
| GILOTRIF..... | 17 | hailey fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg..... | 54 |
| glatiramer acetate soln prefilled syringe 20 mg/ml..... | 43 | hailey fe 1.5/30 - norethindrone ace & ethinyl estradiol-fetab 1.5 mg-30 mcg..... | 54 |
| glatiramer acetate soln prefilled syringe 40 mg/ml..... | 43 | halobetasol propionate cream 0.05%..... | 45 |
| glatopa - glatiramer acetate soln prefilled syringe 20 mg/ml..... | 43 | halobetasol propionate oint 0.05%..... | 45 |
| glatopa - glatiramer acetate soln prefilled syringe 40 mg/ml..... | 43 | haloperidol decanoate im soln 50 mg/ml, 100 mg/ml..... | 25 |
| glimepiride tab 1 mg..... | 31 | haloperidol lactate inj 5 mg/ml..... | 25 |
| glimepiride tab 2 mg..... | 31 | haloperidol lactate oral conc 2 mg/ml..... | 25 |
| glimepiride tab 4 mg..... | 31 | haloperidol tab 0.5 mg, 1 mg, 2 mg, 5 mg, 10 mg..... | 25 |
| glipizide-metformin hcl tab 2.5-250 mg..... | 32 | haloperidol tab 20 mg..... | 25 |
| glipizide-metformin hcl tab 2.5-500 mg, 5-500 mg..... | 32 | HAVRIX..... | 62 |
| glipizide tab 10 mg..... | 32 | heather - norethindrone tab 0.35 mg..... | 54 |
| glipizide tab 5 mg..... | 32 | heparin sodium (porcine) inj 1000 unit/ml, 5000 unit/ml, 10000 unit/ml, 20000 unit/ml..... | 36 |
| glipizide tab er 24hr 10 mg..... | 31 | heparin sodium (porcine) pf inj 1000 unit/ml..... | 36 |
| glipizide tab er 24hr 2.5 mg..... | 31 | heparin sodium (porcine) pf inj 5000 unit/ml..... | 36 |
| glipizide tab er 24hr 5 mg..... | 31 | HEPLISAV-B..... | 62 |
| glutamine (sickle cell) powd pack 5 gm..... | 49 | HERNEXEOS..... | 17 |
| glyburide-metformin tab 1.25-250 mg..... | 32 | HIBERIX..... | 62 |
| glyburide-metformin tab 2.5-500 mg, 5-500 mg..... | 32 | HUMALOG..... | 32 |
| glyburide tab 1.25 mg..... | 32 | HUMALOG JUNIOR KWIKPEN..... | 32 |
| glyburide tab 2.5 mg..... | 32 | HUMALOG KWIKPEN..... | 32 |
| glyburide tab 5 mg..... | 32 | HUMALOG MIX 50/50 KWIKPEN..... | 32 |
| glycopyrrolate tab 1 mg, 2 mg..... | 48 | HUMALOG MIX 75/25..... | 32 |
| GLYXAMBI..... | 32 | HUMALOG MIX 75/25 KWIKPEN..... | 32 |
| GOMEKLI..... | 17 | HUMALOG TEMPO PEN..... | 32 |
| GRANIX..... | 36 | HUMATIN..... | 6 |
| griseofulvin microsize susp 125 mg/5ml..... | 14 | HUMULIN 70/30..... | 32 |
| griseofulvin microsize tab 500 mg..... | 14 | HUMULIN 70/30 KWIKPEN..... | 33 |
| griseofulvin ultramicrosize tab 125 mg, 250 mg..... | 14 | HUMULIN N..... | 32 |
| guanfacine hcl tab 1 mg, 2 mg..... | 39 | HUMULIN N KWIKPEN..... | 32 |
| guanfacine hcl tab er 24hr 1 mg (base equiv), 2 mg (base equiv), 3 mg (base equiv), 4 mg (base equiv)..... | 43 | HUMULIN R..... | 32 |
| GVOKE HYPOPEN 1-PACK..... | 32 | HUMULIN R U-500 (CONCENTRATED)..... | 32 |
| GVOKE HYPOPEN 2-PACK..... | 32 | HUMULIN R U-500 KWIKPEN..... | 32 |
| | | hydralazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg..... | 39 |

| | | | |
|---|----|---|----|
| <i>hydrochlorothiazide cap 12.5 mg</i> | 39 | <i>imatinib mesylate tab 400 mg (base equivalent)</i> | 17 |
| <i>hydrochlorothiazide tab 12.5 mg, 25 mg, 50 mg</i> | 39 | IMBRUVICA..... | 17 |
| <i>hydrocodone-acetaminophen soln 7.5-325 mg/15ml</i> | 1 | IMIPENEM/CILASTATIN..... | 6 |
| <i>hydrocodone-acetaminophen tab 10-325 mg, 7.5-325 mg</i> | 1 | <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 6 |
| <i>hydrocodone-acetaminophen tab 5-325 mg</i> | 1 | <i>imipramine hcl tab 10 mg, 25 mg, 50 mg</i> | 12 |
| <i>hydrocortisone cream 1%</i> | 45 | <i>imiquimod cream 5%</i> | 45 |
| <i>hydrocortisone cream 2.5%</i> | 45 | IMKELDI..... | 18 |
| <i>hydrocortisone enema 100 mg/60ml</i> | 66 | IMOVAX RABIES (H.D.C.V.)..... | 62 |
| <i>hydrocortisone lotion 2.5%</i> | 45 | IMPAVIDO..... | 6 |
| <i>hydrocortisone oint 1%</i> | 45 | INBRIJA..... | 23 |
| <i>hydrocortisone oint 2.5%</i> | 45 | <i>incassia - norethindrone tab 0.35 mg</i> | 54 |
| <i>hydrocortisone perianal cream 1%</i> | 66 | INCRELEX..... | 51 |
| <i>hydrocortisone perianal cream 2.5%</i> | 66 | INCRUSE ELLIPTA..... | 70 |
| <i>hydrocortisone tab 5 mg, 10 mg, 20 mg</i> | 51 | <i>indapamide tab 1.25 mg, 2.5 mg</i> | 39 |
| <i>hydrocortisone w/ acetic acid otic soln 1-2%</i> | 68 | <i>indomethacin cap 25 mg</i> | 2 |
| <i>hydromorphone hcl liqd 1 mg/ml</i> | 1 | <i>indomethacin cap 50 mg</i> | 2 |
| <i>hydromorphone hcl preservative free (pf) inj 10 mg/ml</i> | 1 | INFANRIX..... | 62 |
| <i>hydromorphone hcl tab 2 mg, 4 mg, 8 mg</i> | 1 | INGREZZA..... | 43 |
| <i>hydroxychloroquine sulfate tab 200 mg</i> | 23 | INLURIYO..... | 18 |
| <i>hydroxyurea cap 500 mg</i> | 17 | INLYTA..... | 18 |
| <i>hydroxyzine hcl tab 10 mg, 25 mg, 50 mg</i> | 31 | INQOVI..... | 18 |
| HYRNUO..... | 17 | INREBIC..... | 18 |
| I | | INSULIN SYRINGE/NEEDLE..... | 33 |
| <i>ibandronate sodium tab 150 mg (base equivalent)</i> | 66 | INTELENCE..... | 28 |
| IBRANCE..... | 17 | INTRALIPID..... | 47 |
| IBTROZI..... | 17 | <i>introvale - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 54 |
| <i>ibu - ibuprofen tab 400 mg</i> | 1 | INVEGA HAFYERA..... | 25 |
| <i>ibu - ibuprofen tab 600 mg</i> | 1 | INVEGA SUSTENNA..... | 25 |
| <i>ibu - ibuprofen tab 800 mg</i> | 1 | INVEGA TRINZA..... | 25 |
| <i>ibuprofen susp 100 mg/5ml</i> | 1 | IPOL INACTIVATED IPV..... | 62 |
| <i>ibuprofen tab 400 mg</i> | 1 | <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | 70 |
| <i>ibuprofen tab 600 mg</i> | 1 | <i>ipratropium bromide inhal soln 0.02%</i> | 70 |
| <i>ibuprofen tab 800 mg</i> | 1 | <i>ipratropium bromide nasal soln 0.03% (21 mcg/spray)</i> | 70 |
| <i>icatibant acetate subcutaneous soln pref syr 30 mg/3ml</i> | 62 | <i>ipratropium bromide nasal soln 0.06% (42 mcg/spray)</i> | 70 |
| <i>iclevia - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 54 | <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg, 300-12.5 mg</i> | 39 |
| ICLUSIG..... | 17 | <i>irbesartan tab 75 mg, 150 mg, 300 mg</i> | 39 |
| IDHIFA..... | 17 | ISENTRESS..... | 28 |
| <i>imatinib mesylate tab 100 mg (base equivalent)</i> | 17 | ISENTRESS HD..... | 28 |
| | | <i>isibloom - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 54 |
| | | <i>isoniazid syrup 50 mg/5ml</i> | 15 |
| | | <i>isoniazid tab 100 mg</i> | 15 |
| | | <i>isoniazid tab 300 mg</i> | 15 |

| | | | |
|---|----|---|----|
| <i>isosorbide dinitrate tab 5 mg, 10 mg, 20 mg, 30 mg</i> | 39 | KALYDECO..... | 70 |
| <i>isosorbide mononitrate tab 10 mg, 20 mg</i> | 39 | <i>kariva - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 54 |
| <i>isosorbide mononitrate tab er 24hr 30 mg, 60 mg, 120 mg</i> | 39 | <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | 47 |
| <i>isotretinoin cap 10 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg</i> | 45 | <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i> | 47 |
| ITOVEBI..... | 18 | <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2% inj</i> | 47 |
| <i>itraconazole cap 100 mg</i> | 14 | <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.225% inj</i> | 47 |
| <i>ivabradine hcl tab 5 mg (base equiv), 7.5 mg (base equiv)</i> | 39 | <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj</i> | 47 |
| <i>ivermectin tab 3 mg</i> | 23 | <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 47 |
| IWILFIN..... | 18 | <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj</i> | 47 |
| IXIARO..... | 62 | <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | 47 |
| J | | <i>kelnor 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 54 |
| JAKAFI..... | 18 | KERENDIA..... | 39 |
| <i>jantoven - warfarin sodium tab 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg, 10 mg</i> | 36 | KESIMPTA..... | 43 |
| JANUMET..... | 33 | <i>ketoconazole cream 2%</i> | 14 |
| JANUMET XR..... | 33 | <i>ketoconazole shampoo 2%</i> | 14 |
| JANUVIA..... | 33 | <i>ketoconazole tab 200 mg</i> | 14 |
| JARDIANCE..... | 33 | <i>ketorolac tromethamine ophth soln 0.4%</i> | 67 |
| <i>jasmiel - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 54 | <i>ketorolac tromethamine ophth soln 0.5%</i> | 67 |
| JAYPIRCA..... | 18 | KINRIX..... | 62 |
| <i>jencycla - norethindrone tab 0.35 mg</i> | 54 | <i>kionex - sodium polystyrene sulfonate susp 15 gm/60ml</i> | 47 |
| JENTADUETO..... | 33 | KISQALI..... | 18 |
| JENTADUETO XR..... | 33 | KISQALI FEMARA 400 DOSE..... | 18 |
| <i>jolessa - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 54 | KISQALI FEMARA 600 DOSE..... | 18 |
| JUBBONTI..... | 66 | <i>klayesta - nystatin topical powder 100000 unit/gm</i> | 14 |
| <i>juleber - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 54 | <i>klor-con 10 - potassium chloride tab er 10 meq</i> | 47 |
| JULUCA..... | 28 | <i>klor-con 8 - potassium chloride tab er 8 meq (600 mg)</i> | 47 |
| <i>junel 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 54 | <i>klor-con m10 - potassium chloride microencapsulated crys ertab 10 meq</i> | 47 |
| <i>junel 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 54 | <i>klor-con m15 - potassium chloride microencapsulated crys ertab 15 meq</i> | 47 |
| <i>junel fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 54 | <i>klor-con m20 - potassium chloride microencapsulated crys ertab 20 meq</i> | 47 |
| <i>junel fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 54 | KLOXXADO..... | 3 |
| <i>junel fe 24 - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 54 | KOMZIFTI..... | 18 |
| JYNNEOS..... | 62 | | |
| K | | | |
| KALETRA..... | 28 | | |
| <i>kalliga - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 54 | | |

| | | | |
|---|----|--|----|
| KOSELUGO..... | 18 | <i>lenalidomide cap 15 mg, 20 mg, 25</i> | |
| <i>kourzeq - triamcinolone acetonide dental paste</i> | | <i>mg.....</i> | 18 |
| 0.1%..... | 44 | <i>lenalidomide cap 5 mg, 10 mg.....</i> | 18 |
| KRAZATI..... | 18 | <i>lenalidomide caps 2.5 mg.....</i> | 18 |
| <i>kurvelo - levonorgestrel & ethinyl estradiol tab 0.15</i> | | LENVIMA 10 MG DAILY DOSE..... | 19 |
| <i>mg-30mcg.....</i> | 54 | LENVIMA 12MG DAILY DOSE..... | 19 |
| L | | LENVIMA 14 MG DAILY DOSE..... | 19 |
| <i>labetalol hcl tab 100 mg, 200 mg, 300</i> | | LENVIMA 18 MG DAILY DOSE..... | 19 |
| <i>mg.....</i> | 39 | LENVIMA 20 MG DAILY DOSE..... | 19 |
| <i>lacosamide oral solution 10 mg/ml.....</i> | 9 | LENVIMA 24 MG DAILY DOSE..... | 19 |
| <i>lacosamide tab 50 mg, 100 mg, 150 mg, 200</i> | | LENVIMA 4 MG DAILY DOSE..... | 19 |
| <i>mg.....</i> | 9 | LENVIMA 8 MG DAILY DOSE..... | 19 |
| <i>lactic acid (ammonium lactate) cream</i> | | <i>lessina - levonorgestrel & ethinyl estradiol tab 0.1</i> | |
| 12%..... | 45 | <i>mg-20 mcg.....</i> | 55 |
| <i>lactic acid (ammonium lactate) lotion</i> | | <i>letrozole tab 2.5 mg.....</i> | 19 |
| 12%..... | 45 | <i>leucovorin calcium tab 15 mg, 25 mg.....</i> | 19 |
| <i>lactulose (encephalopathy) solution 10</i> | | <i>leucovorin calcium tab 5 mg, 10 mg.....</i> | 19 |
| <i>gm/15ml.....</i> | 48 | LEUKERAN..... | 19 |
| <i>lactulose solution 10 gm/15ml.....</i> | 48 | LEUPROLIDE ACETATE..... | 59 |
| <i>lamivudine oral soln 10 mg/ml.....</i> | 28 | <i>leuprolide acetate inj kit 1 mg/0.2ml (5 mg/</i> | |
| <i>lamivudine tab 100 mg (hbv).....</i> | 28 | <i>ml).....</i> | 59 |
| <i>lamivudine tab 150 mg.....</i> | 28 | <i>levetiracetam oral soln 100 mg/ml.....</i> | 9 |
| <i>lamivudine tab 300 mg.....</i> | 28 | <i>levetiracetam tab 250 mg, 500 mg, 750 mg, 1000</i> | |
| <i>lamivudine-zidovudine tab 150-300 mg.....</i> | 28 | <i>mg.....</i> | 9 |
| <i>lamotrigine tab 25 mg, 100 mg, 150 mg, 200</i> | | <i>levetiracetam tab er 24hr 500 mg, 750</i> | |
| <i>mg.....</i> | 9 | <i>mg.....</i> | 9 |
| <i>lamotrigine tab chewable dispersible 5 mg, 25</i> | | <i>levobunolol hcl ophth soln 0.5%.....</i> | 67 |
| <i>mg.....</i> | 9 | <i>levocarnitine oral soln 1 gm/10ml</i> | |
| LAMPIT..... | 23 | (10%)..... | 49 |
| <i>lansoprazole cap delayed release 15 mg, 30</i> | | <i>levocarnitine tab 330 mg.....</i> | 49 |
| <i>mg.....</i> | 48 | <i>levocetirizine dihydrochloride tab 5 mg.....</i> | 70 |
| LANTUS..... | 33 | <i>levofloxacin in d5w iv soln 250 mg/50ml, 500</i> | |
| LANTUS SOLOSTAR..... | 33 | <i>mg/100ml, 750 mg/150ml.....</i> | 6 |
| <i>lapatinib ditosylate tab 250 mg (base</i> | | <i>levofloxacin oral soln 25 mg/ml.....</i> | 6 |
| <i>equiv).....</i> | 18 | <i>levofloxacin tab 250 mg, 500 mg, 750</i> | |
| <i>larin 1/20 - norethindrone ace & ethinyl estradiol tab</i> | | <i>mg.....</i> | 6 |
| 1 mg-20 mcg..... | 55 | <i>levonest - levonorgestrel-eth estra tab</i> | |
| <i>larin 1.5/30 - norethindrone ace & ethinyl estradiol</i> | | 0.05-30/0.075-40/0.125-30mg-mcg..... | 55 |
| <i>tab 1.5 mg-30 mcg.....</i> | 55 | <i>levonorgestrel & ethinyl estradiol (91-day) tab</i> | |
| <i>larin 24 fe - norethindrone ace-ethinyl estradiol-fe tab</i> | | 0.15-0.03 mg..... | 55 |
| 1 mg-20 mcg (24)..... | 55 | <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg,</i> | |
| <i>larin fe 1/20 - norethindrone ace & ethinyl estradiol-</i> | | 0.15 mg-30 mcg..... | 55 |
| <i>fe tab 1 mg-20 mcg.....</i> | 54 | <i>levonorgestrel-eth estra tab</i> | |
| <i>larin fe 1.5/30 - norethindrone ace & ethinyl</i> | | 0.05-30/0.075-40/0.125-30mg-mcg..... | 55 |
| <i>estradiol-fe tab 1.5 mg-30 mcg.....</i> | 55 | <i>levonorg-eth est tab 0.1-0.02mg(84) & eth est tab</i> | |
| <i>latanoprost ophth soln 0.005%.....</i> | 67 | 0.01mg(7)..... | 55 |
| LAZCLUZE..... | 18 | <i>levothyroxine sodium tab 25 mcg, 50 mcg, 75</i> | |
| LEDERLE LEUCOVORIN..... | 18 | <i>mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg,</i> | |
| <i>leena - norethindrone-eth estradiol tab</i> | | 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 | |
| 0.5-35/1-35/0.5-35 mg-mcg..... | 55 | <i>mcg.....</i> | 59 |
| <i>leflunomide tab 10 mg, 20 mg.....</i> | 62 | <i>levo-t - levothyroxine sodium tab 25 mcg, 50 mcg,</i> | |
| | | 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, | |

| | | | |
|---|----|--|----|
| 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg..... | 59 | lorazepam intensol - lorazepam conc 2 mg/ml..... | 31 |
| levoxyl - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg..... | 59 | lorazepam tab 0.5 mg, 1 mg..... | 31 |
| lidocaine hcl viscous soln 2%..... | 2 | lorazepam tab 2 mg..... | 31 |
| lidocaine patch 5%..... | 2 | LORBRENA..... | 19 |
| lidocaine-prilocaine cream 2.5-2.5%..... | 2 | loryna - drospirenone-ethinyl estradiol tab 3-0.02 mg..... | 55 |
| lidocan - lidocaine patch 5%..... | 2 | losartan potassium & hydrochlorothiazide tab 50-12.5 mg, 100-12.5 mg, 100-25 mg..... | 39 |
| LIFYORLI..... | 19 | losartan potassium tab 100 mg..... | 39 |
| LILETTA..... | 50 | losartan potassium tab 25 mg, 50 mg..... | 39 |
| linezolid for susp 100 mg/5ml..... | 6 | lovastatin tab 10 mg, 20 mg, 40 mg..... | 39 |
| linezolid in sodium chloride iv soln 600 mg/300ml-0.9%..... | 6 | low-ogestrel - norgestrel & ethinyl estradiol tab 0.3 mg-30mcg..... | 55 |
| linezolid iv soln 600 mg/300ml (2 mg/ml)..... | 6 | loxapine succinate cap 5 mg, 10 mg, 25 mg, 50 mg..... | 25 |
| linezolid tab 600 mg..... | 6 | lo-zumandimine - drospirenone-ethinyl estradiol tab 3-0.02 mg..... | 55 |
| LINZESS..... | 48 | lubiprostone cap 24 mcg..... | 48 |
| liomny - liothyronine sodium tab 5 mcg, 25 mcg, 50 mcg..... | 59 | lubiprostone cap 8 mcg..... | 48 |
| liothyronine sodium tab 5 mcg, 25 mcg, 50 mcg..... | 59 | luizza 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg..... | 55 |
| lisinopril & hydrochlorothiazide tab 10-12.5 mg, 20-12.5 mg, 20-25 mg..... | 39 | luizza 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg..... | 55 |
| lisinopril tab 2.5 mg, 5 mg, 10 mg, 20 mg, 30 mg, 40 mg..... | 39 | LUMAKRAS..... | 19 |
| lithium carbonate cap 150 mg, 300 mg..... | 31 | LUMIGAN..... | 67 |
| lithium carbonate cap 600 mg..... | 31 | LUPRON DEPOT (1-MONTH)..... | 59 |
| lithium carbonate tab 300 mg..... | 31 | LUPRON DEPOT-PED (1-MONTH)..... | 59 |
| lithium carbonate tab er 300 mg, 450 mg..... | 31 | LUPRON DEPOT-PED (3-MONTH)..... | 59 |
| lithium oral solution 8 meq/5ml..... | 31 | LUPRON DEPOT-PED (6-MONTH)..... | 59 |
| LIVTENCITY..... | 28 | lurasidone hcl tab 20 mg, 40 mg, 60 mg, 120 mg..... | 25 |
| loestrin 1/20-21 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg..... | 55 | lurasidone hcl tab 80 mg..... | 25 |
| loestrin 1.5/30-21 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg..... | 55 | lutra - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg..... | 55 |
| loestrin fe 1/20 - norethindrone ace & ethinyl estradiol-fetab 1 mg-20 mcg..... | 55 | LYBALVI..... | 25 |
| loestrin fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg..... | 55 | lyleq - norethindrone tab 0.35 mg..... | 55 |
| lojaimiess - levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)..... | 55 | lyllana - estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr..... | 55 |
| LOKELMA..... | 47 | LYNPARZA..... | 19 |
| lomustine cap 100 mg..... | 19 | LYSODREN..... | 19 |
| lomustine cap 10 mg, 40 mg..... | 19 | LYTGOBI..... | 19 |
| LONSURF..... | 19 | LYUMJEV..... | 33 |
| loperamide hcl cap 2 mg..... | 48 | LYUMJEV KWIKPEN..... | 33 |
| lopinavir-ritonavir tab 100-25 mg..... | 28 | LYUMJEV TEMPO PEN..... | 33 |
| lopinavir-ritonavir tab 200-50 mg..... | 28 | lyza - norethindrone tab 0.35 mg..... | 55 |
| lorazepam conc 2 mg/ml..... | 31 | M | |
| | | magnesium sulfate inj 50%..... | 47 |
| | | malathion lotion 0.5%..... | 45 |

| | | | |
|---|----|--|----|
| <i>maraviroc tab 150 mg</i> | 28 | <i>methazolamide tab 25 mg, 50 mg</i> | 39 |
| <i>maraviroc tab 300 mg</i> | 28 | <i>methenamine hippurate tab 1 gm</i> | 6 |
| <i>marlissa - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 55 | <i>methimazole tab 5 mg, 10 mg</i> | 60 |
| MARPLAN..... | 12 | <i>methocarbamol tab 500 mg, 750 mg</i> | 71 |
| MATULANE..... | 19 | <i>methotrexate sodium for inj 1 gm</i> | 63 |
| MAVYRET..... | 28 | <i>methotrexate sodium inj 250 mg/10ml (25 mg/ml)</i> | 63 |
| <i>meclizine hcl tab 12.5 mg, 25 mg</i> | 13 | <i>methotrexate sodium inj 50 mg/2ml (25 mg/ml)</i> | 63 |
| <i>medroxyprogesterone acetate im susp 150 mg/ml</i> | 55 | <i>methotrexate sodium inj pf 50 mg/2ml (25 mg/ml), 250 mg/10ml (25 mg/ml), 1000 mg/40ml (25 mg/ml)</i> | 63 |
| <i>medroxyprogesterone acetate im susp prefilled syr 150 mg/ml</i> | 55 | <i>methotrexate sodium tab 2.5 mg (base equiv)</i> | 63 |
| <i>medroxyprogesterone acetate tab 2.5 mg, 5 mg, 10 mg</i> | 55 | <i>methsuximide cap 300 mg</i> | 9 |
| <i>mefloquine hcl tab 250 mg</i> | 23 | <i>methylphenidate hcl soln 10 mg/5ml</i> | 43 |
| <i>megestrol acetate susp 40 mg/ml</i> | 55 | <i>methylphenidate hcl soln 5 mg/5ml</i> | 43 |
| <i>megestrol acetate tab 20 mg, 40 mg</i> | 56 | <i>methylphenidate hcl tab 5 mg, 10 mg, 20 mg</i> | 43 |
| MEKINIST..... | 19 | <i>methylphenidate hcl tab er 10 mg, 20 mg</i> | 43 |
| MEKTOVI..... | 20 | <i>methylprednisolone tab 4 mg, 8 mg, 16 mg, 32 mg</i> | 51 |
| <i>meleya - norethindrone tab 0.35 mg</i> | 56 | <i>methylprednisolone tab therapy pack 4 mg (21)</i> | 51 |
| <i>meloxicam tab 15 mg</i> | 2 | <i>metoclopramide hcl soln 5 mg/5ml (10 mg/10ml) (base equiv)</i> | 49 |
| <i>meloxicam tab 7.5 mg</i> | 2 | <i>metoclopramide hcl tab 5 mg (base equivalent), 10 mg (base equivalent)</i> | 49 |
| <i>memantine hcl oral solution 2 mg/ml</i> | 10 | <i>metolazone tab 2.5 mg, 5 mg, 10 mg</i> | 39 |
| <i>memantine hcl tab 28 x 5 mg & 21 x 10 mg titration pack</i> | 11 | <i>metoprolol & hydrochlorothiazide tab 50-25 mg, 100-25 mg, 100-50 mg</i> | 39 |
| <i>memantine hcl tab 5 mg, 10 mg</i> | 11 | <i>metoprolol succinate tab er 24hr 25 mg (tartrate equiv), 50 mg (tartrate equiv), 100 mg (tartrate equiv), 200 mg (tartrate equiv)</i> | 39 |
| MENQUADFI..... | 62 | <i>metoprolol tartrate tab 25 mg, 37.5 mg, 50 mg, 75 mg, 100 mg</i> | 39 |
| MENVEO..... | 63 | <i>metronidazole cream 0.75%</i> | 46 |
| <i>mercaptapurine susp 2000 mg/100ml (20 mg/ml)</i> | 20 | <i>metronidazole gel 0.75%</i> | 46 |
| <i>mercaptapurine tab 50 mg</i> | 20 | <i>metronidazole gel 1%</i> | 46 |
| <i>meropenem & sodium chloride 0.9% for iv soln 1 gm/50ml</i> | 6 | <i>metronidazole iv soln 500 mg/100ml</i> | 6 |
| <i>meropenem & sodium chloride 0.9% for iv soln 500 mg/50ml</i> | 6 | <i>metronidazole lotion 0.75%</i> | 46 |
| <i>meropenem iv for soln 1 gm</i> | 6 | <i>metronidazole tab 250 mg, 500 mg</i> | 6 |
| <i>meropenem iv for soln 500 mg</i> | 6 | <i>metronidazole vaginal gel 0.75%</i> | 6 |
| <i>mesalamine cap er 24hr 0.375 gm</i> | 66 | <i>metyrosine cap 250 mg</i> | 39 |
| <i>mesalamine enema 4 gm</i> | 66 | <i>mexiletine hcl cap 150 mg, 200 mg, 250 mg</i> | 39 |
| <i>mesalamine rectal enema 4 gm & cleanser wipe kit</i> | 66 | <i>micafungin sodium for iv soln 50 mg, 100 mg</i> | 14 |
| <i>mesalamine suppos 1000 mg</i> | 66 | <i>microgestin 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 56 |
| <i>mesalamine tab delayed release 1.2 gm</i> | 66 | | |
| <i>mesna tab 400 mg</i> | 20 | | |
| <i>metformin hcl tab 1000 mg</i> | 33 | | |
| <i>metformin hcl tab 500 mg</i> | 33 | | |
| <i>metformin hcl tab 850 mg</i> | 33 | | |
| <i>metformin hcl tab er 24hr 500 mg</i> | 33 | | |
| <i>metformin hcl tab er 24hr 750 mg</i> | 33 | | |
| <i>methadone hcl tab 10 mg</i> | 2 | | |
| <i>methadone hcl tab 5 mg</i> | 2 | | |

| | | | |
|---|----|---|----|
| <i>microgestin 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 56 | <i>moxifloxacin hcl iv solution 400 mg/250ml (base equiv)</i> | 6 |
| <i>microgestin fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 56 | <i>moxifloxacin hcl ophth soln 0.5% (base eq) (2 times daily)(generic for Moxeza)</i> | 67 |
| <i>microgestin fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 56 | <i>moxifloxacin hcl ophth soln 0.5% (base equiv) (generic for Vigamox)</i> | 67 |
| <i>midodrine hcl tab 2.5 mg, 5 mg, 10 mg</i> | 39 | <i>moxifloxacin hcl tab 400 mg (base equiv)</i> | 6 |
| <i>MIEBO</i> | 67 | <i>MRESVIA</i> | 63 |
| <i>mifepristone tab 300 mg</i> | 59 | <i>MULTAQ</i> | 39 |
| <i>miglustat cap 100 mg</i> | 49 | <i>mupirocin oint 2%</i> | 46 |
| <i>mili - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 56 | <i>mycophenolate mofetil cap 250 mg</i> | 63 |
| <i>mimvey - estradiol & norethindrone acetate tab 1-0.5 mg</i> | 56 | <i>mycophenolate mofetil for oral susp 200 mg/ml</i> | 63 |
| <i>minocycline hcl cap 50 mg, 75 mg, 100 mg</i> | 6 | <i>mycophenolate mofetil tab 500 mg</i> | 63 |
| <i>minocycline hcl tab 50 mg, 75 mg</i> | 6 | <i>mycophenolate sodium tab dr 180 mg (mycophenolic acid equiv), 360 mg (mycophenolic acid equiv)</i> | 63 |
| <i>minoxidil tab 2.5 mg, 10 mg</i> | 39 | <i>MYHIBBIN</i> | 63 |
| <i>mirtazapine orally disintegrating tab 15 mg, 30 mg, 45 mg</i> | 12 | <i>MYRBETRIQ</i> | 50 |
| <i>mirtazapine tab 15 mg</i> | 12 | | |
| <i>mirtazapine tab 7.5 mg, 30 mg, 45 mg</i> | 12 | N | |
| <i>misoprostol tab 100 mcg, 200 mcg</i> | 49 | <i>nabumetone tab 500 mg</i> | 2 |
| <i>M-M-R II</i> | 62 | <i>nabumetone tab 750 mg</i> | 2 |
| <i>modafinil tab 100 mg, 200 mg</i> | 71 | <i>nafcillin sodium for inj 1 gm, 2 gm</i> | 6 |
| <i>MODEYSO</i> | 20 | <i>nafcillin sodium for iv soln 10 gm</i> | 7 |
| <i>moexipril hcl tab 7.5 mg, 15 mg</i> | 39 | <i>nafcillin sodium in dextrose inj 2 gm/100ml</i> | 7 |
| <i>MOLINDONE HYDROCHLORIDE</i> | 25 | <i>naloxone hcl inj 0.4 mg/ml, 4 mg/10ml</i> | 3 |
| <i>mometasone furoate cream 0.1%</i> | 46 | <i>naloxone hcl soln cartridge 0.4 mg/ml</i> | 3 |
| <i>mometasone furoate oint 0.1%</i> | 46 | <i>naloxone hcl soln prefilled syringe 2 mg/2ml</i> | 3 |
| <i>mometasone furoate solution 0.1% (lotion)</i> | 46 | <i>naltrexone hcl tab 50 mg</i> | 3 |
| <i>mondoxylene nl - doxycycline monohydrate cap 100 mg</i> | 6 | <i>naproxen sodium tab 275 mg</i> | 2 |
| <i>mono-lynyah - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 56 | <i>naproxen sodium tab 550 mg</i> | 2 |
| <i>montelukast sodium chew tab 4 mg (base equiv), 5 mg (base equiv)</i> | 70 | <i>naproxen tab 250 mg</i> | 2 |
| <i>montelukast sodium oral granules packet 4 mg (base equiv)</i> | 70 | <i>naproxen tab 375 mg</i> | 2 |
| <i>montelukast sodium tab 10 mg (base equiv)</i> | 70 | <i>naproxen tab 500 mg</i> | 2 |
| <i>morphine sulfate tab 15 mg</i> | 2 | <i>naproxen tab ec 375 mg</i> | 2 |
| <i>morphine sulfate tab 30 mg</i> | 2 | <i>naproxen tab ec 500 mg</i> | 2 |
| <i>morphine sulfate tab er 100 mg, 200 mg</i> | 2 | <i>naratriptan hcl tab 1 mg (base equiv), 2.5 mg (base equiv)</i> | 15 |
| <i>morphine sulfate tab er 15 mg, 30 mg, 60 mg</i> | 2 | <i>NATACYN</i> | 67 |
| <i>MOUNJARO</i> | 33 | <i>nateglinide tab 120 mg</i> | 33 |
| <i>MOVANTIK</i> | 49 | <i>nateglinide tab 60 mg</i> | 33 |
| <i>moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj</i> | 6 | <i>NAYZILAM</i> | 9 |
| | | <i>nebevivolol hcl tab 2.5 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent), 20 mg (base equivalent)</i> | 39 |
| | | <i>necon 0.5/35-28 - norethindrone & ethinyl estradiol tab 0.5mg-35 mcg</i> | 56 |
| | | <i>NEFAZODONE HYDROCHLORIDE</i> | 12 |

| | | | |
|---|----|---|----|
| NEOMYCIN/POLYMYXIN/ GRAMICIDIN..... | 67 | norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr..... | 56 |
| neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin..... | 67 | norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg..... | 56 |
| neomycin-polymyxin-dexamethasone ophth oint 0.1%..... | 67 | norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg, 0.5 mg-35 mcg..... | 56 |
| neomycin-polymyxin-dexamethasone ophth susp 0.1%..... | 67 | norethindrone & ethinyl estradiol tab 1 mg-35 mcg..... | 56 |
| neomycin-polymyxin-hc otic soln 1%..... | 68 | norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg..... | 56 |
| neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%..... | 68 | norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg, 1.5 mg-30 mcg..... | 56 |
| neomycin sulfate tab 500 mg..... | 7 | norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)..... | 56 |
| NERLYNX..... | 20 | norethindrone acetate tab 5 mg..... | 56 |
| nevirapine susp 50 mg/5ml..... | 29 | norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg, 0.5-35/1-35/0.5-35 mg-mcg..... | 56 |
| nevirapine tab 200 mg..... | 29 | norethindrone tab 0.35 mg..... | 56 |
| nevirapine tab er 24hr 400 mg..... | 29 | norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg..... | 56 |
| NEXPLANON..... | 50 | norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg, 0.18-35/0.215-35/0.25-35 mg-mcg..... | 56 |
| niacin tab er 500 mg (antihyperlipidemic)..... | 39 | norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg..... | 56 |
| niacin tab er 750 mg (antihyperlipidemic), 1000 mg (antihyperlipidemic)..... | 39 | norlyroc - norethindrone tab 0.35 mg..... | 56 |
| NICOTROL NS..... | 3 | nortrel 0.5/35 (28) - norethindrone & ethinyl estradiol tab 0.5 mg-35 mcg..... | 56 |
| nifedipine tab er 24hr 30 mg, 60 mg, 90 mg..... | 40 | nortrel 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg..... | 56 |
| nifedipine tab er 24hr osmotic release 30 mg, 60 mg, 90 mg..... | 40 | nortrel 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg..... | 56 |
| nikki - drospirenone-ethinyl estradiol tab 3-0.02 mg..... | 56 | nortriptyline hcl cap 10 mg, 25 mg, 50 mg, 75 mg..... | 12 |
| nilotinib hcl cap 150 mg (base equivalent), 200 mg (base equivalent)..... | 20 | nortriptyline hcl soln 10 mg/5ml..... | 12 |
| nilotinib hcl cap 50 mg (base equivalent)..... | 20 | NORVIR..... | 29 |
| nilutamide tab 150 mg..... | 20 | NOVOLIN 70/30..... | 34 |
| nimodipine cap 30 mg..... | 40 | NOVOLIN 70/30 FLEXPEN..... | 34 |
| NINLARO..... | 20 | NOVOLIN 70/30 FLEXPEN RELION..... | 34 |
| nitazoxanide tab 500 mg..... | 23 | NOVOLIN 70/30 RELION..... | 34 |
| nitisinone cap 2 mg, 5 mg, 10 mg, 20 mg..... | 49 | NOVOLIN N..... | 33 |
| nitro-bid - nitroglycerin oint 2%..... | 40 | NOVOLIN N FLEXPEN..... | 33 |
| nitrofurantoin macrocrystalline cap 50 mg, 100 mg..... | 7 | NOVOLIN N FLEXPEN RELION..... | 33 |
| nitrofurantoin monohydrate macrocrystalline cap 100 mg..... | 7 | NOVOLIN N RELION..... | 33 |
| nitroglycerin oint 2%, 0.4%..... | 40 | NOVOLIN R..... | 34 |
| nitroglycerin sl tab 0.3 mg, 0.4 mg, 0.6 mg..... | 40 | NOVOLIN R FLEXPEN..... | 34 |
| nitroglycerin td patch 24hr 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr..... | 40 | NOVOLIN R FLEXPEN RELION..... | 34 |
| nizatidine cap 150 mg..... | 49 | NOVOLIN R RELION..... | 34 |
| nizatidine cap 300 mg..... | 49 | NOVOLOG..... | 34 |
| nora-be - norethindrone tab 0.35 mg..... | 56 | NOVOLOG FLEXPEN..... | 34 |
| | | NOVOLOG FLEXPEN RELION..... | 34 |
| | | NOVOLOG MIX 70/30..... | 34 |

| | | | |
|--|----|--|----|
| NOVOLOG MIX 70/30 PREFILLED FLEXPEN..... | 34 | <i>olmesartan-amlodipine-hydrochlorothiazide tab</i> | |
| NOVOLOG MIX 70/30 PREFILLED FLEXPEN RELION..... | 34 | 20-5-12.5 mg, 40-5-12.5 mg, 40-5-25 mg, 40-10-12.5 mg, 40-10-25 mg..... | 40 |
| NOVOLOG MIX 70/30 RELION..... | 34 | <i>olmesartan medoxomil-hydrochlorothiazide tab</i> | |
| NOVOLOG PENFILL..... | 34 | 20-12.5 mg, 40-12.5 mg, 40-25 mg..... | 40 |
| NOVOLOG RELION..... | 34 | <i>olmesartan medoxomil tab 20 mg, 40 mg.....</i> | 40 |
| NUBEQA..... | 20 | <i>olmesartan medoxomil tab 5 mg.....</i> | 40 |
| NUDEXTA..... | 43 | <i>omega-3-acid ethyl esters cap 1 gm.....</i> | 40 |
| NUPLAZID..... | 25 | <i>omeprazole cap delayed release 10 mg.....</i> | 49 |
| NURTEC..... | 15 | <i>omeprazole cap delayed release 20 mg, 40 mg.....</i> | 49 |
| NUTRILIPID..... | 47 | OMNIPOD 5 DEXCOM G7G6 INTRO KIT (GEN 5)..... | 34 |
| <i>nyamyc - nystatin topical powder 100000 unit/gm.....</i> | 14 | OMNIPOD 5 DEXCOM G7G6 PODS (GEN 5)..... | 34 |
| <i>nylia 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg.....</i> | 56 | OMNIPOD 5 LIBRE2 PLUS G6 INTRO GEN 5..... | 34 |
| <i>nylia 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg.....</i> | 57 | OMNIPOD 5 LIBRE2 PLUS G6 PODS..... | 34 |
| <i>nystatin cream 100000 unit/gm.....</i> | 14 | OMNITROPE..... | 51 |
| <i>nystatin oint 100000 unit/gm.....</i> | 14 | <i>ondansetron hcl tab 4 mg, 8 mg.....</i> | 13 |
| <i>nystatin susp 100000 unit/ml.....</i> | 14 | <i>ondansetron orally disintegrating tab 4 mg, 8 mg.....</i> | 13 |
| <i>nystatin tab 500000 unit.....</i> | 14 | ONUREG..... | 20 |
| <i>nystatin topical powder 100000 unit/gm.....</i> | 14 | OPIPZA..... | 25 |
| <i>nystop - nystatin topical powder 100000 unit/gm.....</i> | 14 | OPVEE..... | 3 |
| O | | <i>oralone dental paste - triamcinolone acetonide dental paste0.1%.....</i> | 44 |
| <i>octreotide acetate inj 50 mcg/ml (0.05 mg/ml), 100 mcg/ml (0.1 mg/ml), 200 mcg/ml (0.2 mg/ml), 500 mcg/ml (0.5 mg/ml), 1000 mcg/ml (1 mg/ml).....</i> | 59 | ORENCIA..... | 63 |
| <i>octreotide acetate subcutaneous soln pref syr 100 mcg/ml.....</i> | 60 | ORENCIA CLICKJECT..... | 63 |
| <i>octreotide acetate subcutaneous soln pref syr 500 mcg/ml.....</i> | 60 | ORENITRAM..... | 70 |
| <i>octreotide acetate subcutaneous soln pref syr 50 mcg/ml.....</i> | 60 | ORENITRAM TITRATION KIT MONTH 1..... | 70 |
| ODEFSEY..... | 29 | ORENITRAM TITRATION KIT MONTH 2..... | 70 |
| ODOMZO..... | 20 | ORENITRAM TITRATION KIT MONTH 3..... | 70 |
| OFEV..... | 70 | ORFADIN..... | 49 |
| <i>ofloxacin ophth soln 0.3%.....</i> | 68 | ORGOVYX..... | 20 |
| <i>ofloxacin otic soln 0.3%.....</i> | 68 | ORKAMBI..... | 70 |
| OGSIVEO..... | 20 | <i>orquidea - norethindrone tab 0.35 mg.....</i> | 57 |
| OJEMDA..... | 20 | ORSERDU..... | 20 |
| OJJAARA..... | 20 | <i>oseltamivir phosphate cap 30 mg (base equiv).....</i> | 29 |
| <i>olanzapine for im inj 10 mg.....</i> | 25 | <i>oseltamivir phosphate cap 45 mg (base equiv), 75 mg (base equiv).....</i> | 29 |
| <i>olanzapine orally disintegrating tab 5 mg, 10 mg, 15 mg, 20 mg.....</i> | 25 | <i>oseltamivir phosphate for susp 6 mg/ml (base equiv).....</i> | 29 |
| <i>olanzapine tab 15 mg, 20 mg.....</i> | 25 | OSENVELT..... | 66 |
| <i>olanzapine tab 2.5 mg, 5 mg, 7.5 mg, 10 mg.....</i> | 25 | OTEZLA..... | 46 |

| | | | |
|---|----|--|----|
| OTEZLA/OTEZLA XR 28 DAY TREATMENT INITIATION PACK..... | 46 | <i>penicillamine tab 250 mg</i> | 51 |
| OTEZLA XR..... | 46 | <i>penicillin g potassium for inj 5000000 unit, 20000000 unit</i> | 7 |
| <i>oxcarbazepine susp 300 mg/5ml (60 mg/ml)</i> | 9 | PENICILLIN G POTASSIUM IN ISO-OSMOTIC DEXTROSE..... | 7 |
| <i>oxcarbazepine tab 150 mg, 300 mg, 600 mg</i> | 9 | <i>penicillin v potassium for soln 125 mg/5ml</i> | 7 |
| <i>oxybutynin chloride solution 5 mg/5ml</i> | 50 | <i>penicillin v potassium for soln 250 mg/5ml</i> | 7 |
| <i>oxybutynin chloride tab 5 mg</i> | 51 | <i>penicillin v potassium tab 250 mg, 500 mg</i> | 7 |
| <i>oxybutynin chloride tab er 24hr 10 mg</i> | 50 | PENMENVY..... | 63 |
| <i>oxybutynin chloride tab er 24hr 15 mg</i> | 51 | PENTACEL..... | 63 |
| <i>oxybutynin chloride tab er 24hr 5 mg</i> | 50 | <i>pentamidine isethionate for inj soln 300 mg</i> | 23 |
| <i>oxycodone hcl tab 10 mg, 15 mg, 20 mg, 30 mg</i> | 2 | <i>pentamidine isethionate for nebulization soln 300 mg</i> | 23 |
| <i>oxycodone hcl tab 5 mg</i> | 2 | <i>pentoxifylline tab er 400 mg</i> | 40 |
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | 2 | <i>perampanel susp 0.5 mg/ml</i> | 9 |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg, 5-325 mg</i> | 2 | <i>perampanel tab 2 mg</i> | 9 |
| <i>oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 2 | <i>perampanel tab 4 mg, 6 mg, 8 mg, 10 mg, 12 mg</i> | 9 |
| OZEMPIC..... | 34 | <i>perindopril erbumine tab 2 mg</i> | 40 |
| P | | <i>perindopril erbumine tab 4 mg</i> | 40 |
| <i>pacerone - amiodarone hcl tab 100 mg</i> | 40 | <i>perindopril erbumine tab 8 mg</i> | 40 |
| <i>pacerone - amiodarone hcl tab 200 mg</i> | 40 | <i>perio gard - chlorhexidine gluconate soln 0.12%</i> | 44 |
| <i>paliperidone tab er 24hr 1.5 mg, 3 mg, 9 mg</i> | 26 | <i>permethrin cream 5%</i> | 46 |
| <i>paliperidone tab er 24hr 6 mg</i> | 26 | <i>perphenazine tab 2 mg, 4 mg, 8 mg, 16 mg</i> | 13 |
| PANRETIN..... | 20 | PERSERIS..... | 26 |
| <i>pantoprazole sodium ec tab 20 mg (base equiv)</i> | 49 | <i>pfizerpen - penicillin g potassium for inj 5000000 unit, 20000000 unit</i> | 7 |
| <i>pantoprazole sodium ec tab 40 mg (base equiv)</i> | 49 | <i>phenelzine sulfate tab 15 mg</i> | 12 |
| <i>paricalcitol cap 1 mcg, 2 mcg, 4 mcg</i> | 66 | <i>phenobarbital elixir 20 mg/5ml</i> | 9 |
| <i>paroxetine hcl oral susp 10 mg/5ml (base equiv)</i> | 12 | <i>phenobarbital tab 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg, 100 mg</i> | 9 |
| <i>paroxetine hcl tab 10 mg, 40 mg</i> | 12 | <i>phenoxybenzamine hcl cap 10 mg</i> | 40 |
| <i>paroxetine hcl tab 20 mg</i> | 12 | <i>phenytek - phenytoin sodium extended cap 200 mg, 300 mg</i> | 9 |
| <i>paroxetine hcl tab 30 mg</i> | 12 | <i>phenytoin chew tab 50 mg</i> | 9 |
| PAXLOVID..... | 29 | <i>phenytoin infatabs - phenytoin chew tab 50 mg</i> | 9 |
| <i>pazopanib hcl tab 200 mg (base equiv)</i> | 20 | <i>phenytoin sodium extended cap 100 mg</i> | 9 |
| PEDIARIX..... | 63 | <i>phenytoin sodium extended cap 200 mg, 300 mg</i> | 9 |
| PEDVAX HIB..... | 63 | <i>phenytoin susp 125 mg/5ml</i> | 9 |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | 49 | <i>philith - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 57 |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 49 | PIFELTRO..... | 29 |
| PEGASYS..... | 63 | <i>pilocarpine hcl ophth soln 1%, 2%, 4%</i> | 68 |
| PEMAZYRE..... | 20 | <i>pilocarpine hcl tab 5 mg, 7.5 mg</i> | 44 |
| PENBRAYA..... | 63 | | |

| | | | |
|---|----|---|----|
| <i>pimozide tab 1 mg, 2 mg</i> | 26 | <i>potassium citrate tab er 5 meq (540 mg), 10 meq (1080 mg), 15 meq (1620 mg)</i> | 48 |
| <i>pimtree - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 57 | <i>pramipexole dihydrochloride tab 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 23 |
| <i>pindolol tab 5 mg, 10 mg</i> | 40 | <i>prasugrel hcl tab 5 mg (base equiv), 10 mg (base equiv)</i> | 36 |
| <i>pioglitazone hcl-glimepiride tab 30-2 mg, 30-4 mg</i> | 34 | <i>pravastatin sodium tab 10 mg, 20 mg, 40 mg</i> | 40 |
| <i>pioglitazone hcl-metformin hcl tab 15-500 mg, 15-850 mg</i> | 34 | <i>pravastatin sodium tab 80 mg</i> | 40 |
| <i>pioglitazone hcl tab 15 mg (base equiv)</i> | 34 | <i>praziquantel tab 600 mg</i> | 23 |
| <i>pioglitazone hcl tab 30 mg (base equiv), 45 mg (base equiv)</i> | 34 | <i>prazosin hcl cap 1 mg, 2 mg, 5 mg</i> | 40 |
| PIPERACILLIN SODIUM/TAZOBACTAM SODIUM/NACL..... | 7 | <i>prednisolone acetate ophth susp 1%</i> | 68 |
| <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i> | 7 | <i>prednisolone sodium phosphate ophth soln 1%</i> | 68 |
| <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm), 4.5 gm (4-0.5 gm)</i> | 7 | <i>prednisolone sodium phosphate oral soln 25 mg/5ml (base eq)</i> | 51 |
| PIQRAY 200MG DAILY DOSE..... | 20 | <i>prednisolone sod phosphate oral soln 15 mg/5ml (base equiv), 5 mg/5ml (base equiv)</i> | 51 |
| PIQRAY 250MG DAILY DOSE..... | 20 | <i>prednisolone soln 15 mg/5ml</i> | 51 |
| PIQRAY 300MG DAILY DOSE..... | 20 | <i>prednisone oral soln 5 mg/5ml</i> | 51 |
| <i>pirfenidone cap 267 mg</i> | 70 | <i>prednisone tab 1 mg</i> | 51 |
| <i>pirfenidone tab 267 mg</i> | 70 | <i>prednisone tab 2.5 mg, 5 mg, 10 mg, 20 mg, 50 mg</i> | 51 |
| <i>pirfenidone tab 801 mg</i> | 70 | <i>prednisone tab therapy pack 5 mg (21), 5 mg (48), 10 mg (21), 10 mg (48)</i> | 51 |
| <i>piroxicam cap 10 mg</i> | 2 | <i>pregabalin cap 225 mg, 300 mg</i> | 9 |
| <i>piroxicam cap 20 mg</i> | 2 | <i>pregabalin cap 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg</i> | 9 |
| PLEGRIDY..... | 43 | <i>pregabalin soln 20 mg/ml</i> | 9 |
| PLEGRIDY STARTER PACK..... | 43 | PREGNYL..... | 51 |
| <i>podofilox soln 0.5%</i> | 46 | PREMARIN..... | 57 |
| <i>polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%</i> | 68 | PRETOMANID..... | 15 |
| <i>pomalidomide cap 1 mg, 2 mg, 3 mg, 4 mg</i> | 20 | <i>prevalite - cholestyramine light powder 4 gm/dose</i> | 40 |
| <i>portia-28 - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 57 | <i>prevalite - cholestyramine light powder packets 4 gm</i> | 40 |
| <i>posaconazole iv soln 300 mg/16.7ml (18 mg/ml)</i> | 14 | PREVYMIS..... | 29 |
| <i>posaconazole susp 40 mg/ml</i> | 14 | PREZCOBIX..... | 29 |
| <i>posaconazole tab delayed release 100 mg</i> | 14 | PREZISTA..... | 29 |
| <i>potassium chloride 20 meq/l (0.15%) in dextrose 5% inj</i> | 47 | PRIFTIN..... | 15 |
| <i>potassium chloride cap er 8 meq, 10 meq</i> | 47 | <i>primaquine phosphate tab 26.3 mg (15 mg base)</i> | 23 |
| <i>potassium chloride inj 2 meq/ml</i> | 47 | PRIMIDONE..... | 9 |
| <i>potassium chloride microencapsulated crys er tab 10 meq, 15 meq, 20 meq</i> | 47 | <i>primidone tab 50 mg, 250 mg</i> | 9 |
| <i>potassium chloride oral soln 10% (20 meq/15ml), 20% (40 meq/15ml)</i> | 47 | PRIORIX..... | 63 |
| <i>potassium chloride tab er 8 meq (600 mg), 10 meq, 20 meq (1500 mg)</i> | 47 | <i>probenecid tab 500 mg</i> | 14 |
| | | <i>prochlorperazine maleate tab 5 mg (base equivalent), 10 mg (base equivalent)</i> | 13 |
| | | <i>prochlorperazine suppos 25 mg</i> | 13 |
| | | PROCRIT..... | 36 |
| | | <i>proctocort - hydrocortisone perianal cream 1%</i> | 66 |

| | |
|---|----|
| <i>procto-med hc - hydrocortisone perianal cream</i> 2.5%..... | 66 |
| <i>proctosol hc - hydrocortisone perianal cream</i> 2.5%..... | 66 |
| <i>proctozone-hc - hydrocortisone perianal cream</i> 2.5%..... | 66 |
| <i>progesterone cap 100 mg, 200 mg</i> | 57 |
| PROGRAF..... | 63 |
| PROLASTIN-C..... | 50 |
| <i>promethazine hcl tab 12.5 mg, 25 mg, 50</i> <i>mg</i> | 13 |
| <i>propafenone hcl cap er 12hr 225 mg, 325 mg, 425</i> <i>mg</i> | 40 |
| <i>propafenone hcl tab 150 mg, 225 mg, 300</i> <i>mg</i> | 40 |
| <i>propranolol hcl cap er 24hr 60 mg, 80 mg, 120 mg,</i> <i>160 mg</i> | 40 |
| <i>propranolol hcl oral soln 20 mg/5ml</i> | 40 |
| <i>propranolol hcl oral soln 40 mg/5ml</i> | 40 |
| <i>propranolol hcl tab 10 mg, 20 mg, 40 mg, 60 mg, 80</i> <i>mg</i> | 40 |
| <i>propylthiouracil tab 50 mg</i> | 60 |
| PROQUAD..... | 63 |
| <i>protriptyline hcl tab 5 mg, 10 mg</i> | 12 |
| PULMOZYME..... | 70 |
| <i>pyrazinamide tab 500 mg</i> | 15 |
| <i>pyridostigmine bromide tab 60 mg</i> | 15 |
| <i>pyrimethamine tab 25 mg</i> | 23 |
| PYRUKYND..... | 50 |
| PYRUKYND TAPER PACK..... | 50 |
| PYZCHIVA..... | 63 |

Q

| | |
|--|----|
| QINLOCK..... | 20 |
| QUADRACEL..... | 64 |
| QUETIAPINE FUMARATE..... | 26 |
| <i>quetiapine fumarate tab 25 mg, 50 mg, 100 mg, 200</i> <i>mg</i> | 26 |
| <i>quetiapine fumarate tab 300 mg, 400</i> <i>mg</i> | 26 |
| <i>quetiapine fumarate tab er 24hr 150 mg, 200</i> <i>mg</i> | 26 |
| <i>quetiapine fumarate tab er 24hr 50 mg, 300 mg, 400</i> <i>mg</i> | 26 |
| <i>quinapril hcl tab 5 mg, 10 mg, 20 mg, 40</i> <i>mg</i> | 40 |
| <i>quinapril-hydrochlorothiazide tab 10-12.5</i> <i>mg</i> | 40 |
| <i>quinapril-hydrochlorothiazide tab 20-12.5</i> <i>mg</i> | 40 |
| <i>quinapril-hydrochlorothiazide tab 20-25</i> <i>mg</i> | 40 |

| | |
|---|----|
| <i>quinidine sulfate tab 200 mg</i> | 40 |
| <i>quinidine sulfate tab 300 mg</i> | 41 |
| <i>quinine sulfate cap 324 mg</i> | 23 |

R

| | |
|---|----|
| RABAVERT..... | 64 |
| <i>rabeprazole sodium ec tab 20 mg</i> | 49 |
| RALDESY..... | 12 |
| <i>raloxifene hcl tab 60 mg</i> | 57 |
| <i>ramelteon tab 8 mg</i> | 71 |
| <i>ramipril cap 1.25 mg, 2.5 mg, 5 mg, 10</i> <i>mg</i> | 41 |
| <i>ranolazine tab er 12hr 500 mg, 1000</i> <i>mg</i> | 41 |
| <i>rasagiline mesylate tab 0.5 mg (base equiv), 1 mg</i> <i>(base equiv)</i> | 23 |
| <i>reclipsen - desogestrel & ethinyl estradiol tab 0.15</i> <i>mg-30 mcg</i> | 57 |
| RECOMBIVAX HB..... | 64 |
| RELENZA DISKHALER..... | 29 |
| <i>repaglinide tab 0.5 mg</i> | 35 |
| <i>repaglinide tab 1 mg</i> | 35 |
| <i>repaglinide tab 2 mg</i> | 35 |
| REPATHA..... | 41 |
| REPATHA SURECLICK..... | 41 |
| RESTASIS..... | 68 |
| RETACRIT..... | 36 |
| RETEVMO..... | 20 |
| REVCovi..... | 50 |
| REVUFORJ..... | 20 |
| REXTOVY..... | 3 |
| REXULTI..... | 26 |
| REYATAZ..... | 29 |
| REZDIFFRA..... | 50 |
| REZLIDHIA..... | 21 |
| <i>ribavirin cap 200 mg</i> | 29 |
| <i>ribavirin tab 200 mg</i> | 29 |
| RIDAURA..... | 64 |
| <i>rifabutin cap 150 mg</i> | 15 |
| <i>rifampin cap 150 mg, 300 mg</i> | 15 |
| <i>rifampin for inj 600 mg</i> | 15 |
| <i>rilpivirine hcl tab 25 mg (base</i> <i>equivalent)</i> | 29 |
| <i>riluzole tab 50 mg</i> | 43 |
| RINVOQ..... | 64 |
| RINVOQ LQ..... | 64 |
| <i>risedronate sodium tab 150 mg</i> | 66 |
| <i>risedronate sodium tab 35 mg</i> | 66 |
| <i>risedronate sodium tab 5 mg, 30 mg</i> | 66 |
| <i>risedronate sodium tab delayed release 35</i> <i>mg</i> | 66 |

| | | | |
|--|----|--|----|
| <i>risperidone microspheres for im extended rel susp</i> 12.5 mg, 25 mg, 37.5 mg..... | 26 | <i>sapropterin dihydrochloride powder packet 100 mg,</i> 500 mg..... | 50 |
| <i>risperidone microspheres for im extended rel susp</i> 50 mg..... | 26 | <i>sapropterin dihydrochloride tab 100</i> mg..... | 50 |
| RISPERIDONE ODT..... | 26 | SCSEMBLIX..... | 21 |
| <i>risperidone orally disintegrating tab 0.5 mg, 1 mg, 2</i> mg, 3 mg..... | 26 | <i>scopolamine td patch 72hr 1 mg/3days</i> | 13 |
| <i>risperidone orally disintegrating tab 4</i> mg..... | 26 | SECUADO..... | 26 |
| <i>risperidone soln 1 mg/ml</i> | 26 | <i>selegiline hcl cap 5 mg</i> | 23 |
| <i>risperidone tab 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3</i> mg..... | 26 | <i>selegiline hcl tab 5 mg</i> | 24 |
| <i>risperidone tab 4 mg</i> | 26 | <i>selenium sulfide lotion 2.5%</i> | 46 |
| <i>ritonavir tab 100 mg</i> | 29 | SELZENTRY..... | 29 |
| <i>rivaroxaban for susp 1 mg/ml</i> | 36 | SEREVENT DISKUS..... | 70 |
| <i>rivaroxaban tab 2.5 mg</i> | 36 | <i>sertraline hcl oral concentrate for solution 20 mg/</i> ml..... | 12 |
| <i>rivastigmine tartrate cap 1.5 mg (base equivalent), 3</i> mg (base equivalent), 4.5 mg (base equivalent), 6 mg (base equivalent)..... | 11 | <i>sertraline hcl tab 100 mg</i> | 12 |
| <i>rivastigmine td patch 24hr 4.6 mg/24hr, 9.5 mg/24hr,</i> 13.3 mg/24hr..... | 11 | <i>sertraline hcl tab 25 mg, 50 mg</i> | 12 |
| <i>rizatriptan benzoate oral disintegrating tab 5 mg</i> (base eq), 10 mg (base eq)..... | 15 | <i>setlakin - levonorgestrel & ethinyl estradiol (91-day)</i> tab 0.15-0.03 mg..... | 57 |
| <i>rizatriptan benzoate tab 5 mg (base equivalent), 10</i> mg (base equivalent)..... | 15 | <i>sharobel - norethindrone tab 0.35 mg</i> | 57 |
| <i>roflumilast tab 250 mcg, 500 mcg</i> | 70 | SHINGRIX..... | 64 |
| ROMVIMZA..... | 21 | SIGNIFOR..... | 60 |
| <i>ropinirole hydrochloride tab 0.25 mg, 0.5 mg, 1 mg, 2</i> mg, 3 mg, 4 mg, 5 mg..... | 23 | <i>sildenafil citrate tab 20 mg</i> | 70 |
| <i>rosuvastatin calcium tab 40 mg</i> | 41 | <i>silver sulfadiazine cream 1%</i> | 46 |
| <i>rosuvastatin calcium tab 5 mg, 10 mg, 20</i> mg..... | 41 | SIMLANDI..... | 64 |
| ROTARIX..... | 64 | SIMLANDI 1-PEN KIT..... | 64 |
| ROTATEQ..... | 64 | SIMLANDI 2-PEN KIT..... | 64 |
| <i>roweepra - levetiracetam tab 500 mg</i> | 9 | <i>simliya - desogest-eth estrad & eth estrad tab</i> 0.15-0.02/0.01 mg(21/5)..... | 57 |
| ROZLYTREK..... | 21 | <i>simvastatin tab 20 mg</i> | 41 |
| RUBRACA..... | 21 | <i>simvastatin tab 5 mg, 10 mg, 40 mg</i> | 41 |
| <i>rufinamide susp 40 mg/ml</i> | 9 | <i>simvastatin tab 80 mg</i> | 41 |
| <i>rufinamide tab 200 mg</i> | 9 | <i>sirolimus oral soln 1 mg/ml</i> | 64 |
| <i>rufinamide tab 400 mg</i> | 9 | <i>sirolimus tab 0.5 mg, 1 mg, 2 mg</i> | 64 |
| RUKOBIA..... | 29 | SIRTURO..... | 15 |
| RYBELSUS..... | 35 | SIVEXTRO..... | 7 |
| RYDAPT..... | 21 | SKYLA..... | 51 |
| S | | SKYRIZI..... | 64 |
| <i>sacubitril-valsartan tab 24-26 mg</i> | 41 | SKYRIZI PEN..... | 64 |
| <i>sacubitril-valsartan tab 49-51 mg, 97-103</i> mg..... | 41 | <i>sodium chloride iv soln 0.45%, 0.9%</i> | 48 |
| <i>sajazir - icatibant acetate subcutaneous soln pref syr</i> 30 mg/3ml..... | 64 | <i>sodium chloride preservative free (pf) inj</i> 0.9%..... | 48 |
| SANTYL..... | 46 | <i>sodium oxybate oral solution 500 mg/</i> ml..... | 71 |
| | | <i>sodium phenylbutyrate oral powder 3 gm/</i> teaspoonful..... | 50 |
| | | <i>sodium phenylbutyrate tab 500 mg</i> | 50 |
| | | <i>sodium polystyrene sulfonate powder</i> | 48 |
| | | <i>sodium polystyrene sulfonate susp 15</i> gm/60ml..... | 48 |
| | | <i>sod sulfate-pot sulf-mg sulf oral sol 17.5-3.13-1.6</i> gm/177ml..... | 49 |
| | | <i>solifenacin succinate tab 5 mg, 10 mg</i> | 51 |

| | | | |
|---|----|--|----|
| SOLQUA 100/33..... | 35 | <i>sumatriptan succinate solution auto-injector 6 mg/0.5ml.....</i> | 15 |
| SOLTAMOX..... | 21 | <i>sumatriptan succinate solution cartridge 4 mg/0.5ml.....</i> | 15 |
| SOMATULINE DEPOT..... | 60 | <i>sumatriptan succinate solution cartridge 6 mg/0.5ml.....</i> | 15 |
| SOMAVERT..... | 60 | <i>sumatriptan succinate tab 25 mg, 50 mg, 100 mg.....</i> | 15 |
| <i>sorafenib tosylate tab 200 mg (base equivalent).....</i> | 21 | <i>sunitinib malate cap 12.5 mg (base equivalent).....</i> | 21 |
| <i>sotalol hcl (afib/af) tab 80 mg, 120 mg, 160 mg.....</i> | 41 | <i>sunitinib malate cap 25 mg (base equivalent), 37.5 mg (base equivalent), 50 mg (base equivalent).....</i> | 21 |
| <i>sotalol hcl tab 80 mg, 120 mg, 160 mg, 240 mg.....</i> | 41 | SUNLENCA..... | 29 |
| SPIRIVA RESPIMAT..... | 71 | SUTAB..... | 49 |
| <i>spironolactone & hydrochlorothiazide tab 25-25 mg.....</i> | 41 | <i>syeda - drospirenone-ethinyl estradiol tab 3-0.03 mg.....</i> | 57 |
| <i>spironolactone tab 25 mg, 50 mg, 100 mg.....</i> | 41 | SYMPAZAN..... | 10 |
| <i>sprintec 28 - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg.....</i> | 57 | SYMTUZA..... | 29 |
| SPRITAM..... | 9 | SYNAREL..... | 60 |
| <i>sps - sodium polystyrene sulfonate rectal susp 30 gm/120ml.....</i> | 48 | SYNJARDY..... | 35 |
| <i>sps - sodium polystyrene sulfonate susp 15 gm/60ml.....</i> | 48 | SYNJARDY XR..... | 35 |
| <i>ssd - silver sulfadiazine cream 1%.....</i> | 46 | SYNTHROID..... | 59 |
| STEQEYMA..... | 64 | T | |
| STIOLTO RESPIMAT..... | 71 | TABLOID..... | 21 |
| STIVARGA..... | 21 | TABRECTA..... | 21 |
| STOBOCLO..... | 66 | <i>tacrolimus cap 0.5 mg, 1 mg, 5 mg.....</i> | 64 |
| STRENSIQ..... | 50 | <i>tacrolimus oint 0.03%, 0.1%.....</i> | 46 |
| STREPTOMYCIN SULFATE..... | 7 | <i>tadalafil tab 2.5 mg, 5 mg.....</i> | 51 |
| STRIBILD..... | 29 | <i>tadalafil tab 20 mg (pah).....</i> | 71 |
| SUBVENITE..... | 9 | TAFINLAR..... | 21 |
| <i>subvenite - lamotrigine tab 25 mg, 100 mg, 150 mg, 200 mg.....</i> | 9 | TAGRISSO..... | 21 |
| <i>sucrafate tab 1 gm.....</i> | 49 | TALZENNA..... | 21 |
| <i>sulfacetamide sodium lotion 10% (acne).....</i> | 46 | <i>tamoxifen citrate tab 10 mg (base equivalent), 20 mg (base equivalent).....</i> | 21 |
| <i>sulfacetamide sodium ophth soln 10%.....</i> | 68 | <i>tamsulosin hcl cap 0.4 mg.....</i> | 51 |
| <i>sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%.....</i> | 68 | <i>tarina 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1mg-20 mcg (24).....</i> | 57 |
| <i>sulfadiazine tab 500 mg.....</i> | 7 | <i>tarina fe 1/20 eq - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg.....</i> | 57 |
| <i>sulfamethoxazole-trimethoprim susp 200-40 mg/5ml.....</i> | 7 | <i>tasimelteon capsule 20 mg.....</i> | 71 |
| <i>sulfamethoxazole-trimethoprim tab 400-80 mg, 800-160 mg.....</i> | 7 | <i>tazarotene cream 0.05%, 0.1%.....</i> | 46 |
| <i>sulfasalazine tab 500 mg.....</i> | 66 | <i>tazicef - ceftazidime for inj 1 gm.....</i> | 7 |
| <i>sulfasalazine tab delayed release 500 mg.....</i> | 66 | <i>tazicef - ceftazidime for iv soln 1 gm.....</i> | 7 |
| <i>sulindac tab 150 mg, 200 mg.....</i> | 2 | <i>tazicef - ceftazidime for iv soln 2 gm.....</i> | 7 |
| <i>sumatriptan nasal spray 5 mg/act, 20 mg/act.....</i> | 15 | <i>tazicef - ceftazidime for iv soln 6 gm.....</i> | 7 |
| <i>sumatriptan succinate inj 6 mg/0.5ml.....</i> | 15 | TEFLARO..... | 7 |
| | | <i>telmisartan-amlodipine tab 40-10 mg.....</i> | 41 |
| | | <i>telmisartan-amlodipine tab 40-5 mg.....</i> | 41 |
| | | <i>telmisartan-amlodipine tab 80-10 mg.....</i> | 41 |
| | | <i>telmisartan-amlodipine tab 80-5 mg.....</i> | 41 |

| | | | |
|--|----|---|----|
| <i>telmisartan-hydrochlorothiazide tab 40-12.5 mg, 80-25 mg</i> | 41 | <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 360 mg</i> | 41 |
| <i>telmisartan-hydrochlorothiazide tab 80-12.5 mg</i> | 41 | <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 420 mg</i> | 41 |
| <i>telmisartan tab 20 mg, 40 mg, 80 mg</i> | 41 | <i>tiagabine hcl tab 2 mg, 4 mg, 12 mg, 16 mg</i> | 10 |
| <i>temazepam cap 15 mg, 30 mg</i> | 71 | TIBSOVO..... | 21 |
| TENIVAC..... | 65 | <i>ticagrelor tab 60 mg, 90 mg</i> | 36 |
| <i>tenofovir disoproxil fumarate tab 300 mg</i> | 29 | TICOVAC..... | 65 |
| TEPMETKO..... | 21 | <i>tigecycline for iv soln 50 mg</i> | 7 |
| <i>terazosin hcl cap 1 mg (base equivalent)</i> | 41 | <i>tilia fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 57 |
| <i>terazosin hcl cap 2 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 41 | <i>timolol maleate ophth gel forming soln 0.25%, 0.5%</i> | 68 |
| <i>terbinafine hcl tab 250 mg</i> | 14 | <i>timolol maleate ophth soln 0.25%, 0.5%</i> | 68 |
| <i>terconazole vaginal cream 0.4%, 0.8%</i> | 14 | <i>timolol maleate tab 5 mg, 10 mg, 20 mg</i> | 41 |
| <i>terconazole vaginal suppos 80 mg</i> | 14 | <i>tinidazole tab 250 mg, 500 mg</i> | 7 |
| TERIPARATIDE..... | 66 | TIVICAY..... | 29 |
| <i>testosterone cypionate im inj in oil 100 mg/ml, 200 mg/ml</i> | 57 | TIVICAY PD..... | 30 |
| TESTOSTERONE ENANTHATE..... | 57 | <i>tizanidine hcl tab 2 mg (base equivalent), 4 mg (base equivalent)</i> | 27 |
| <i>testosterone td gel 12.5 mg/act (1%)</i> | 57 | <i>tobramycin-dexamethasone ophth susp 0.3-0.1%</i> | 68 |
| <i>testosterone td gel 20.25 mg/1.25gm (1.62%)</i> | 57 | <i>tobramycin nebu soln 300 mg/5ml</i> | 71 |
| <i>testosterone td gel 20.25 mg/act (1.62%)</i> | 57 | <i>tobramycin ophth soln 0.3%</i> | 68 |
| <i>testosterone td gel 25 mg/2.5gm (1%)</i> | 57 | TOBRAMYCIN SULFATE..... | 7 |
| <i>testosterone td gel 40.5 mg/2.5gm (1.62%)</i> | 57 | <i>tobramycin sulfate for inj 1.2 gm</i> | 7 |
| <i>testosterone td gel 50 mg/5gm (1%)</i> | 57 | <i>tobramycin sulfate inj 80 mg/2ml (40 mg/ml) (base equiv), 1.2 gm/30ml (40 mg/ml) (base equiv)</i> | 7 |
| <i>tetrabenazine tab 12.5 mg</i> | 43 | <i>tolterodine tartrate cap er 24hr 2 mg, 4 mg</i> | 51 |
| <i>tetrabenazine tab 25 mg</i> | 43 | <i>tolterodine tartrate tab 1 mg, 2 mg</i> | 51 |
| <i>tetracycline hcl cap 250 mg, 500 mg</i> | 7 | <i>tolvaptan tab 15 mg, 30 mg</i> | 48 |
| THALOMID..... | 21 | <i>tolvaptan tab therapy pack 15 mg, 30 & 15 mg, 45 & 15 mg, 60 & 30 mg, 90 & 30 mg</i> | 48 |
| <i>theophylline tab er 12hr 300 mg, 450 mg</i> | 71 | <i>topiramate oral soln 25 mg/ml</i> | 10 |
| <i>theophylline tab er 24hr 400 mg, 600 mg</i> | 71 | <i>topiramate sprinkle cap 15 mg, 25 mg</i> | 10 |
| <i>thioridazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg</i> | 26 | <i>topiramate tab 25 mg, 50 mg, 100 mg, 200 mg</i> | 10 |
| <i>thiothixene cap 1 mg, 2 mg, 5 mg, 10 mg</i> | 26 | <i>toremifene citrate tab 60 mg (base equivalent)</i> | 21 |
| THYMOGLOBULIN..... | 65 | <i>torpenz - everolimus tab 2.5 mg, 7.5 mg, 10 mg</i> | 21 |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 120 mg</i> | 41 | <i>torpenz - everolimus tab 5 mg</i> | 21 |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 180 mg</i> | 41 | <i>torse mide tab 5 mg, 10 mg, 20 mg, 100 mg</i> | 42 |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 240 mg</i> | 41 | TOUJEO MAX SOLOSTAR..... | 35 |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 300 mg</i> | 41 | TOUJEO SOLOSTAR..... | 35 |
| | | TRADJENTA..... | 35 |

| | | | |
|--|----|--|----|
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | 2 | <i>trifluoperazine hcl tab 1 mg (base equivalent), 2 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 26 |
| <i>tramadol hcl tab 50 mg</i> | 2 | TRIFLURIDINE..... | 68 |
| <i>tramadol hcl tab er 24hr 100 mg, 200 mg, 300 mg</i> | 2 | TRIKAFTA..... | 71 |
| <i>trandolapril tab 1 mg, 2 mg, 4 mg</i> | 42 | <i>tri-legest fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 57 |
| <i>trandolapril-verapamil hcl tab er 1-240 mg</i> | 42 | <i>tri-linyah - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 57 |
| <i>trandolapril-verapamil hcl tab er 2-180 mg</i> | 42 | <i>tri-lo-estarylla - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 57 |
| <i>trandolapril-verapamil hcl tab er 2-240 mg</i> | 42 | <i>tri-lo-marzia - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 58 |
| <i>trandolapril-verapamil hcl tab er 4-240 mg</i> | 42 | <i>tri-lo-mili - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 58 |
| <i>tranexamic acid tab 650 mg</i> | 36 | <i>tri-lo-sprintec - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 58 |
| <i>tranylcypromine sulfate tab 10 mg</i> | 12 | <i>trimethoprim tab 100 mg</i> | 8 |
| TRAVASOL..... | 48 | <i>tri-mili - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 58 |
| <i>travoprost ophth soln 0.004% (benzalkonium free) (bak free)</i> | 68 | <i>trimipramine maleate cap 25 mg, 50 mg, 100 mg</i> | 12 |
| <i>trazodone hcl tab 300 mg</i> | 12 | TRINTELLIX..... | 12 |
| <i>trazodone hcl tab 50 mg, 100 mg, 150 mg</i> | 12 | <i>tri-sprintec - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 58 |
| TRELEGY ELLIPTA..... | 71 | TRIUMEQ..... | 30 |
| TRELSTAR MIXJECT..... | 60 | TRIUMEQ PD..... | 30 |
| TREMFYA..... | 65 | <i>tri-vylibra lo - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 58 |
| TREMFYA INDUCTION PACK FOR CROHNS DISEASE/ULCERATIVE COLITIS..... | 65 | <i>tri-vylibra - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 58 |
| TREMFYA PEN..... | 65 | TROPHAMINE..... | 48 |
| <i>tretinoin cap 10 mg</i> | 22 | TRULICITY..... | 35 |
| <i>tretinoin cream 0.025%, 0.05%, 0.1%</i> | 46 | TRUMENBA..... | 65 |
| <i>tretinoin gel 0.01%, 0.025%</i> | 46 | TRUQAP..... | 22 |
| <i>triamcinolone acetonide cream 0.025%, 0.1%, 0.5%</i> | 46 | TUKYSA..... | 22 |
| <i>triamcinolone acetonide dental paste 0.1%</i> | 44 | TURALIO..... | 22 |
| <i>triamcinolone acetonide lotion 0.025%, 0.1%</i> | 46 | <i>turqoz - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 58 |
| <i>triamcinolone acetonide oint 0.025%, 0.1%</i> | 46 | TWINRIX..... | 65 |
| <i>triamcinolone acetonide oint 0.5%</i> | 46 | TYENNE..... | 65 |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> | 42 | TYMLOS..... | 66 |
| <i>triamterene & hydrochlorothiazide tab 37.5-25 mg, 75-50 mg</i> | 42 | TYPHIM VI..... | 65 |
| <i>tridacaine iii - lidocaine patch 5%</i> | 2 | U | |
| <i>tridacaine ii - lidocaine patch 5%</i> | 2 | <i>unithroid - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 59 |
| <i>triderm - triamcinolone acetonide cream 0.5%</i> | 46 | <i>ursodiol cap 300 mg</i> | 49 |
| <i>trientine hcl cap 250 mg</i> | 48 | <i>ursodiol tab 250 mg, 500 mg</i> | 49 |
| <i>tri-estarylla - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 57 | USTEKINUMAB-AEKN..... | 65 |

V

| | | | |
|---|----|---|----|
| <i>valacyclovir hcl tab 500 mg, 1 gm</i> | 30 | <i>venlafaxine hcl cap er 24hr 37.5 mg (base equivalent)</i> | 12 |
| VALCHLOR..... | 22 | <i>venlafaxine hcl cap er 24hr 75 mg (base equivalent)</i> | 12 |
| <i>valganciclovir hcl for soln 50 mg/ml (base equiv)</i> | 30 | <i>venlafaxine hcl tab 25 mg (base equivalent), 37.5 mg (base equivalent), 50 mg (base equivalent), 75 mg (base equivalent), 100 mg (base equivalent)</i> | 13 |
| <i>valganciclovir hcl tab 450 mg (base equivalent)</i> | 30 | VENTOLIN HFA..... | 71 |
| <i>valproate sodium oral soln 250 mg/5ml (base equiv)</i> | 10 | VEOZAH..... | 43 |
| <i>valproic acid cap 250 mg</i> | 10 | <i>verapamil hcl cap er 24hr 120 mg, 180 mg, 240 mg</i> | 42 |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg, 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg</i> | 42 | <i>verapamil hcl cap er 24hr 360 mg</i> | 42 |
| <i>valsartan tab 320 mg</i> | 42 | <i>verapamil hcl tab 40 mg, 80 mg, 120 mg</i> | 42 |
| <i>valsartan tab 40 mg, 80 mg, 160 mg</i> | 42 | <i>verapamil hcl tab er 120 mg, 180 mg, 240 mg</i> | 42 |
| VALTOCO 10 MG DOSE..... | 10 | VERQUVO..... | 42 |
| VALTOCO 15 MG DOSE..... | 10 | VERSACLOZ..... | 26 |
| VALTOCO 20 MG DOSE..... | 10 | VERZENIO..... | 22 |
| VALTOCO 5 MG DOSE..... | 10 | <i>vestura - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 58 |
| <i>valtya 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 58 | <i>vienva - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 58 |
| <i>valtya 1/50 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 58 | <i>vigabatrin powd pack 500 mg</i> | 10 |
| <i>vancomycin hcl cap 125 mg (base equivalent)</i> | 8 | <i>vigabatrin tab 500 mg</i> | 10 |
| <i>vancomycin hcl cap 250 mg (base equivalent)</i> | 8 | <i>vigadrone - vigabatrin powd pack 500 mg</i> | 10 |
| <i>vancomycin hcl for iv soln 100 gm (base equivalent)</i> | 8 | <i>vigadrone - vigabatrin tab 500 mg</i> | 10 |
| <i>vancomycin hcl for iv soln 500 mg (base equivalent), 750 mg (base equivalent), 1 gm (base equivalent), 5 gm (base equivalent), 10 gm (base equivalent)</i> | 8 | VIGAFYDE..... | 10 |
| VANFLYTA..... | 22 | <i>vilazodone hcl tab 10 mg, 20 mg, 40 mg</i> | 13 |
| VAQTA..... | 65 | VIMKUNYA..... | 65 |
| <i>varenicline tartrate tab 0.5 mg (base equiv), 1 mg (base equiv)</i> | 3 | <i>violele - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 58 |
| <i>varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack</i> | 3 | VIRACEPT..... | 30 |
| VARIVAX..... | 65 | VIREAD..... | 30 |
| VASCEPA..... | 42 | VITRAKVI..... | 22 |
| VAXCHORA..... | 65 | VIVOTIF..... | 65 |
| <i>velivet - desogest-ethin est tab 0.1-0.025/0.125-0.025/0.15-0.025mg-mg</i> | 58 | VIZIMPRO..... | 22 |
| VENCLEXTA..... | 22 | <i>volnea - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 58 |
| VENCLEXTA STARTING PACK..... | 22 | VONJO..... | 22 |
| VENLAFAXINE BESYLATE ER..... | 12 | VORANIGO..... | 22 |
| <i>venlafaxine hcl cap er 24hr 150 mg (base equivalent)</i> | 13 | <i>voriconazole for inj 200 mg</i> | 14 |
| | | <i>voriconazole for susp 40 mg/ml</i> | 14 |
| | | <i>voriconazole tab 50 mg, 200 mg</i> | 14 |
| | | VOSEVI..... | 30 |
| | | VOWST..... | 49 |
| | | VPRIV..... | 50 |
| | | VRAYLAR..... | 27 |
| | | VUMERITY..... | 44 |

| | |
|--|----|
| <i>vyfemla - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 58 |
| <i>vylibra - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 58 |

W

| | |
|--|----|
| <i>warfarin sodium tab 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg, 10 mg</i> | 36 |
| WELIREG..... | 50 |
| <i>wera - norethindrone & ethinyl estradiol tab 0.5 mg-35 mcg</i> | 58 |
| WINREVAIR..... | 71 |
| <i>wixela inhub - fluticasone-salmeterol aer powder ba 100-50 mcg/act</i> | 71 |
| <i>wixela inhub - fluticasone-salmeterol aer powder ba 250-50 mcg/act</i> | 71 |
| <i>wixela inhub - fluticasone-salmeterol aer powder ba 500-50 mcg/act</i> | 71 |
| <i>wymzya fe - norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> | 58 |
| WYOST..... | 67 |

X

| | |
|--|----|
| XALKORI..... | 22 |
| <i>xarah fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 58 |
| XARELTO..... | 36 |
| XARELTO STARTER PACK..... | 36 |
| XATMEP..... | 65 |
| XCOPRI..... | 10 |
| XDEMVY..... | 68 |
| <i>xelria fe - norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> | 58 |
| XERMELO..... | 49 |
| XIFAXAN..... | 49 |
| XIGDUO XR..... | 35 |
| XIIDRA..... | 68 |
| XOFLUZA..... | 30 |
| XOLAIR..... | 65 |
| XOSPATA..... | 22 |
| XPOVIO..... | 22 |
| XPOVIO 60 MG TWICE WEEKLY..... | 22 |
| XPOVIO 80 MG TWICE WEEKLY..... | 22 |
| XTANDI..... | 22 |
| <i>xulane - norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 58 |

Y

| | |
|--|----|
| <i>yargesa - miglustat cap 100 mg</i> | 50 |
| YF-VAX..... | 65 |
| <i>yuvaferm - estradiol vaginal tab 10 mcg</i> | 58 |

Z

| | |
|---|----|
| <i>zafemy - norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 58 |
| <i>zafirlukast tab 10 mg, 20 mg</i> | 71 |
| <i>zaleplon cap 10 mg</i> | 71 |
| <i>zaleplon cap 5 mg</i> | 71 |
| ZEJULA..... | 22 |
| ZELBORAF..... | 23 |
| <i>zelvysia - sapropterin dihydrochloride powder packet 100 mg, 500 mg</i> | 50 |
| <i>zenatane - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg</i> | 46 |
| ZENPEP..... | 50 |
| <i>zenzedi - dextroamphetamine sulfate tab 10 mg</i> | 44 |
| <i>zenzedi - dextroamphetamine sulfate tab 5 mg</i> | 44 |
| <i>zidovudine cap 100 mg</i> | 30 |
| <i>zidovudine syrup 10 mg/ml</i> | 30 |
| <i>zidovudine tab 300 mg</i> | 30 |
| <i>ziprasidone hcl cap 20 mg, 40 mg</i> | 27 |
| <i>ziprasidone hcl cap 60 mg, 80 mg</i> | 27 |
| <i>ziprasidone mesylate for inj 20 mg (base equivalent)</i> | 27 |
| ZOKINVY..... | 50 |
| ZOLINZA..... | 23 |
| <i>zolpidem tartrate tab 5 mg, 10 mg</i> | 71 |
| ZONISADE..... | 10 |
| <i>zonisamide cap 25 mg, 50 mg, 100 mg</i> | 10 |
| <i>zovia 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1mg-35 mcg</i> | 58 |
| ZTALMY..... | 10 |
| <i>zumandimine - drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | 58 |
| ZURZUVAE..... | 13 |
| ZYDELIG..... | 23 |
| ZYKADIA..... | 23 |

Intentionally Left Blank

Intentionally Left Blank

Intentionally Left Blank

This formulary was updated on 05/21/2026. For more recent information or other questions, please contact **Blue Advantage® (PPO) Member Services** at **1-888-950-0705** or, for **TTY** users, **711**, Monday - Friday, 8 a.m. - 8 p.m. CST. From October 1 to March 31, the hours of operation are Monday - Sunday, 8 a.m. - 8 p.m. CST. You may be required to leave a message for calls made after hours, weekends and holidays. Calls will be returned the next business day, or visit **[PatriusHealth.com](https://www.PatriusHealth.com)**.

Blue Advantage is a PPO with a Medicare contract.
Enrollment in Blue Advantage (PPO) depends on contract renewal.



Blue Advantage (PPO) is provided by Patrius Health,
an independent licensee of the Blue Cross and Blue Shield Association.